

Mbsm.pro, Aspera, Embraco, NT6222GK,
R404A, R449A, R407A, R452A, 3/4 hp++,
MHbp, 1 Hp-, Dis 17.39 cm³

Category: compressor

written by www.mbsm.pro | 30 September 2023

 **Embraco aspera** **NT6222GK**

 

THERMALLY PROTECTED			200 - 240V ~ 50Hz 230V ~ 60Hz
7.00RLA	37.0LRA	R 404A	
POE. OIL 450CC		1 PH	

MADE IN SLOVAKIA NO START WITHOUT STARTING DEVICE


922CN04 KW MA9ACFUB

Technical data



- Model: **T6220GK**
- Refrigerant Gas: **R-404A**
- Pression/temperature: **MHBP**
- Power: **1 HP**
- Voltage: **230 V**
- Current Type: **Single-Phase**
- Frequency: **50 Hz**
- Compressor Type: **Hermetic**
- Displacement: **17.39 cm³**
- Power Cons. -10°C: **856 W**
- Power Cons. -5°C: **927 W**
- Efficiency 0°C: **996 W**
- Power Cons. +5°C: **1065 W**
- Power Cons. +10°C: **1133 W**
- T° Condensation: **45 °C**
- Cooling Cap. -20°C: **848 Kcal/h**
- Cooling Cap. -15°C: **1043 Kcal/h**
- Cooling Cap. -10°C: **1295 Kcal/h**
- Cooling Cap. -5°C: **1604 Kcal/h**
- Cooling Cap. 0°C: **1967 Kcal/h**
- Cooling Cap. 5°C: **2384 Kcal/h**

- Cooling Cap. 10°C: **2853 Kcal/h**
- Test Type: **Ashare 46**