

Mbsm.pro, Compressor, Zanussi ,ZEL,
OF1033A, 1/5 hp, lbp, 220-240V, 50HZ,
R134A

Category: compressor

written by rober us | 29 March 2023



Mbsm.pro, Compressor,Zanussi ,ZEL, 0F1033A, 1/5 hp, lbp, 220-240V, 50HZ, R134A

- Voltage frequency
220-240V/50Hz
- Refrigerant / Réfrigérant
R134a
- Nominal horsepower / Horse Powr
1/5CV
- Application condition/ Application
PSL
- Cooling capacity (w) Capacité de refroidissement
50-70
- Type of engine
RSIR
- La temperature d'évaporation (W)
-23.3°C



○ R134a LBP 220-240V/50Hz

系列 应用工况	型号	制冷剂	电机 功率	电机 类型	制冷量 (W) 蒸发温度 (°C) / Cooling Capacity ASHRAE											输入 功率	性能 系数	高度		
	Model	Displ.	Power	Motor type	-30	-25	-23.3	-20	-15	-10	-5	0	5	7.3	10	Input Power without RC	COP without RC	Height mm		
		cc	hp		W / °C														W	W/W
Tau 普 级系列 / LBP	CP605	3.4	1/11	RSR	45	50	70	95	118	149	180	208				70	1.18	163		
	CP790	3.8	1/8	RSR	55	72	94	118	147	184	220	262				83	1.21	163		
	CP789	4.4	1/8	RSR	65	85	110	138	172	210	268	300				102	1.20	174		
	CP1035A	5.7	1/5	RSR	83	100	141	170	220	270	344	423				118	1.18	174		
	CP1350A	7.5	1/4	RSR	105	137	178	223	278	340	434	534				158	1.13	183		
Tau 中 级系列 / LBP	GVY35AA	3.5	1/11	RSRRSRR	47	62	80	100	125	157	195	240				89	1.18	163		
	GVY40AA	4.0	1/7	RSRRSRR	59	77	100	125	156	190	244	300				83	1.20	174		
	GVY44AA	4.4	1/8	RSRRSRR	70	91	118	148	184	231	288	354				94	1.25	174		
	GVY53AA	5.3	1/5	RSRRSRR	82	107	138	174	217	272	339	417				105	1.33	174		
	GVY57AA	5.7	1/5	RSRRSRR	89	116	150	186	234	294	366	460				113	1.33	174		
	GVY66AA	6.6	1/4	RSRRSRR	107	140	182	228	284	357	444	546				133	1.37	174		
	GVY75AA	7.5	1/4	RSRRSRR	118	154	200	250	312	382	480	600				149	1.34	174		
	GTH8AA	8.8	1/4	RSRRSRR	136	177	230	285	358	451	561	690				165	1.43	174		
	GTH9AA	9.3	1/4	RSRRSRR	152	200	260	325	406	510	634	780				182	1.43	184		
	GTH9AA	9.3	1/4	RSR	150	200	270	338	421	525	659	815				230	1.35	184		
高能效 系列 / LBP	GTM15AA	10.0	1/3	CSR	177	231	300	375	468	588	730	900				232	1.35	184		
	GTM12AA	12.0	1/3	CSR	190	254	330	413	515	647	805	990				241	1.37	184		

Private Picture Copyright : WWW.MBSM.PRO

○ R134a LBP 220-240V/50Hz

Lambda 系列/LBP	QML20A	3.4	1/12	RSR	40	50	68	85	106	133	166	204				87	1.20	162
	QML115A	4.1	1/8	RSR	56	66	112	140	175	220	273	336				96	1.25	152
	QML145A	4.9	1/8	RSR	63	108	160	175	218	274	342	420				108	1.30	152
	QML1400	4.9	1/8	RSRRSRR	83	108	140	175	218	274	342	420				106	1.40	152
	QML1800	5.7	1/8	RSRRSRR	99	129	168	210	262	329	410	504				125	1.30	158
	QML185A	6.5	1/8	RSRRSRR	110	144	187	234	292	367	456	561				144	1.30	164
	QML200A	7.0	1/8	RSRRSRR	118	154	200	250	312	382	480	600				152	1.32	164
	QXL180A	5.7	1/7	RSR	104	136	176	220	275	340	420	528				1	1	164
	QXL200A	7.0	1/8	RSR	126	164	213	266	332	417	520	638				1	1	164

○ R134a M/HBP 220-240V/50Hz

中能效 系列/ MHP/ HBP	GL80TG	5.3	1/8	CSR				172	213	260	320	418	502	540	605	340	2.25	174
	GL80TB	7.5	1/2	CSR				204	252	308	390	486	595	640	717	352	2.44	
	GL90TB	7.5	1/2	CSR				239	296	361	456	570	698	750	840	323	2.32	184
	GL10TB	9.3	1/2	CSR				248	307	375	470	583	725	790	874	342	2.28	184
	GRP13AA	13.0	1	CSR				381	347	423	537	669	819	880	986	429	2.05	184
	GRP15AA	15.0	1	CSR				351	433	529	671	836	1029	1100	1232	530	2.00	215
	GRP18AA	18.0	1	CSR				418	512	625	793	988	1209	1300	1496	650	2.00	215
	GRP21AA	21.0	1	CSR				510	630	770	976	1218	1488	1600	1792	730	2.20	215
								606	749	916	1158	1444	1767	1900	2128	800	2.10	215

Private Picture Copyright : WWW.MBSM.PRO