

Mbsm.pro, BITZER, Semi Hermetic,  
4VES-7, R22, 7.0 Hp, 14.0 A, 32,939  
btu

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 February 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, BITZER, Semi Hermetic, 4VES-7, R22, 7.0 Hp, 14.0 A, 32,939 btu

Mbsm.pro, Compressor, Copeland, 1 1/4 Ton, 2 hp, Scroll, ZR16KC-PFV-230, ZR16KA-PFV-830, ZR16K4-PFV-130, 15500 btu, R-22, 230 v, 1 ph

Category: compressor

written by www.mbsm.pro | 12 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Copeland, 1 1/4 Ton, 2 hp, Scroll, ZR16KC-PFV-230, ZR16KA-PFV-830, ZR16K4-PFV-130, 15500 btu, R-22, 230 v, 1 ph

Mbsm.pro, COMPRESSOR, EMBRACO, HERMETIC, FREEZE, ICE CREAM, NT2192GK, 1.2 HP, 1v2 HP , 220-240V, LBP, 1262 W, R404A/R507, CSR

Category: compressor

written by www.mbsm.pro | 12 February 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, COMPRESSOR, EMBRACO, HERMETIC, FREEZE, ICE CREAM, NT2192GK, 1.2 HP, 1v2 HP , 220-240V, LBP, 1262 W, R404A/R507, CSR

---

Mbsm.pro, Compressor, Danfoss, 3/4 HP, ++BIG, SECOP, SC21G, HMBP, R134a, SC21G 8124, 8124 , R134A, 550W

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 February 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Danfoss, 3/4 HP, ++BIG, SECOP, SC21G, HMBP, R134a, SC21G 8124, 8124 , R134A, 550W

---

**Mbsm.pro, COMPRESSOR, Tecumseh, 1/2 hp ++, 7/16 HP, CAE4456Y, CSIR, HMBP, ++Big, R134A, 1396 W, 1201 KCal, 4760 Btu, P.frigorifique 436 W -25**

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 February 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, COMPRESSOR, Tecumseh, 1/2 hp ++, 7/16 HP, CAE4456Y, CSIR, HMBP, ++Big, R134A, 1396 W, 1201 KCal, 4760 Btu, P.frigorifique 436 W -25

# Mbsm.pro, Compressor, AE66ZD7, Tecumseh 1/6 HP, 220V, 450 BTU, R12, Hermetic

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 February 2022



R12  
**AE66ZD7**  
 208 V ~ 50Hz In 0.90A Id 8.50A  
 230 V ~ 60Hz In 0.90A Id 9.00A  
 CE  
 S/N: 03E26150202  
 6132780300  
 L'UNITE HERMETIQUE  
 366263



6132780300  
 AE66ZD7  
 6132780300

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, AE66ZD7, Tecumseh 1/6 HP, 115V, 450 BTU, R12, Hermetic

# Mbsm.pro, Compressor, Embraco, Aspera, MA8DCV04, NT6220GK, Hermetic reciprocating compressor , R404a, MHBP, 17.4CC, 3/4Hp, ++big, 240V~50Hz

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 February 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Embraco, Aspera, NT6220GK, Hermetic reciprocating compressor , R404a, MHBP, 17.4CC, 3/4Hp, ++big, 240V~50Hz

---

# Mbsm.pro, PDF, File, Embraco, Catalogue, r134a, Embraco Condensing Units

Category: Files

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 February 2022



### Embraco Condensing Units

Unit Model	Motor Type	Expan. Device	Motor HP	Performance (Watts)							HRP Code	Sales Cat			
				-25°C	-20°C	-15°C	-10°C	-5°C	0°C	5°C			10°C	15°C	
<b>R134a MHBP</b>															
UEMT6144Z	CSIR	CV	1/5	-	-	249	308	375	451	533	-	-	208162	20A	
UEMT6160Z	CSIR	CV	1/6	-	-	335	411	499	597	706	-	-	208164	20A	
UEMT6170Z	CSIR	CV	1/4	-	-	359	443	539	646	764	-	-	208166	20A	
UNEK6187Z	CSIR	CV	1/4	-	-	405	503	616	744	887	-	-	208168	20A	
UNEK6210Z	CSIR	CV	1/3	-	-	430	584	789	929	1065	-	-	208170	20A	
UNEK6212Z	CSIR	CV	1/2	-	-	640	800	975	1157	1354	-	-	208172	20A	
UNT6215Z	CSIR	CV	1/2	-	-	705	816	1003	1188	1362	-	-	208180	20A	
UNEK6214Z	CSIR	CV	1/2	-	-	658	826	1004	1192	1385	-	-	208174	20A	
UNT6220Z	CSIR	CV	2/5	-	-	843	1030	1281	1541	1828	-	-	208184	20A	
UNJ6220Z	CSIR	CV	3/4	-	-	994	1256	1529	1843	2154	-	-	207861	20A	
UNT6217Z	CSIR	CV	3/4	-	-	993	1275	1555	1861	2178	-	-	208182	20A	
UNJ6226Z	CSR	CV	1	-	-	1372	1686	2035	2419	2814	-	-	207888	20A	
<b>R404A MHBP</b>															
UEMT6144GK	CSIR	CV	1/4	-	-	277	338	400	470	543	615	-	-	208186	20A
UEMT6152GK	CSIR	CV	1/4	-	-	301	388	435	504	574	644	-	-	208188	20A
UEMT6165GK	CSIR	CV	1/3	-	-	360	445	525	626	729	815	-	-	208190	20A
UNEK6181GK	CSIR	CV	1/2	-	-	427	530	644	767	900	1040	-	-	208192	20A
UNEK6210GK	CSIR	CV	1/3	-	-	581	670	665	886	1032	1228	-	-	208194	20A
UNEK6213GK	CSIR	CV	1/2	-	-	734	904	1064	1213	1352	1468	-	-	208196	20A
UNEK6217GK	CSR	CV	1/2	-	-	741	960	1180	1408	1640	1880	-	-	208198	20A
UNT6220GK	CSR	CV	3/4	-	-	793	1024	1262	1505	1754	2009	-	-	208204	20A
UNT6222GK	CSR	CV	3/4	-	-	TBA	TBA	TBA	TBA	TBA	TBA	-	-	208206	20A
UNT6226GK	CSR	CV	1	-	-	1265	1568	1878	2198	2526	2864	-	-	208202	20A
UNJ9226GK	CSR	CV	1	-	-	1205	1523	1822	2094	2364	2616	-	-	208140	20A
UNJ9226GS	3ph	CV	1	-	-	1205	1523	1822	2094	2364	2616	-	-	208200	20A
UNJ9232GK	CSR	CV	1-1/4	-	-	1467	1855	2219	2550	2879	3185	-	-	208145	20A
UNJ9232GS	3ph	CV	1-1/4	-	-	1467	1855	2219	2550	2879	3185	-	-	208150	20A
UNJ9238GK	CSR	CV	1-1/2	-	-	1817	2297	2748	3157	3555	3963	-	-	208155	20A



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, PDF, File, Embraco, Catalogue, r134a, Embraco Condensing Units

# Mbsm.pro, PDF, File, Cubigel Katalog, r134a, Huayi, Electrolux, ZEM

Category: Files

written by www.mbsm.pro | 12 February 2022

R134a HMBP   HBP 50 Hz										R134a compressors compatible with R12							
MODEL	DISPLACEMENT cm <sup>3</sup>	POWER hp	APPLICATION	COP COOLING	VOLTAGE FREQUENCY	MOTOR STARTING EXPANSION	REFRIGERATION CAPACITY (°C)										DESIGN
							COP in W/W 1 W = 0.864 kcal/h = 3.415 BTU/h Evaporating Temperature °C										
							Cecomaf (W)					Ashrae					
							-25	-15	W	DOP	10	kcal/h	COP	Kg			
GLY45RAa	4.56	1/6	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	71	139	373	1.85	452	385	2.25	9	Lb
GLY45RAb	4.56	1/6	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	71	139	373	2.12	452	385	2.45	9	Lb
GLY60RAa	5.98	1/5	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	106	191	486	2.08	586	500	2.36	9.9	Lc
GLY60RAb	5.98	1/5	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	106	191	486	2.25	586	500	2.60	9.9	Lc
GLY80RAa	8.10	1/5	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	159	275	681	2.17	819	700	2.50	10.4	Lc
GLY80RAb	8.10	1/5	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	159	275	681	2.35	819	700	2.71	10.4	Lc
GLY90RAa	9.09	1/4	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	169	298	748	2.06	901	770	2.37	10.5	Lc
GLY90RAb	9.09	1/4	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	169	298	748	2.27	901	770	2.61	10.5	Lc
GLY99RAa (*)	9.95	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	189	328	814	2.01	972	836	2.31	10.8	Ld
GLY99RAb (*)	9.95	3/8	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	189	328	814	2.18	972	836	2.49	10.8	Ld
GPY12RAa	12.10	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	228	401	993	2.05	1192	1020	2.35	12.6	Pd
GPY12RAb	12.10	3/8	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	228	401	993	2.24	1192	1020	2.58	12.6	Pd
GPY14RAa	14.32	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	296	492	1161	1.98	1386	1190	2.27	12.6	Pd
GPY14RAb	14.32	3/8	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	296	492	1161	2.18	1386	1190	2.50	12.6	Pd
GPY16RAa	16.15	3/8	HMBP	F	220-240V 50Hz ~1	CSIR	R	C-V	315	522	1248	2.20	1490	1351	2.31	12.8	Pd
GPY16RAb	16.15	3/8	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	315	522	1248	2.38	1490	1351	2.50	12.8	Pd

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, PDF, File, Cubigel Katalog, r134a, Huayi, Electrolux, ZEM

# Mbsm.pro, Compressor, Cubigel, Huayi,

