

# Mbsm.pro, COMPRESSOR, 1/3 HP ++ (big), HERMETIC, TECUMSEH, CAE4440Y, AE4440Y, HBP, R134a, 220-240V, 50 Hz, 1 PH, CSIR

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 January 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)


Mbsm.pro, COMPRESSOR, 1/3 HP ++ (big), HERMETIC, TECUMSEH, CAE4440Y, AE4440Y,  
HBP, R134a, 220-240V, 50 Hz, 1 PH, CSIR

---


# FIVE method of CONNECTING wires

Category: Pictures

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 January 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



---

Mbsm.pro, DL25YE-4, 1/4 hp , 1Ph,  
DAEW00,COMPRESSOR R12, CSR,  
compressor, LBp, 220V 60hz

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 January 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, DL25YE-4, 1/4 hp , 1Ph, DAEWOO,COMPRESSOR, R12, CSR, compressor, LBp, 220V 60hz

---

Mbsm.pro, Compressor, Embraco,  
Aspera, EMY26CLC, LBP, R600a, 220 –  
240V/1/50Hz, 1/12 HP, RSIR, LRA 7.8  
A, 83 Wat

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 January 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Compressor, Embraco, Aspera, EMY26CLC, LBP, R600a, 220 – 240V/1/50Hz, 1/12 HP, RSIR, LRA 7.8 A, 83 Wat

---

Mbsm.pro, compressor, 1/4HP,  
Refrigeration, R134A , Refrigerator,  
freezer, QD91H, LBP

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 January 2022



Private Picture Copyright : WWW.MBSM.PRO


Mbsm.pro, compressor, 1/4HP, Refrigeration, R134A , Refrigerator, freezer, QD91H, LBP

---

Mbsm.pro, Freezer no frost, Alaska, Freezer vertical, 7 gavetas, 239L, Compressor 1/4 Hp, HSL27YE-5, DAEW00 COMPRESSOR, R134a, 220G, 220V, 180W, 1bp, CSIR

Category: compressor,Freezer

written by www.mbsm.pro | 13 January 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Freezer no frost, Alaska, Freezer vertical, 7 gavetas, 239L, Compressor 1/4 Hp, HSL27YE-5, DAEWOO COMPRESSOR, R134a, 220G, 220V, 180W

Mbsm.pro, Compressor Necchi, Esm5, 1/5 Hp, R12, Replaced by , COMPRESSOR, DANFOSS, TL 5G, 1/6++ (1/5 hp) HP, MBP / HBP -R134a, 220-240V/1/50/60Hz, displacement 5.08 cm<sup>3</sup>, motor type RSCR

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 January 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor Necchi, Esm5, 1/5 Hp, R12, Replaced by , COMPRESSOR, DANFOSS, TL 5G, 1/6++ (1/5 hp) HP, MBP / HBP -R134a, 220-240V/1/50/60Hz, displacement 5.08 cm<sup>3</sup>, motor type RSCR

Mbsm.pro, original, jiaXipera, compressor, NB1113Y, NT1113Y, T1113Y, TX1113Y, 1/6 hp, 154w, r600, RSIR

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 January 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

## Product Description

Refrigeration R600A Jiaxipera Domestic Refrigerator Commercial Compressor  
 supply refrigeration parts refrigerator compressor  
 fridge compressor, refrigerator compressor, freezer compressor,refrigeration  
 compressor.

| Compressor Model | Displ. (cm3) | Cooling Type | Motor Type | Vol./Fre. / (V~/Hz) | Capacity(W) | COP (W/W) | Capacitor (μF) | Certificate |           |           |         |
|------------------|--------------|--------------|------------|---------------------|-------------|-----------|----------------|-------------|-----------|-----------|---------|
| ASHRAE           | CECOMAF      | SWP          | ASHRAE     | CECOMAF             | SWP         |           |                |             |           |           |         |
| (-23.3°C)        | (-25°C)      | (-28/40°C)   | (-23.3°C)  | (-25°C)             | (-28/40°C)  |           |                |             |           |           |         |
| N1080Y           | 5.5          | ST           | RSIR       | 220-240~/50         | 95          | 71        | /              | 1.40        | 1.09      | / /       | VDE,CCC |
| N1090Y           | 6.0          | ST           | RSIR       | 220-240~/50         | 100         | 75        | /              | 1.40        | 1.09      | / /       | VDE,CCC |
| N1110Y           | 6.7          | ST           | RSIR       | 220-240~/50         | 114         | 86        | /              | 1.40        | 1.09      | / /       | VDE,CCC |
| N1111Y           | 7.2          | ST           | RSIR       | 220-240~/50         | 130         | 98        | /              | 1.40        | 1.09      | / /       | VDE,CCC |
| N1112Y           | 8.1          | ST           | RSIR       | 220-240~/50         | 140         | 105       | /              | 1.40        | 1.09      | / /       | VDE,CCC |
| N1113Y           | 8.9          | ST           | RSIR       | 220-240~/50         | 154         | 114       | /              | 1.40        | 1.09      | / /       | VDE,CCC |
| N1114Y           | 9.6          | ST           | RSIR       | 220-240~/50         | 168         | 126       | /              | 1.42        | 1.11      | / /       | VDE,CCC |
| NT1112Y          | 8.10         | ST           | RSCR       | 220-240~/50         | 140         | 105       | /              | 1.56        | 1.22      | / 4.0     | VDE,CCC |
| NT1113Y          | 8.9          | ST           | RSCR       | 220-240~/50         | 154         | 116       | /              | 1.56        | 1.22      | / 4.0     | VDE,CCC |
| NT1114Y          | 9.6          | ST           | RSCR       | 220-240~/50         | 170         | 128       | /              | 1.56        | 1.22      | / 4.0/4.5 | VDE,CCC |
| NT1117Y          | 11.2         | ST           | RSCR       | 220-240~/50         | 198         | 149       | /              | 1.56        | 1.22      | / 4.0     | CCC     |
| NU1080Y          | 5.5          | ST           | RSCR       | 220-240~/50         | 95          | 71        | /              | 1.55        | 1.21      | / 3.0     | VDE,CCC |
| NU1090Y          | 6.0          | ST           | RSCR       | 220-240~/50         | 102         | 77        | /              | 1.58        | 1.23      | / 4.0     | VDE,CCC |
| NU1110Y          | 6.70         | ST           | RSCR       | 220-240~/50         | 115         | 86        | /              | 1.58        | 1.23      | / 4.0     | VDE,CCC |
| NU1111Y          | 7.2          | ST           | RSCR       | 220-240~/50         | 130         | 98        | /              | 1.62        | 1.26      | / 3.5/4.0 | VDE,CCC |
| NU1112Y          | 8.10         | ST           | RSCR       | 220-240~/50         | 140         | 105       | /              | 1.62        | 1.26      | / 4.0     | VDE,CCC |
| NU1113Y          | 8.9          | ST           | RSCR       | 220-240~/50         | 154         | 116       | /              | 1.62        | 1.26      | / 4.0     | VDE,CCC |
| NU1114Y          | 9.6          | ST           | RSCR       | 220-240~/50         | 170         | 128       | /              | 1.62        | 1.26      | / 4.0/4.5 | VDE,CCC |
| NU1116Y          | 10.5         | ST           | RSCR       | 220-240~/50         | 186         | 140       | /              | 1.60        | 1.25      | / 4.5     | VDE,CCC |
| NU1112GY         | 8.10         | ST           | RSIR/RSCR  | 220-240~/50         | 140         | 105       | /              | 1.54/1.62   | 1.20/1.26 | / 3.5/4.0 | VDE,CCC |
| NU1113GY         | 8.90         | ST           | RSIR/RSCR  | 220-240~/50         | 154         | 116       | /              | 1.54/1.62   | 1.20/1.26 | / 4.0     | VDE,CCC |
| NS1060Y          | 4.2          | ST           | RSCR       | 220-240~/50         | 65          | 49        | /              | 1.60        | 1.25      | / 2.0     | VDE,CCC |
| NS1080Y          | 5.5          | ST           | RSCR       | 220-240~/50         | 95          | 71        | /              | 1.62        | 1.26      | / 3.0     | VDE,CCC |
| NS1090Y          | 6.0          | ST           | RSCR       | 220-240~/50         | 105         | 79        | /              | 1.66        | 1.29      | / 2.0/3.0 | VDE,CCC |
| NS1110Y          | 6.7          | ST           | RSCR       | 220-240~/50         | 116         | 87        | /              | 1.66        | 1.29      | / 3.0/4.0 | VDE,CCC |
| NS1111Y          | 7.2          | ST           | RSCR       | 220-240~/50         | 130         | 98        | /              | 1.66        | 1.29      | / 3.5/4.0 | VDE,CCC |
| NS1112Y          | 8.1          | ST           | RSCR       | 220-240~/50         | 142         | 107       | /              | 1.68        | 1.31      | / 3.5/4.0 | VDE,CCC |
| NS1113Y          | 8.9          | ST           | RSCR       | 220-240~/50         | 155         | 116       | /              | 1.68        | 1.31      | / 4.0     | VDE,CCC |

|         |      |    |      |             |     |     |     |      |      |      |         |         |
|---------|------|----|------|-------------|-----|-----|-----|------|------|------|---------|---------|
| NS1114Y | 9.6  | ST | RSCR | 220-240~/50 | 172 | 129 | /   | 1.68 | 1.31 | /    | 4.0     | VDE,CCC |
| NS1116Y | 10.5 | ST | RSCR | 220-240~/50 | 186 | 140 | /   | 1.68 | 1.31 | /    | 4.0/5.0 | VDE,CCC |
| NS1117Y | 11.2 | ST | RSCR | 220-240~/50 | 198 | 149 | /   | 1.68 | 1.31 | /    | 4.0     | CCC     |
| NC1090Y | 6.0  | ST | RSCR | 220-240~/50 | 105 | 79  | /   | 1.73 | 1.35 | /    | 2.5     | VDE,CCC |
| NC1110Y | 6.7  | ST | RSCR | 220-240~/50 | 116 | 87  | /   | 1.75 | 1.37 | /    | 3.0/4.0 | VDE,CCC |
| NC1111Y | 7.2  | ST | RSCR | 220-240~/50 | 128 | 96  | /   | 1.75 | 1.37 | /    | 4.0     | VDE,CCC |
| NC1112Y | 8.1  | ST | RSCR | 220-240~/50 | 142 | 107 | /   | 1.75 | 1.37 | /    | 4.0     | VDE,CCC |
| NC1113Y | 8.9  | ST | RSCR | 220-240~/50 | 155 | 116 | /   | 1.75 | 1.37 | /    | 4.0     | VDE,CCC |
| NC1114Y | 9.6  | ST | RSCR | 220-240~/50 | 172 | 129 | /   | 1.75 | 1.37 | /    | 3.0/4.0 | VDE,CCC |
| NC1116Y | 10.5 | ST | RSCR | 220-240~/50 | 186 | 140 | /   | 1.75 | 1.37 | /    | 3.0     | VDE,CCC |
| NX1080Y | 5.5  | ST | RSCR | 220-240~/50 | 96  | 72  | /   | 1.83 | 1.43 | /    | 2.0     | VDE,CCC |
| NX1090Y | 6.0  | ST | RSCR | 220-240~/50 | 108 | 81  | /   | 1.83 | 1.43 | /    | 2.5     | VDE,CCC |
| NX1110Y | 6.7  | ST | RSCR | 220-240~/50 | 117 | 88  | /   | 1.83 | 1.43 | /    | 2.5     | VDE,CCC |
| NX1111Y | 7.2  | ST | RSCR | 220-240~/50 | 130 | 98  | /   | 1.83 | 1.43 | /    | 3.0     | VDE,CCC |
| NX1112Y | 8.1  | ST | RSCR | 220-240~/50 | 145 | 109 | /   | 1.83 | 1.43 | /    | 3.0     | VDE,CCC |
| NX1113Y | 8.9  | ST | RSCR | 220-240~/50 | 155 | 116 | /   | 1.83 | 1.43 | /    | 2.5     | VDE,CCC |
| NX1114Y | 9.6  | ST | RSCR | 220-240~/50 | 172 | 129 | /   | 1.83 | 1.43 | /    | 4.0     | VDE,CCC |
| NB1080Y | 5.5  | ST | RSCR | 220-240~/50 | 96  | 72  | 84  | 1.88 | 1.47 | 2.02 | 2.0     | VDE,CCC |
| NB1090Y | 6.0  | ST | RSCR | 220-240~/50 | 108 | 81  | 95  | 1.88 | 1.47 | 2.02 | 2.5     | VDE,CCC |
| NB1110Y | 6.7  | ST | RSCR | 220-240~/50 | 117 | 88  | 105 | 1.90 | 1.48 | 2.02 | 2.5     | VDE,CCC |
| NB1111Y | 7.2  | ST | RSCR | 220-240~/50 | 130 | 98  | 114 | 1.90 | 1.48 | 2.02 | 3.0     | VDE,CCC |
| NB1112Y | 8.1  | ST | RSCR | 220-240~/50 | 145 | 109 | 127 | 1.90 | 1.48 | 2.02 | 3.0     | VDE,CCC |
| NB1113Y | 8.9  | ST | RSCR | 220-240~/50 | 155 | 116 | 136 | 1.90 | 1.48 | 2.02 | 2.5     | VDE,CCC |
| NB1114Y | 9.6  | ST | RSCR | 220-240~/50 | 172 | 129 | 151 | 1.90 | 1.48 | 2.02 | 4.0     | VDE,CCC |
| NB1116Y | 10.5 | ST | RSCR | 220-240~/50 | 186 | 140 | 163 | 1.90 | 1.48 | 2.02 | 4.0     | VDE,CCC |
| NE1080Y | 5.5  | ST | RSCR | 220-240~/50 | 96  | 72  | 84  | 1.93 | 1.51 | 2.04 | 2.0     | CCC     |
| NE1090Y | 6.0  | ST | RSCR | 220-240~/50 | 108 | 81  | 95  | 1.93 | 1.51 | 2.04 | 2.5     |         |
| NE1110Y | 6.7  | ST | RSCR | 220-240~/50 | 117 | 88  | 105 | 1.95 | 1.52 | 2.04 | 2.5     | CCC     |
| NE1111Y | 7.2  | ST | RSCR | 220-240~/50 | 130 | 98  | 114 | 1.95 | 1.52 | 2.04 | 3.0     | CCC     |
| NE1112Y | 8.1  | ST | RSCR | 220-240~/50 | 145 | 109 | 127 | 1.95 | 1.52 | 2.04 | 3.0     | CCC     |

## Le modèle que nous pouvons fournir:

Fiche technique du compresseur frigorifique série T R600a (LBP)

| Compresseur | Dépl.       | Type De moteur | Vol./Fre.    | Capacité de refroidissement | CONFÉRENCE des parties |         | Matériel deD'enroulement | Certificat                    |
|-------------|-------------|----------------|--------------|-----------------------------|------------------------|---------|--------------------------|-------------------------------|
|             |             |                |              |                             | ASHRAE                 | CECOMAF |                          |                               |
| ASHRAE      | CECOMAF     | ASHRAE         | CECOMAF      |                             |                        |         |                          |                               |
| W           | BTU/h (Cm3) | Kcal           | W (V~/Hz)    | W/W Principal/Auxiliaire.   | BTU/Wh                 | W/W     |                          |                               |
| T1090Y      | 6           | RSIR           | 220 ~ 240/50 | 100                         | 341                    | 86      | 75                       | 1.42 4.85 1.11 Al/Al VDE, CCC |
| T1110Y      | 6.7         | RSIR           | 220 ~ 240/50 | 115                         | 392                    | 99      | 86                       | 1.45 4.95 1.13 Al/Al VDE, CCC |
| T1111Y      | 7.2         | RSIR           | 220 ~ 240/51 | 126                         | 430                    | 108     | 95                       | 1.4 4.78 1.09 Al/Al VDE, CCC  |
| T1112Y      | 8.1         | RSIR           | 220 ~ 240/50 | 140                         | 478                    | 120     | 105                      | 1.42 4.85 1.11 Al/Al VDE, CCC |
| T1113Y      | 8.9         | RSIR           | 220 ~ 240/50 | 152                         | 519                    | 131     | 114                      | 1.42 4.85 1.11 Al/Al VDE, CCC |
| T1114Y      | 9.6         | RSIR           | 220 ~ 240/50 | 168                         | 573                    | 144     | 126                      | 1.42 4.85 1.11 Al/Al VDE, CCC |
| T1116Y      | 10.5        | RSIR           | 220 ~ 240/50 | 184                         | 628                    | 158     | 138                      | 1.4 4.78 1.09 Al/Al VDE, CCC  |



Private Picture Copyright: WWW.MBSM.PRO




Private Picture Copyright: WWW.MBSM.PRO

---

Mbsm.pro, Scroll, Danfoss,  
HRP051T4LP6, compressors, Hermetic,  
49.15 kBtu/h, R22, R407C, 4 1/4Hp,  
3Ph, POE, Lra 60A

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 January 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

bsm.pro, Scroll, Danfoss, HRP051T4LP6, compressors, Hermetic, 49.15 kBtu/h, R22,  
R407C, 4 1/4Hp, 3Ph, POE, Lra 60A

---

Mbsm.pro, Baxi radiators aluminum,  
File, pdf , the best in Algeria

Category: Files

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 January 2022



e Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

The best thank you in Algeria  
Mbsm.pro, Baxi radiators aluminum, File, pdf , the best in Algeria

Mbsm\_dot\_pro\_private\_PDF\_Mbsm.pro-Baxi-radiators-aluminum-File-pdf-the-best-in-AlgeriaTélécharger



e Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)