Compressor ,Embraco Aspera ,NJ2212GK, LBP – R404A, R507, 220-240V/1/50Hz, 1.5 HP, 34.38 cm3, LRA 36.0 A, CSR, lubricant charge 750ml POE 22, 1547 W ,at -23.3 / +54.4 °

Category: Technologie,Tester ok
written by www.mbsm.pro | 9 May 2020

Compressor ,Embraco Aspera ,NJ2212GK, LBP – R404A, R507, 220-240V/1/50Hz, 1.5 HP, 34.38 cm3, LRA 36.0 A, CSR, lubricant charge 750ml POE 22, 1547 W ,at -23.3 / +54.4 °

Compresseur, d’entreposage au froid, de congélateur , Sc12g , Secop ,Certification CE ,1/3 puissance ,en chevaux ,de mini type réfrigérateur ,R134 ,Danfos

Category: Technologie,Tester ok
written by www.mbsm.pro | 9 May 2020

Compresseur, d’entreposage au froid, de congélateur , Sc12g , Secop ,Certification CE ,1/3 puissance ,en chevaux ,de mini type réfrigérateur ,de R134 Danfos

SUC91-12 ,Compresseur ,220 w , 1/4 HP , HBP, or 1/3 HP ,R134a

Category: Technologie,Tester ok
written by www.mbsm.pro | 9 May 2020
SUC91-12 ,Compresseur ,220 w , 1/4 HP , HBP, or 1/3 HP

Compresseur, Samsung , 1/5 HP, 155/160w , r600a ,220/240v~50, Mk4a5qr1u, Mk4a5q-R1u, 5.5Lra, 1PHASE

Category: Technologie,Tester ok
written by www.mbsm.pro | 9 May 2020
Compresseur, Samsung , 1/5 HP, 155/160w , r600a ,220/240v~50, Mk4a5qr1u, Mk4a5q-R1u, 5.5Lra, 1PHASE

Compresseur Embraco ,Aspera, nbm1118y, nby1118y ,coolant ,R600a ,NBY1118Y ,220-240V 50Hz, LBP ,fully hermetic, 10,8kg ,1/4HP

Category: Technologie,Tester ok
written by www.mbsm.pro | 9 May 2020
ompresseur Embraco ,Aspera, nbm1118y, nby1118y ,coolant ,R600a ,NBY1118Y ,220-240V 50Hz, LBP ,fully hermetic, 10,8kg ,1/4HP,nbt1118y

MTS 185 MT,S224-20 ,TURK ELEKTRIK ,1/4 HP,LBP , R600a ,Lra 13.9AMP ,194/220VAC 50Hs , 170w

Category: Technologie,Tester ok
written by www.mbsm.pro | 9 May 2020

MTS 185 MT,S224-20 ,TURK ELEKTRIK ,1/4 HP,LBP , R600a ,Lra 13.9AMP ,194/220VAC 50Hs

Private Picture Copyright : WWW.MBSM.PRO

Private Picture : www.MBSM.PRO

PICTURES :Jeux mitigeurs encastrée ,pour une salle d’eau

Category: Non classé,Plomberie
written by www.mbsm.pro | 9 May 2020
IMAGES FACEBOOK

Les artistes de plomberie et chauffage central

Robinet *Salle de Bain* Matériel: en cuivre. Fonctionnement silencieux. Fonction: mélange *d’eau* chaude et *d’eau* froide; *Mitigeur* monocommande


Private Picture : www.MBSM.PRO

Private Picture : www.MBSM.PRO

Private Picture : www.MBSM.PRO

Private Picture : www.MBSM.PRO

Private Picture : www.MBSM.PRO

Private Picture : www.MBSM.PRO

Private Picture : www.MBSM.PRO

Private Picture : www.MBSM.PRO

Private Picture : www.MBSM.PRO

Tecumseh , CAJ4511A ,Compressor , 1 HP, 208-230V, 1 PHASE, R12, Hermetic ,Reciprocating Compressor Replacement

Category: Technologie,Tester ok
written by www.mbsm.pro | 9 May 2020
Tecumseh , CAJ4511A ,Compressor , 1 HP, 208-230V, 1 PHASE, R12, Hermetic ,Reciprocating Compressor Replacement

---

Good quality Reciprocating Compressor , MSS151G-L1U ,R134a ,LBP ,AC 220-240V~50Hz, 1/8 HP ,90w ,Samsung

Category: Technologie,Tester ok
written by www.mbsm.pro | 9 May 2020
Good quality Reciprocating Compressor , MSS151G-L1U ,R134a ,LBP ,AC 220-240V~50Hz, 1/8 HP ,90w ,Samsung

Compressor ,ACC Cubigel ,Huayi Electrolux ,ZEM GL80AA / GVY75AA, LBP – R134a, 220 – 240V/1/50Hz, 1/4 HP, discharge 7.52 cm3, motor type RSIR / RSCR, oil type ester, oil charge 180 cm3, 150 W at -25 / +55 °, input power, current 146 W, 1.16 A, expansion device: capillary, cooling: static, weight 8.6 kg

Category: Technologie,Tester ok
written by www.mbsm.pro | 9 May 2020
Compressor ,ACC Cubigel ,Huayi Electrolux ,ZEM GL80AA / GVY75AA, LBP – R134a, 220 – 240V/1/50Hz, 1/5 HP, discharge 7.52 cm3, motor type RSIR / RSCR, oil type ester, oil charge 180 cm3, 150 W at -25 / +55 °, input power, current 146 W, 1.16 A, expansion device: capillary, cooling: static, weight 8.6 kg