

www.mbsm.pro , Full Form of Short Answer , Electric , climatisation , Terms

Category: Solutions,Technologie

written by www.mbsm.pro | 28 December 2018

www.mbsm.pro , Full Form of Short Answer , Electric , climatisation , Terms

www.mbsm.pro , TLES7FT.4 , COMPRESSORE SECOP ,TLES7FT.4 4707, R134a , LBP ,1/4 hp/60hz, 1/5 hp/50hz , 1ph ,Danfoss,4707, compressors ,medium temperature, Kiriazi 335l

Category: Technologie,Tester ok

written by www.mbsm.pro | 28 December 2018



Private Picture Copyright : WWW.MBSM.PRO

www.mbsm.pro , TLES7FT.4 , COMPRESSORE SECOP ,TLES7FT.4 , R134a , LBP ,Danfoss compressors ,medium temperature, HMBP

, الشاعر التونسي امرأة تاريخية , قصيدة , Mbsm.pro , Poète Tunisien , Mounir Ben Salah Miled , منير بن صالح ميلاد

Category: News

written by Jamila | 28 December 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

يا امرأة
أدخلتني التاريخ
على يديها
وأشعلت ذُبالي
وباركت وَمَقري
ووضعتني
تحت هُدُاب الدِّمَقْسِ
بين ذراعيها
وأوقفت خَلَجَ عيني
ومنعت عَنِّي حقائي
وحرّرت أثيثها
من العقاص
لتأسرنني به
بين نهديها

للشاعر التونسي مرئيات في فلسفة عينيك

Mbsm.pro , Poète Tunisien Mounir Ben Salah Miled منير بن صالح ميلاد

Category: News

written by www.mbsm.pro | 28 December 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

في عينيك
رقّة الفجر
تتدرّع كؤوس الندى
عطرًا
وروح الربيع
تختال في شعابي
في صمت
تؤنق الأرض
رائعات ورد وزهرا
وحياة في حقل العمر
في سحرها القدسي
تماطلت سكرًا

www.mbsm.pro , Liste des codes secrets sur Android

Category: Non classé,Technologie

written by mahdi miled | 28 December 2018

*#06# – IMEI du téléphone


#0# – Menu d'informations (ne fonctionne pas sur tous les téléphones)

##4636## – Menu d'informations

#34971539# – Menu d'informations sur l'appareil photo
#1111# – Version software FTA
*#12580*369# – Infos sur le logiciel et sur le hardware
*#7465625# – Statut de verrouillage de l'appareil
#232338# – Montre l'adresse MAC de l'appareil

Mbsm.pro, cheville papillon pour plafond , ou La cheville ou l'ancrage sert à fixer un objet sur une surface

Category: Technologie, Tester ok
written by www.mbsm.pro | 28 December 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

Les ancrages sont beaucoup utilisés en construction, mais on en utilise aussi régulièrement pour des choses simples comme faire la pose d'un portrait sur un mur.

L'ancrage est beaucoup utilisé pour visser dans un mur de gypse, car celui-ci n'est pas assez rigide pour maintenir un clou ou une vis fermement. Il faut donc utiliser un moyen afin pouvoir visser quelque chose solidement, malgré la fragilité du revêtement de mur.

Mbsm.pro , Compressor ESC 8.5, R134a,

Necchi (530591) , 1/5 Hp ,159 w

Category: Solutions,Tester ok

written by Jamila | 28 December 2018

Mbsm.pro , Compressor ESC 8.5, R134a, Necchi (530591) , 1/5 Hp ,159 w

	Motore	cm ³	Volt	Watt -10°C	Watt -30°C	
RIB5150	A9EV – R22 – 3/8 – LBP	CSR	9,29	220	642	
RIB5160	A11EV – R22 – 1/2 Hp – LBP	CSR	11,11	220	781	
RIB5350	A13EV – R22 – 5/8 Hp – LBP	CSR	13,35	220	967	
RIB5450	N17EV – R22 – 3/4 Hp – LBP	CSR	17,52	220	1221	
RIB5550	N21EV – R22 -1- Hp LBP	CSR	20,68	220	1464	
RIB5650	N23EV – R22 – 1,2 Hp – LBP	CSR	23,18	230	1616	
RIB7104	NB4 COMPRESS. R12 24V. FRAMEC 1/8 =					
RIB7108	NB8 COMPRESS. R12 24V.FRAMEC 175W.=					
RIB7113	NB13HP COMPRESS.R12 24V.FRAMEC 1/3=					
RIBB010	ETR 3 – R134A – 1/12 Hp – LBP	RSIR	3,00	220	127	
RIBB020	ETR 3,5 HP 1/10 R134A – LBP	RSIR	3,50	220	156	
RIBB030	ETR 4 HP 1/8 R134A – LBP	RSIR	4,10	220	179	
RIBB040	ETR 5 – R134a – HP 1/6 – LBP	RSIR	5,12	220	231	
RIBB050	ETR5,5 – R134a – 1/6 Hp – LBP	RSIR	5,55	220	257	
RIBB080	ESC5 – R134a – 1/6 Hp – LBP	RSIR	5,12	220	222	
RIBB100	ESC7 – R134a – 1/5 Hp – LBP	RSIR	7,00	220	307	
RIBB110	ESC8 – R134a – 1/5 Hp – LBP	RSIR	7,75	220	358	
RIBB130	ESC9 – R134a – 1/4 Hp – LBP	RSIR	9,07	220	424	
RIBB140	ESC11 – R134a – 1/3 Hp – LBP	RSIR	10,63	220	501	
RIBB200	ESC4H – R134a – 1/8 Hp – LBP	RSIR	4,10	220	177	
RIBB400	ESR 7 – R134a – 1/5 Hp – LBP	RSIR	7,00	220	307	
RIBB410	ESR 8 – R134a – 1/5 Hp – LBP	RSIR	7,75	220	358	
RIBB430	ESR 9 – R134a – 1/4 Hp – LBP	RSIR	9,07	220	424	
RIBB440	ESR11 – R134a – 1/3 Hp – LBP	RSIR	10,63	220	501	
RIBE040	TN17EV – R404 – 3/4 Hp – LBP	CSR	17,52	220		565
RIBE050	TN21EV – R404 – 1 Hp – LBP	CSR	20,68	220		644
RIBE060	TN23EV – R404 – 1,2 Hp – LBP	CSR	23,18	220		726
RIBT999	COMPRESSORE ELECTROLUX DESCR.BOLLA					



neue Type	Vorläufer Type	Kälte- mittel	Bereich	1) Betrieb	2) Leistungs- aufnahme Watt	3) Strom- aufnahme A	Öl- füllung cm ³	Bestell-Nr.
mit Esterölfüllung								
*ETR 3	—	R134a	LBP	K	68	0,55	185	*230.051
*ETR 3,5	—	R134a	LBP	K	81	0,58	185	*230.053
*ETR 4	—	R134a	LBP	K	89	0,64	185	*230.055
*ETR 5	—	R134a	LBP	K	109	0,76	185	*230.057
*ETR 5,5	—	R134a	LBP	K	118	0,80	185	*230.059
*ESR 7	ESC 7	R134a	LBP	K	127	0,83	220	*230.073
*ESR 8	ESC 8	R134a	LBP	K	149	1,00	220	*230.075
*ESR 8,5	ESC 8,5	R134a	LBP	K	159	1,07	220	*230.077
*ESR 9	ESC 9	R134a	LBP	K	177	1,20	220	*230.079
*ESR 11	ESC 11	R134a	LBP	K	215	1,62	220	*230.081
ETR 4H	ES(C)R4H	R134a	HBP	K	187	1,13	185	—
ETR 5H	ES(C)R5H	R134a	HBP	K	231	1,30	185	—
ETR 7H	ESC 7H	R134a	HBP	K	288	1,61	220	—
ETR 9H	ESC 9H	R134a	HBP	K	396	2,31	220	—
ETR 11H	ESC 11H	R134a	HBP	K	472	2,64	220	—
TA13EV	—	R404A	LBP	K/E	463	2,15	950	230.096
TN17EV	—	R404A	LBP	K/E	627	2,93	950	230.097
TN21EV	—	R404A	LBP	K/E	727	3,61	950	230.099

PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro , Compresseur Aspera , Embraco NT6220Z , R134a ,power 3/4 Hp, displacement 22.40 cc , gas R134a HMBP , 220/240V

Category: Solutions,Tester ok

written by www.mbsm.pro | 28 December 2018

Mbsm.pro , Compresseur Aspera , Embraco NT6220Z , R134a ,power 3/4 Hp, displacement 22.40 cc , gas R134a HMBP , 220/240V

Compresseur hermetique de Aspera – Embraco NT6220Z – R134a
3/4 HP

220V 50Hz 1~

Cylindrée = 22.37 CM3

APPLICATIONS = HBP

Moteur type: CSIR

EMBRACO Asprea Compressor NT6220Z

Technical Details

- 220/240V
- 50Hz
- power 3/4 Hp, displacement 22.40 cc
- gas R134a HMBP
- ASPERA

SKU: 3070180

Suitable For/Compatible With

- NT6220Z ASPERA
- NT6220Z-CSIR ASPERA
- NT6220Z EMBRACO
- NT6220Z-CSIR EMBRACO

embraco



CE

THERMALLY PROTECTED

R 134a

POE. OIL 450CC

1 PH

NT6220Z

200-240V~50Hz

230V~60Hz

MADE IN SLOVAKIA NO START WITHOUT STARTING DEVICE



212CN06

FA

M13G/TF6

embraco NT




R134a

HBP

PictureS Mbsm Dot Pro : www.mbsm.pro

EM/NE/NT/NJ



50Hz 50-60Hz	R134a							
	LBP	VOLT. FREQ.	COOL. CAP. [W]	DISPL. [cc]	HBP	VOLT. FREQ.	COOL. CAP. [W]	DISPL. [cc]
NT NTU					NT6215Z	C / N	1.405	17,39
					NT6217Z	A / N	1.619	20,44
					NT6220Z	N	1.744	22,37
					NTU6222ZV	A	2.117	23,70
					NTU6224ZV	A	2.582	27,80

PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.Pro , Tecumseh Refrigeration Compressor, CAE9460Z ,R404A refrigerant ,3/8 hp, mhbp, 1/2HP ,1PH(phase) , 220V to 240V

Category: Solutions,Tester ok

written by Jamila | 28 December 2018

Mbsm.Pro , Tecumseh Refrigeration Compressor ,R404A refrigerant ,1/2HP ,1PH(phase) , 220V to 240V

- Brand Name:Tecumseh
- Certification:RoHS
- Application:Refrigeration Parts
- Type:Refrigeration Compressor

411445

 
6B88330200
CAE9460Z

R404A LRA 17
220-240V ~ 50Hz I_{LA} 3.40


53 D1510 10 195819 A
COUNTRY OF ORIGIN: FRANCE THERMALLY PROTECTED

LOW BACK PRESSURE COMPRESSORS

Type	COMPRESSOR MODELS	Nominal Power (H.P.)				REFRIGERATION CAPACITY AT 50HZ Rated @54.5°C Cond Temp (Watts)								VOLTAGE
		t	Refrigerant	Displacement (cm ³)		Evaporating Temperature								
				t	Oil charge (cm3)	-45°C	-40°C	-35°C	-30°C	-23.3°C	-20°C	-10°C		
PISTON	AEZ2415Z	7/16	R404A	8.1	350			160	231	355	429	703	220-240V/1/50Hz	
	CAE2417Z	7/16	R404A	11.3	350	37.8	62	161	280	460	557	891	220-240V/1/50Hz	
	CAE2420Z	1/2	R404A	12.6	350	194	179	232	357	547	654	1047	220-240V/1/50Hz	
	CAE2424Z	5/8	R404A	15.1	350	228	180	291	442	664	783	1199	220-240V/1/50Hz	
	CAJ2428	3/4	R404A	15.2	887			306	434	628	773	1246	220-240V/1/50Hz	
	TAJ2428Z												400V/3/50Hz	
	CAJ2432Z	3/4	R404A	18.3	887	331	265	318	510	792	950	1560	220-240V/1/50Hz	
	TAJ2432Z												400V/3/50Hz	
	CAJ2440Z	1	R404A	21	887	532	394	452	647	975	1166	1876	220-240V/1/50Hz	
	CAJ2446Z	1	R404A	26.15	887	702	575	549	797	1194	1423	2290	220-240V/1/50Hz	
	TAJ2446Z												400V/3/50Hz	
	CAJ2464Z	1-1/2	R404A	34.45	887	805	626	723	1076	1605	1902	3012	220-240V/1/50Hz	
	TAJ2464Z												400V/1/3/50Hz	
	FH2480Z	2	R404A	53.2	1625	292	420	738	1319	2183	2662	4419	220-240V/1/50Hz	
	TFH2480Z												400V/3/50Hz	
FH2511Z	3	R404A	74.25	1625	1561	1203	1380	2016	3135	3796	6222	220-240V/1/50Hz		
TFH2511Z												400V/3/50Hz		
TAG2516Z	4	R404A	112.5	1960	1696	1407	1743	2704	4356	5335	9038	400V/3/50Hz		
TAGP2516Z														
TAG2522Z	6	R404A	134.8	1960	2541	2012	2378	3542	5522	6688	11062	400V/3/50Hz		
TAGP2522Z														
TAG2532Z	8	R404A	225	3020	3202	2814	3498	5400	8712	10671	19078	400V/3/50Hz		
TAGP2532Z														

PictureS Mbsm Dot Pro : www.mbsm.pro

THE NEW TWO GENERATION BRAZIL COMPRESSORS

TYPE	COMPRESSOR MODELS	Nominal Power (H.P.)			REFRIGERATION CAPACITY AT 50HZ Rated 54.5°C Cond Temp (Watts)								VOLTAGE
			Refrigerant	Displ aceme nt (cm ³)	Evaporating Temperature								
					-20°C	-15°C	-10°C	-5°C	0°C	+5°C	+10°C	+15°C	
PISTON	AE4425Z-FZ1A	1/5	R404A	4.24	222	228	290	362	446	545	659	792	220-240V/1/50HZ
	AE4430Z-FZ1A	1/4	R404A	5.16	216	293	375	466	568	685	821	977	220-240V/1/50HZ
	AE4440Z-FZ1A	1/3	R404A	6.69	278	377	482	599	730	881	1055	1257	220-240V/1/50HZ
	AE4450Z-FZ1A	7/16	R404A	8.85	389	500	640	795	970	1170	1401	1668	220-240V/1/50HZ
	AE4460Z-FZ1C	1/2	R404A	10.33		636	784	959	1160	1380	1630	1920	220-240V/1/50HZ

Tecumseh Compressor

LOW BACK PRESSURE COMPRESSORS

TYPE	COMPRESSOR MODELS	Nominal Power (H.P.)				REFRIGERATION CAPACITY AT 50HZ Rated @54.5°C Cond Temp (Watts)						VOLTAGE
			Refrigerant	Displacement (cm³)	Oil charge (cm3)	Evaporating Temperature						
						-35°C.	-30°C.	-25°C.	-20°C.	-15°C.	-10°C.	
ROTARY	RGA/HGA2426Z	2/3	R404A	9.50	290	375	474	590	726	888	1080	220-240V/1/50HZ
	RGA/HGA2432Z	4/5	R404A	11.50	290	451	567	707	872	1065	1290	220-240V/1/50HZ
	RGA/HGA2436Z	1	R404A	12.70	290	508	643	804	994	1219	1483	220-240V/1/50HZ

PictureS Mbsm Dot Pro : www.mbsm.pro

Tecumseh Compressor

MEDIUM/HIGH BACK PRESSURE COMPRESSORS

TYPE	COMPRESSOR MODELS	Nominal Power (H.P.)				REFRIGERATION CAPACITY AT 50HZ Rated @54.5°C Cond Temp (Watts)							VOLTAGE
			Refrigerant		Evaporating Temperature								
				Displacement (cm ³)									
												Oil charge (cm3)	
					-15°C	-10°C	-5°C	0°C	+5°C	+10°C	+15°C		
ROTARY	RGA/HGA4467Z	1/2	R404A	9.50	290	679	847	1047	1283	1557	1872	2231	220-240V/1/50Hz
	BGA/HGA4480Z	2/3	R404A	11.50	290	825	1017	1252	1530	1851	2212	2613	220-240V/1/50Hz
	RGA/HGA4492Z	3/4	R404A	12.50	290	905	1133	1398	1706	2060	2468	2932	220-240V/1/50Hz
	RGA/HGA4512Z	1	R404A	16.10	290	1163	1438	1770	2160	2609	3118	3689	220-240V/1/50Hz
	RGA/HGA4445Y	1/3	R134a	9.50	290	392	493	618	770	954	1173	1430	220-240V/1/50Hz
	RGA/HGA4450Y	2/5	R134a	11.50	290	501	625	778	963	1184	1445	1749	220-240V/1/50Hz
	RGA/HGA4460Y	1/2	R134a	12.70	290	537	677	844	1045	1287	1576	1920	220-240V/1/50Hz

PictureS Mbsm Dot Pro : www.mbsm.pro



Mbsm.pro , China ,Freezer Compressor, for Small Refrigerator, Mk Series-Adw66, Adw66, R134A Gas, 220V, 1/4-HP, 1/5++ hp , 220V, Lbp, Rsir , cooling capacity 165W

Category: Solutions,Tester ok

written by Jamila | 28 December 2018

R134A 220/ 50HZ								
TECUMSEH			MOTEC		FINLEY		BLUESTAR	
POTENCIA	MOD	COD RM	MOD	COD RM	MOD	COD RM	MOD	COD RM
1/6 HP	THG1358YS	MT0033	GFM44AA	MT0160	HCF16XL	MT0218	ADW51	MT0098
1/5 HP	THG1365YS	MT0034	GFF57AA	MT0161	HCF15XL	MT0219	ADW57	MT0149
1/5+ HP	THG1374YS	MT0035	-	-	-	-	ADW66	MT0090
1/4 HP	TSB1380YGS	MT0036	GFF66AA	MT0122	HCF14XL	MT0205	ADW91	MT0082
1/4+ HP	TSB1390YS	MT0037	GFF75AA	MT0123	HCF14+L	MT0204	-	-
1/3 HP	TCW410YS	MT0038	GFF86AA	MT0120	HCF13XL	MT0206	ADW110	MT0084
1/3+ HP	TCW413Y	MT0039	GFF93AA	MT0121	HCF13+L	MT0207	ADW128	MT0158

MOTOCOMPRESORES COMERCIALES

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro , China ,Freezer Compressor, for Small Refrigerator, Mk Series-Adw66, Adw66, R134A Gas, 220V, 1/4-HP, 1/5++ hp , 220V, Lbp, Rsir , cooling capacity 165W