

R134a, High Temperature, Hermetic, Compressor, TECUMSEH, AE1144E, HP 1/3 (lbp), AE3440Y, HP 1/3(Big+), HBP/CBP – High/Commercial Back Pressure, 1 Phase

Category: compressor

written by www.mbsm.pro | 31 May 2020

Application	High Temperature
B/M	AE1155E-212-J7
BtuH Capacity @ 45°F Evap.	4350
CCH	No
Compressor	Reciprocating
Discharge Conn.	1/4" IDS
HP	1/3
Height	8
Mounting Centers	4" x 6-1/2"
Overload	B18-516
Phase	1
Refrigerant	R134a
Relay	B18-498
Starting Torque	Normal
Suction Conn.	5/16" IDS
Volts	115
Wt. Lbs.	23
Shipping Weight	23.80
Shipping Width	9.80
Shipping Length	13.60
Shipping Height	10.10

Private Picture Copyright : WWW.MBSM.PRO

R134a, High Temperature, Hermetic, Compressor, TECUMSEH, AE1144E, HP 1/3 (lbp), AE3440Y, HP 1/3(Big+), HBP/CBP – High/Commercial Back Pressure, 1/3 HP/Ton , 1 Phase

Compressor , HTK95AA, R600, 1/5HP, KAPPA, LBP , SMART TECHNOLOGY, Réfrigérateur INDESIT 2 Portes, NO

FROST

Category: compressor

written by www.mbsm.pro | 31 May 2020



Private Picture Copyright: WWW.MBSM.PRO

Compressor , HTK95AA, R600, 1/5HP, KAPPA, LBP , SMART TECHNOLOGY, Réfrigérateur

COMPRESSEUR, Dongbei, (Donper) ,LBP , S série, S43CZ , 1/7Hp, R134a, RSIR

Category: compressor

written by www.mbsm.pro | 31 May 2020

制冷剂 Refrigerant 应用类型 Application	型号 Model	马力 Power HP	气缸容积 Displacement cm ³	冷却方式 Cooling Type	电机类型 Motor Type	电源 Power Supply V/Hz	制冷量 Cooling Capacity										ASHRAE COP			运行电流 Run Current μF	启动电容 Start Capacitor μF																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
							ASHRAE										ASHRAE -25	ASHRAE COP																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
							-35	-30	-25	-23.3	-20	-15	-10	-5	0	ASHRAE -23.3		-25																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
																			ASHRAE -23.3			ASHRAE -25																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
D系列 D Series							HP	cm ³	V/Hz		W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W



Private Picture Copyright: WWW.MBSM.PRO

COMPRESSEUR, Dongbei, (Donper) ,LBP , S série, S43CZ , 1/7Hp, R134a, RSIR

www.mbsm.pro, Beko Compressor,
MTS170MT, R600A ,Capacity 170 kcal,
1/4HP , 197W ,LBP, LRA 12.6 A ,1PH
,BEKO FRIDGE & FREEZER

Category: compressor

written by www.mbsm.pro | 31 May 2020



Private Picture Copyright : WWW.MBSM.PRO

www.mbsm.pro, Beko Compressor, MTS170MT, R600A ,1/4HP , 1PH ,

BEKO FRIDGE & FREEZER

More About This Product

Fitting

This product is manufactured and designed to be compatible or used with appliances of the brand or manufacturer listed above, or for selected commercial/domestic applications.

Other Information

None, at present.

Product Classification

This is a genuine original product made and supplied by the original equipment manufacturer (OEM). In order to maintain a valid warranty it is recommended to always use genuine original products. Genuine original products are specifically manufactured to increase the performance, functionality and life-span of your machine.

Manufacturer Information

We stock and supply a range of Beko, Blomberg, Flavel, Leisure Arcelik Group products.

Beko has become one of the fastest growing brands in the UK offering today an extensive product range including refrigeration, laundry, dishwashers and television. Second largest brand in Turkey, its home market, Beko continues to develop the mission and the reputation to serve customers with innovative products that genuinely surprise them, like the New Xpress Washing machine. Beko

has been operating in the UK & Ireland since 1990 and is the UK's Best-selling Large Home Appliance brand. Designed to make your life easier thanks to super-fast programmes and energy saving technology – Beko delivers exceptional value for money, providing smart, innovative and energy efficient home appliances. Beko has achieved an average of 9 out of 10 review score from thousands of customer reviews for its range of American style fridge freezers, Built In Ovens and washing machines.

Consumables

Bulk Ordering

This product may be offered in bulk quantities, please refer to the box or pallet quantity in the specification box above. There may be a bulk discount available. In order to benefit from any discount available, add the box or pallet quantity (or multiples thereof) to your basket and the price will be updated automatically.

Related Items & Substitutes

Where available we may have an alternative or substitute product, or other items we think you may be interested in. Please see below.

Still Having Trouble?

If the information provided on this page still isn't sufficient for you to be certain it's what you require, please contact us for further assistance.



TEE TÜRK ELEKTRİK
MTS 170 MT S222-17
220-240VA
LRA: 12.6
58982098 CL 09
R600a

MTS = SERIE

170 Capacity En Kcal
1 kilocalories/hour = 1.163
watts
170 Kcal * 1.163 = 197.71
197 = 1/4 hp



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_ntu170mt-1Télécharger

L76CZ1, Donper, R134A, 220W,
220-240V/50-60HZ, 1Phase, 1/4 Hp,
(+BIg = 1/3-Hp), compressor,
Hermetic, refrigerator, RSIR, oil 250
ML

Category: compressor

written by www.mbsm.pro | 31 May 2020

Model	Application	Power supply	Refrigerat ion capacity	Power	Cylinder volume	Refrigerant	Motor	COP:	Weight	Working current
K230CZ1	Refrigerator	220v~240v /50Hz	230W	220W	8.3cm³	R134a	RSIR	1.3W/W	9.7 ± 0.4kg	1.35A
K270CZ1	Refrigerator	220v~240v /50Hz	270W	220W	9.5cm³	R134a	RSIR	1.3W/W	9.8 ± 0.4kg	1.5A
K325CZ1	Refrigerator	220v~240v /50Hz	325W	235W	11.4cm³	R134a	CSIR	1.3W/W	9.9 ± 0.4kg	1.6A
K375CZ1	Refrigerator	220v~240v /50Hz	375W	310W	12.7cm³	R134a	CSIR	1.3W/W	9.9 ± 0.4kg	2.1A
L58CZ1	Refrigerator	220v~240v /50Hz	150W	120W	5.8cm³	R134a	RSIR	1.3W/W	7.8 ± 0.4kg	0.85A
L65CZ1	Refrigerator(200L~320L)	220v~240v /50Hz	170W	136W	6.5cm³	R134a	:RSIR	1.25W/W	8.2 ± 0.4kg	1.15A
L72CZ1	Refrigerator(200L~370L)	220v~240v /50Hz	195W	150W	7.2cm³	R134a	RSIR	1.3W/W	9.1 ± 0.4kg	1.04A
L76CZ1	Refrigerator(280L~360L)	220v~240v /50Hz	220W	170W	7.6cm³	R134a	RSIR	1.32W/W	8.9 ± 0.4kg	1.4A
NE5165CZ	Refrigerator(1000L~2000L)	220v~240v /50Hz	850W	380W	9cm³	R134a	RSIR	2.1W/W	11 ± 0.5kg	2.3A
NE6188CZ	Refrigerator(1000L~2000L)	220v~240v /50Hz	860W	410W	12.1cm³	R134a	CSIR	2.0W/W	11 ± 0.5kg	2.6A
NE6210CZ	Refrigerator(1000L~2000L)	220v~240v /50Hz	1050W	500W	14.2cm³	R134a	CSIR	2.1W/W	11.2 ± 0.5kg	3.5A

Private Picture Copyright : WWW.MBSM.PRO

L76CZ1, Donper, R134A, refrigerator, RSIR, 220W, 1/4 Hp, (+BIg), (1/3- HP), compressor, High Pressure, High Pressure ,

Electrolux, Group, Compressor, Fridge-Freezer, R600a, 1/10HP, S53CY, 1PH220V50HZ, LBP, Industrial, Refrigeration

Category: compressor

written by www.mbsm.pro | 31 May 2020



SHOT ON OPPO

Private Picture Copyright : WWW.MBSM.PRO

Electrolux, Group, Compressor, Fridge-Freezer, R600a, 1/10HP, S53CY 1PH220V50HZ, LBP, Industrial, Refrigeration

Relais, démarrage, klaxon, compresseur, réfrigérateur, ZEM A2P9 A6D8 8100 , Branchement, Compressor CSR avec Condensateur 5Mic

Category: compressor

written by www.mbsm.pro | 31 May 2020



Private Picture Copyright : WWW.MBSM.PRO


Relais, démarrage, klaxon, compresseur, réfrigérateur, ZEM A6D8 8100 ,
Branchement, Compressor CSR avec Condensateur 5Mic

PDF , HVAC et Refrigeration Parts, Copper, Chemicals, Compressors, Controls, Coils, Fans & Motors, Electronics, Service Tools, Supplies

Category: Solutions,Technologie

written by www.mbsm.pro | 31 May 2020

Dimension of the paddle (Unit: inch)



Application:


- FSF series flow switches are used in measuring and controlling the flow of the liquid in the pipe, such as water, alcohol, etc., as well as in the places where it needs chain effect or cutout protection.

FSF series flow switches have SPDT switch, full-sealing structure as its shell, and stainless steel as its inside components, which can assure its use in any conditions. FSF-A series flow switches are used for caustic fluid liquid, the materials of FSF-A in contact with the medium is stainless steel.

Feature:

- Ambient temperature: -20~50°C.
- Liquid temperature: -25~120°C.
- Max. liquid pressure: 1.5MPa.
- Approvals: DnV, Det norske Veritas(Norway), CQC(China)CE (Europe).

FSF50P-1(A)/FSF50P-2(A)/FSF50P-3(A)



FSF50P-1SN

Our Customers:



Private Picture Copyright: WWW.MBSM.PRO

PDF , HVAC et Refrigeration Parts, Copper, Chemicals, Compressors, Controls, Coils, Fans & Motors, Electronics, Service Tools, Supplies

ALL ELECTROLUX HERMETIC COMPRESSORS – R134a LBP VOLTAGE 220-240/1/50

Category: compressor

written by www.mbsm.pro | 31 May 2020

Compressors
Compresseurs

Compressori

Compresores
Компрессоры



 Electrolux



cubigel
compressors

ELECTROLUX HERMETIC COMPRESSORS - R134a LBP
VOLTAGE 220-240/1/50

Code	Model	Nom. hp	Displacem. cc	Expansion	Ashrae -23,3C° kcal/h	Cecomaf -25C° W
CMP100AC	GD24AA	1/20	2,44	C	41	34
CMP101AC	GD30AA	1/12	3,08	C	62	52
CMP102AC	GD36AA	1/12	3,62	C	72	61
CMP103AC	GD40AA	1/10	4,03	C	82	70
CMP104AC	AS45AA	1/8	4,56	C/V	112	82
CMP105AC	AS60AA	1/6	5,99	C/V	154	114
CMP106AC	AS75AA	1/5	6,64	C/V	176	129
CMP107AC	AS80AA	1/5	7,39	C/V	198	145

Private Picture Copyright : WWW.MBSM.PRO

ALL ELECTROLUX HERMETIC COMPRESSORS – R134a LBP VOLTAGE 220-240/1/50

Compressor, K0N0R, gqy90aa, GQR90AA,
R134a, 220-240V 50Hz, LBP , RSIR,
10,1kg 1/4HP, 220W

Category: compressor

written by www.mbsm.pro | 31 May 2020



Private Picture Copyright : WWW.MBSM.PRO

Compressor, KONOR, GQR90AA, R134a, 220-240V 50Hz, LBP , RSIR, 10,1kg 1/4HP, 220W