

NL10MF ,1/3 HP ,10,5kg 1/3HP  
,Hermétique,Compressor , DANFOSS  
,SECOP ,R134a ,220-240V 50Hz ,  
208-230V 60Hz ,MBP (Medium Back  
Pressure) ,CSIR – RSIR (Resistance  
Start – Capacitor Run)

Category: Technologie,Tester ok  
written by [www.mbsm.pro](http://www.mbsm.pro) | 12 May 2020



**Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)**


NL10MF ,1/3 HP ,10,5kg 1/3HP ,Hermétique,Compressor , DANFOSS ,SECOP ,R134a ,220-240V 50Hz , 208-230V 60Hz ,MBP (Medium Back Pressure) ,CSIR – RSIR

(Resistance Start – Capacitor Run)

# Refrigerant High & Low Pressure Temperature Chart ,R22 R410A ,R12 ,R134A ,R401A ,R409A ,R502 ,R404A ,R507A ,R408A ,R402A ,R600A

Category: Non classé, Solutions

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 May 2020



Refrigerant High & Low Pressure Temperature Chart ,R22 R410A ,R12 ,R134A ,R401A ,R409A ,R502 ,R404A ,R507A ,R408A ,R402A ,R600A

Application Pour Les Pro Seulement ,  
Soudure de Raccord De climatiseur A

# l'aide d'emboiture

Category: Technologie,Tester ok  
written by [www.mbsm.pro](http://www.mbsm.pro) | 12 May 2020



Application For Pro Only, Air Conditioner Fitting Solder Using Socket

---

**EMT36HLP ,EMBRACO ,ASPERA  
,COMPRESSEUR FRIGORIFIQUE ,220/240V  
50Hz ,1/10 HP, déplacement 3,97 ,  
R134 ,LBP**

Category: Technologie,Tester ok  
written by [www.mbsm.pro](http://www.mbsm.pro) | 12 May 2020



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

EMT36HLP ,EMBRACO ,ASPERA ,COMPRESSEUR FRIGORIFIQUE ,220/240V 50Hz ,1/10 HP,  
déplacement 3,97 , R134 ,LBP

---

Compresseur, hermétique Daewoo  
,HSL19JE-5, RLA 5.5 ,R134a LBP  
220-240V / 50Hz , 144/155 W , 1/5 HP,  
516 Btu ,RSIR

Category: Technologie,Tester ok  
written by [www.mbsm.pro](http://www.mbsm.pro) | 12 May 2020

Series	Model	Displacement [cc/rev]	Power [W]	kcal/h	Watt	Btu/h	EFF	COP	EER	Motor Type	Compressor Type	Weight [kg]	Qty. [cc]
							kcal/Wh	W/W	Btu/Wh				
DS	DS22LHS8	2.18	57	37	43	147	1.54	0.75	2.58	RSIR	ST	6.0	180
	DS25LHS8	2.54	63	50	58	198	1.26	0.92	3.15	RSIR	ST	6.0	180
	DS30LHS8	3.06	78	69	80	274	1.13	1.03	3.51	RSIR	ST	6.0	180
WX	WX20LHSST	2.01	58	29	34	115	2.00	0.58	1.98	RSIR	ST	5.9	180
	WX24LHS5	2.54	66	40	47	159	1.65	0.70	2.41	RSIR	ST	5.9	180
	WX24LHSST	2.54	64	40	47	159	1.60	0.73	2.48	RSIR	ST	5.9	180
	WX24LHS8	2.54	66	40	47	159	1.65	0.70	2.41	RSIR	ST	5.9	180
	WX30LHS5	3.06	86	60	70	238	1.43	0.81	2.77	RSIR	ST	5.9	180
	WX30LHSST	3.06	88	59	69	234	1.49	0.78	2.66	RSIR	ST	5.9	180
	WX30LHS8	3.06	86	60	70	238	1.43	0.81	2.77	RSIR	ST	5.9	180
	WX30LHT5W	3.06	75	52	60	206	1.44	0.81	2.75	RSIR	ST	5.9	180
	WX35LHSST	3.51	98	64	74	254	1.53	0.76	2.59	RSIR	ST	5.9	180
	WX35LHT5W	3.51	99	64	74	254	1.55	0.75	2.57	RSIR	ST	5.9	180
Y	HPL7Y-5	2.65	62	50	58	198	1.24	0.94	3.20	RSCR	ST	6.7	230
	HPL9Y-5	3.43	76	58	67	230	1.31	0.89	3.03	RSCR	ST	6.7	230
	HPL11Y-5	4.51	89	80	93	317	1.11	1.05	3.57	RSCR	ST	7.0	230
	HSL5Y-5	2.29	65	35	41	139	1.86	0.63	2.14	RSIR	ST	6.3	230
	HSL5Y-5P	2.29	64	35	41	139	1.83	0.64	2.17	RSIR	ST	6.7	230
	HSL7Y-5	2.65	74	48	56	190	1.54	0.75	2.57	RSIR	ST	6.7	230
	HSL9Y-5	3.43	74	46	53	183	1.61	0.72	2.47	RSIR	ST	6.7	230
	HSL11Y-5	4.51	109	80	93	317	1.36	0.85	2.91	RSIR	ST	7.0	230
	HSL11Y-5A	4.51	102	85	99	337	1.20	0.97	3.31	RSIR	ST	7.0	230
	HSL11Y-5T	4.51	108	78	91	310	1.38	0.84	2.87	RSIR	ST	7.0	230
JE	HPL13JE-5	4.62	97	93	108	369	1.04	1.12	3.80	RSCR	ST/FC	7.4	230
	HPL15JE-5	5.12	107	107	124	425	1.00	1.16	3.97	RSCR	ST/FC	7.7	230
	HPL17JE-5	5.55	124	123	143	488	1.01	1.15	3.94	RSCR	ST/FC	7.7	230
	HPL19JE-5	5.84	124	134	156	532	0.93	1.26	4.29	RSCR	ST/FC	8.2	230
	HSL15JE-5	5.12	114	108	126	429	1.06	1.10	3.76	RSIR	ST/FC	7.7	230
	HSL15JE-5A	5.12	117	109	127	433	1.07	1.08	3.70	RSIR	ST/FC	7.7	230
	HSL15JE-5C	5.12	115	108	126	429	1.06	1.09	3.73	RSIR	ST/FC	7.8	230
	HSL17JE-5	5.55	129	126	147	500	1.02	1.14	3.88	RSIR	ST/FC	7.7	230
	HSL17JE-5A	5.55	129	121	141	480	1.07	1.09	3.72	RSIR	ST/FC	7.7	230
	HSL19JE-5	5.84	133	130	151	516	1.02	1.14	3.88	RSIR	ST/FC	8.2	230
HSL19JE-5A	5.84	141	135	157	536	1.04	1.11	3.80	RSIR	ST/FC	7.8	230	
JX41LHS5	4.09	101	89	104	353	1.13	1.02	3.50	RSIR	ST/FC	7.6	230	

Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

Compresseur, hermétique Daewoo ,HSL19JE-5, RLA 5.5 ,R134a LBP 220-240V / 50Hz , 133/144 W , 1/6HP, 516 Btu ,RSIR

**ML90FB ,CUBIGEL ,R404A / R507, LBP, COMPRESSEUR HERMÉTIQUE ,1/3HP, 230V 50Hz**

Category: Technologie,Tester ok  
written by [www.mbsm.pro](http://www.mbsm.pro) | 12 May 2020



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

ML90FB ,CUBIGEL ,R404A / R507, LBP, COMPRESSEUR HERMÉTIQUE ,1/3HP, 230V 50Hz

SECOP , R600 ,Compresseur de réfrigérateur, DLY9.4KK, 220/50Ht, 1/5 HP , 166w ,LBP

Category: Technologie,Tester ok  
written by [www.mbsm.pro](http://www.mbsm.pro) | 12 May 2020



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

SECOP , R600 ,Compresseur de réfrigérateur, DLY9.4KK, 220/50Ht, 1/5 , 166w ,LBP

---

# Raccords , frigorifiques , climatiseur , Rapide A Souder

Category: Tester ok

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 May 2020



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

Raccords , frigorifiques , climatiseur , Rapide A Souder

---

Compresseur, Aspera – Embraco EMT  
, EMT2121U, R290 , 1/3 HP , 220-240V 50  
Hz , Cylindrée = 5.56 CM3 , Moteur  
type: CSIR, 7.7LRA , Oil 180ML

Category: Technologie, Tester ok

written by [www.mbsm.pro](http://www.mbsm.pro) | 12 May 2020



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

Compresseur, Aspera – Embraco EMT ,EMT2121U, R290 ,1/3 HP , 220-240V 50 Hz  
 ,Cylindrée = 5.56 CM3 , Moteur type: CSIR,7.7LRA , Oil 180ML

Compressor ,Embraco Aspera ,NJ2212GK,  
 LBP – R404A, R507, 220-240V/1/50Hz,  
 1.5 HP, 34.38 cm3, LRA 36.0 A, CSR,  
 lubrifiant charge 750ml POE 22, 1547 W  
 ,at -23.3 / +54.4 °

Category: Technologie,Tester ok  
 written by [www.mbsm.pro](http://www.mbsm.pro) | 12 May 2020



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Compressor ,Embraco Aspera ,NJ2212GK, LBP – R404A, R507, 220-240V/1/50Hz, 1.5 HP, 34.38 cm<sup>3</sup>, LRA 36.0 A, CSR, lubricant charge 750ml POE 22, 1547 W ,at -23.3 / +54.4 °