

# Compresseur, d'entreposage au froid, de congélateur , Sc12g , Secop ,Certification CE ,1/3 puissance ,en chevaux ,de mini type réfrigérateur ,R134 ,Danfos

Category: Technologie,Tester ok  
written by www.mbsm.pro | 9 May 2020

Non	Modèle	HP	La température	L'électricité	Réfrigérant
1	SC10C	1/3	LBP	220~240V/50HZ	R22
2	SC12C	3/8	LBP	220~240V/50HZ	R22
3	SC15CM	1/2	LBP	220~240V/50HZ	R22
4	SC18CM	5/8	LBP	220~240V/50HZ	R22
5	SC10D	3/8	MBP	220~240V/50HZ	R22
6	SC12D	1/2	MBP	220~240V/50HZ	R22
7	SC15D	5/8	MBP	220~240V/50HZ	R22
8	SC10G	5/16	MBP	220~240V/50HZ	R22
9	SC12G	1/3	MBP	220~240V/50HZ	R134A
10	SC15G	3/8	MBP	220~240V/50HZ	R134A
11	SC18G	1/2	MBP	220~240V/50HZ	R134A
12	SC21G	5/8	MBP	220~240V/50HZ	R134A
13	SC10CL	1/3	LBP	220~240V/50HZ	R404a
14	SC12CL	3/8	LBP	220~240V/50HZ	R404a
15	SC15CL	1/2	LBP	220~240V/50HZ	R404a
16	SC18CL	5/8	LBP	220~240V/50HZ	R404a
17	SC21CL	7/8	LBP	220~240V/50HZ	R404a


Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

Compresseur, d'entreposage au froid, de congélateur , Sc12g , Secop ,Certification CE ,1/3 puissance ,en chevaux ,de mini type réfrigérateur ,de R134 Danfos

---

## SUC91-12 ,Compresseur ,220 w , 1/4 HP , HBP, or 1/3 HP ,R134a

Category: Technologie,Tester ok  
written by www.mbsm.pro | 9 May 2020



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

SUC91-12 ,Compresseur ,220 w , 1/4 HP , HBP, or 1/3 HP

---

Compresseur, Samsung , 1/5 HP,  
155/160w , r600a , 220/240v~50,  
Mk4a5qr1u, Mk4a5q-R1u, 5.5Lra, 1PHASE

Category: Technologie, Tester ok  
written by [www.mbsm.pro](http://www.mbsm.pro) | 9 May 2020

**SAMSUNG** MK4A5Q-R1U E09  
220-240V 50Hz 5.5 LRA CE   
1PH THERMALLY PROTECTED R-600a  
  
1541CCAX513193 MADE IN KOREA

Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

Compresseur, Samsung , 1/5 HP, 155/160w , r600a ,220/240v~50, Mk4a5qr1u, Mk4a5q-R1u, 5.5Lra, 1PHASE

Compresseur Embraco ,Aspera,  
nbm1118y, nby1118y ,coolant ,R600a  
,NBY1118Y ,220-240V 50Hz, LBP ,fully  
hermetic, 10,8kg ,1/4HP

Category: Technologie,Tester ok  
written by [www.mbsm.pro](http://www.mbsm.pro) | 9 May 2020



**Embraco®**

**NBY1118Y**



THERMALLY PROTECTED		220-240V~50Hz
	R 600a	
MIN. OIL 280CC	1 PH	

SUCTION →

SKM

NO START WITHOUT STARTING DEVICE



816BA42

19/AUG/08

PA8HQHBL

Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

ompresseur Embraco ,Aspera, nbm1118y, nby1118y ,coolant ,R600a ,NBY1118Y ,220-240V 50Hz, LBP ,fully hermetic, 10,8kg ,1/4HP,nbt1118y

MTS 185 MT,S224-20 ,TURK ELEKTRIK  
,1/4 HP,LBP , R600a ,Lra 13.9AMP  
,194/220VAC 50Hs , 170w

Category: Technologie,Tester ok  
written by [www.mbsm.pro](http://www.mbsm.pro) | 9 May 2020



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

MTS 185 MT,S224-20 ,TURK ELEKTRIK ,1/4 HP,LBP , R600a ,Lra 13.9AMP ,194/220VAC  
50Hs



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)




Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)



## PICTURES : Jeux mitigeurs encastrée ,pour une salle d'eau


Category: Non classé,Plomberie  
written by [www.mbsm.pro](http://www.mbsm.pro) | 9 May 2020



IMAGES FACEBOOK

## Les artistes de plomberie et chauffage central

Robinet *Salle de Bain* Matériel: en cuivre. Fonctionnement silencieux. Fonction: mélange d'eau chaude et d'eau froide; Mitigeur monocommande



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)






Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)



## Tecumseh , CAJ4511A ,Compressor , 1 HP, 208-230V, 1 PHASE, R12, Hermetic ,Reciprocating Compressor Replacement

Category: Technologie,Tester ok  
written by [www.mbsm.pro](http://www.mbsm.pro) | 9 May 2020



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

Tecumseh , CAJ4511A ,Compressor , 1 HP, 208-230V, 1 PHASE, R12, Hermetic ,Reciprocating Compressor Replacement

# Good quality Reciprocating Compressor , MSS151G-L1U ,R134a ,LBP ,AC 220-240V~50Hz, 1/8 HP ,90w ,Samsung

Category: Technologie,Tester ok  
written by [www.mbsm.pro](http://www.mbsm.pro) | 9 May 2020



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

Good quality Reciprocating Compressor , MSS151G-L1U ,R134a ,LBP ,AC  
220-240V~50Hz, 1/8 HP ,90w ,Samsung

---

Compressor ,ACC Cubigel ,Huayi  
Electrolux ,ZEM GL80AA / GVY75AA, LBP  
– R134a, 220 – 240V/1/50Hz, 1/4 HP,  
discharge 7.52 cm<sup>3</sup>, motor type RSIR /  
RSCR, oil type ester, oil charge 180  
cm<sup>3</sup>, 150 W at -25 / +55 °, input

power, current 146 W, 1.16 A,  
expansion device: capillary, cooling:  
static, weight 8.6 kg

Category: Technologie, Tester ok  
written by www.mbsm.pro | 9 May 2020

<b>cubigel</b> compressors			ORIGINAL INSTRUCTIONS MANUAL / MANUAL DE INSTRUCCIONES ORIGINAL / MANUALE D'ISTRUZIONI ORIGINALE / MANUAL D'INSTRUCTIONS ORIGINAL / ORIGINALES ANWEISUNGEN – HANDBUCH / Оригинальное руководство по эксплуатации / 原版操作規程			RANGE / GAMA / GAMMA / GAMME / ВАРЕИМЕ / ДИАПАЗОН / 系列 "D"/"L"/"P"/"S"/"X"		
						RUSSIAN a-Compressor 1-White b-Overload 2-Blue c-PTC 3-Black d-Relay 4-Orange e-Start capacitor yellow f-Run capacitor g-Thermostat h-Earth connection		
						ITALIANO a-Compressore 1-Bianco b-Protezione 2-Azzurro c-PTC 3-Nero d-Relè 4-Arancio e-Condens. avviamento giallo f-Condens. permanente g-Termostato h-Terza		
EXTERNAL CONNECTING BOX / CAJAS CONEXIONES / SCATOLE CONNESSIONI / BOÎTIER ELECTRIQUE / EXTERNE ELEKTRIKBOJ / внешняя клемная коробка / 外置接线盒								
						FRANÇAIS a-Compresseur 1-Blanc b-Protecteur 2-Bleu c-PTC 3-Noir d-Relais 4-Orange e-Condens. démarrage jaune f-Condens. permanent g-Thermostat h-Terça		
						DEUTSCH a-Kompressor 1-Weiß b-Überlastschutz 2-Blau c-PTC 3-Schwarz d-Relais 4-Orange e-Auflaufkondensator gelb f-Betriebskondensator g-Thermostat h-Erdeleiterschluss		
						РУССКИЙ a-компрессор 1-белый b-перегрузка 2-синий c-PTC резистор 3-черный d-реле 4-оранжевый e-защитный конденсатор f-рабочий конденсатор g-термостат h-земление		
						中文 a-压缩机 1-白色 b-过载保护器 2-蓝色 c-启动器 3-黑色 d-继电器 4-黄绿色 e-启动电容 f-运行电容 g-温控器 h-接地		

Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

ult our web site [www.cubigel.com](http://www.cubigel.com)

02/2010 1164133

Compressor ,ACC Cubigel ,Huayi Electrolux ,ZEM GL80AA / GUY75AA, LBP – R134a,  
220 – 240V/1/50Hz, 1/5 HP, discharge 7.52 cm<sup>3</sup>, motor type RSIR / RSCR, oil type  
ester, oil charge 180 cm<sup>3</sup>, 150 W at -25 / +55 °, input power, current 146 W,  
1.16 A, expansion device: capillary, cooling: static, weight 8.6 kg

Danfoss Refrigeration, R134a, GL90TG  
, 220-240V 50-60Hz, R134A ,HBP ,CSIR  
, compressor Haute pression avec  
condensateur

Category: Technologie, Tester ok  
written by www.mbsm.pro | 9 May 2020



Danfoss Refrigeration, R134a, GL90TG, 220-240V 50-60Hz, R134A, HBP, CSIR, compressor Haute pression avec condensateur