

# Mbsm.pro, NFD, 620 L, NFD 620, Full No Frost, refrigerator , Teka, compressor, MK1830-L2UB, 1/3 hp, 1bp

Category: compressor, Refrigerator

written by [www.mbsm.pro](http://www.mbsm.pro) | 3 January 2024



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, NFD, 620 L, Full No Frost, refrigerator , Teka, compressor, MK1830-L2UB, 1/3 hp, 1bp

---

## تغییر موتور دیب فریزر الاسکی 4 درج

Category: Arabe

written by Jamila | 3 January 2024



Private Picture Copyright : WWW.MBSM.PRO


تغییر موتور دیب فریزر الاسکی 4 درج

---

## Mbsm.pro, Compressor, Embraco, Emt6217z, NT6217Z, 3/4 hp, hbp, r134a

Category: expertise

written by [www.mbsm.pro](http://www.mbsm.pro) | 3 January 2024



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Embraco, Emt6217z, NT6217Z, 3/4 hp, hbp, r134a

---

Mbsm.pro, COMPRESSOR, TECUMSEH,  
AEA4440YES, AE4440YS, AE630, 1/3+ HP,  
220V, 1ph, R134, hbp

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 3 January 2024





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, COMPRESSOR, TECUMSEH, AEA4440YES, AE4440YS, AE630, 1/3+ HP, 220V, 1ph, R134, hbp

Mbsm.pro, CUBIGEL, NUh55LA,  
compressor, R290, 1/3HP, 1bp,  
220-240V

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 3 January 2024

**cubigel**  
compressors

**NUH55LA**



THERMALLY 220-240V~ 50 Hz PH1  
PROTECTED



NUH55LA 17062802121



SHOT ON MI 8 LITE  
AI DUAL CAMERA

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, CUBIGEL, NUH55LA, compressor, R290, 1/3HP, 1bp, 220-240V

# Mbsm.pro, Compressor, Delta, 1/4 hp, r12, D207w, Lbp

Category: expertise

written by [www.mbsm.pro](http://www.mbsm.pro) | 3 January 2024







# صور: قدرة أغلب الضواغط إستعمالا

Category: Arabe  
written by Jamila | 3 January 2024

| ELECTROLUX<br>ESPAIN |         | مهييار خضر الحمود<br>مبيع كافة قطع التكيف والتبريد |       |      | الإسباني ٢ |           |
|----------------------|---------|----------------------------------------------------|-------|------|------------|-----------|
| كبيليري              | الزيت غ | الأمبير                                            | الوات | BTU  | الرمز      | الاستطاعة |
| 0.040                | 475     | 2.2                                                | 225   | 885  | L40 AW     | 1/10      |
| 0.040                | 475     | 2.2                                                | 255   | 875  | L45 AW     | 1/8       |
| 0.040                | 475     | 2.2                                                | 255   | 875  | L55 AT     | 1/6       |
| 0.042                | 475     | 2.5                                                | 325   | 1110 | L76 AT     | 1/5       |
| 0.042                | 475     | 2.5                                                | 325   | 1110 | L76 AT     | 1/5 زيت   |
| 0.042                | 475     | 2.5                                                | 325   | 1110 | L76 BW     | 1/4 عادي  |
| 0.054                | 800     | 3.5                                                | 400   | 1650 | L88 AT     | 1/4 زيت   |
| 0.054                | 800     | 4.0                                                | 540   | 2110 | L88 BW     | 1/4 مكثف  |
| 0.040                | 475     | 2.2                                                | 255   | 885  | P12 AT     | 1/3       |

| SUPER COOL<br>KOREA                                                                                                                |         | مهييار خضر الحمود<br>مبيع كافة قطع التكيف والتبريد |       |     | سوبركول |           |
|------------------------------------------------------------------------------------------------------------------------------------|---------|----------------------------------------------------|-------|-----|---------|-----------|
| كبيليري                                                                                                                            | الزيت غ | الأمبير                                            | الوات | BTU | الرمز   | الاستطاعة |
| 0.026                                                                                                                              | 230     | 0.5                                                | 80    | 275 | FL 32 Y | 1/10      |
| 0.028                                                                                                                              | 230     | 0.8                                                | 100   | 340 | FL 45 Y | 1/8       |
| 0.031                                                                                                                              | 230     | 0.9                                                | 130   | 445 | FL 56 Y | 1/6       |
| 0.031                                                                                                                              | 240     | 1.2                                                | 160   | 545 | EL 71 Y | 1/5       |
| 0.036                                                                                                                              | 240     | 1.4                                                | 180   | 615 | EL 80 Y | 1/4       |
| 0.040                                                                                                                              |         |                                                    |       |     | B 88    | 1/3       |
| سوبر كول مزود بريليه الكتروني و بأفرلود الكتروني ومكثف زيتي ٤ مكرو فاراد الغاز يجب أن لا يزيد عن ٢٠٠ غرام عند درجة حرارة +٤٢ مئوية |         |                                                    |       |     |         |           |

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

صور: أغلب الضواغط إستعمالا

Mbsm.pro, Comptek, hermetic,  
compressor , MALQD65UHM, r290, lbp,

# 1/4 hp

Category: compressor  
written by [www.mbsm.pro](http://www.mbsm.pro) | 3 January 2024



|                       |                                                                                                                                                                |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Start                 | RSIR                                                                                                                                                           |
| Cooling               | S.                                                                                                                                                             |
| Refrigerant           | R290                                                                                                                                                           |
| Performance           | 175W (-35 ° C), 205W (-30 ° C), 265W (-25 ° C), 295W (-23.3 ° C), 335W (-20 ° C), 395W (-15 ° C), 455W (-10 ° C), 510W (-6.7 ° C), 560W (-5 ° C), 635W (0 ° C) |
| Oil filling           | 220g                                                                                                                                                           |
| Power HP              | 1/4                                                                                                                                                            |
| Input power           | 196W (- 23.3 ° C), 255W (- 6.7 ° C)                                                                                                                            |
| The step size 6.5 cm³ |                                                                                                                                                                |

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, 1/4 hp, Aspera, Embraco NEK1121Z, LBP, R134a, NEK1121u, lbp, r290

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 3 January 2024





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, 1/4 hp, Aspera, Embraco NEK1121Z, LBP, R134a, NEK1121u, lbp, r290

Mbsm.pro, Beko, Compressor, VNTZ165M, VNTZ165MT / VNTZ165M, Tee compressor, R600A, inverter, Blcd, 1/3 hp, lbp, Turk compressor

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 3 January 2024



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Mbsm.pro, Beko, Compressor, VNTZ165M, VNTZ165MT / VNTZ165M, Tee compressor,  
R600A, inverter, Blcd, 1/3 hp, lbp, Turk compressor