

Mbsm.pro, Compressor, Cooling  
compressor Cubigel, GX21TB, 3/4 hp++  
, Hbp, 1 hp-, GPT18RA, 3/4 hp-, lbp,  
Country of origin Spain, r134a,  
200-220/220-230V, 50/60Hz

Category: expertise

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 October 2023



Mbsm.pro, Compressor, Cooling compressor Cubigel, GX21TB, 3/4 hp++ , Hbp, 1 hp-,  
GPT18RA, 3/4 hp-, lbp, Country of origin Spain, r134a, 200-220/220-230V, 50/60Hz

---

Mbsm.pro, Panasonic, Compressor,  
DB66C10RAW5, RSCR, 1/5 hp, Lbp

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 October 2023



Mbsm.pro, Panasonic, Compressor, DB66C10RAW5, RSCR, 1/5 hp, Lbp

---

Mbsm.pro, Huaguang, Wanbao,  
Compressor, FTA66L, 1/3 hp, FT serie,  
320 w, LBP, 1092 btu, r290, OEM, ODM,  
SKD, CKD, freezer, 325L, 220V

# Mechanical Temperature Controller ABS+PVC, Ice Cream Chest Freezer, SD-325K, SD-405K, SD-511K

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 October 2023



Mbsm.pro, Huaguang, Wanbao, Compressor, FTA66L, 1/3 hp, FT serie, 320 w, LBP, 1092 btu, r290, OEM, ODM, SKD, CKD, freezer, 325L, 220V Mechanical Temperature Controller ABS+PVC, Ice Cream Chest Freezer

## Mbsm.pro, Compressor, 1HP, 1 PH, R404A, CAJ2446Z, AJ27MIGF704, 26,2cm<sup>3</sup>, LBP, 230V

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 October 2023

### R404A

|              |       |            |      |      |       |       |       |       |      |      |               |              |             |                     |      |     |              |                    |
|--------------|-------|------------|------|------|-------|-------|-------|-------|------|------|---------------|--------------|-------------|---------------------|------|-----|--------------|--------------------|
| THB23602     | 3.6   | CSIR       | 71   | 97   | 129   | 169   | 217   | 275   | 104  | 0.68 | 6.35 - 1/4"   | 4.76 - 3/16" | 6.35 - 1/4" | XA, F2*, G2         | 7    | 172 | THB23602     | *ASERCOM Certified |
| THB23782     | 4.2   | CSIR       | 82   | 112  | 149   | 195   | 251   | 318   | 136  | 0.60 | 6.35 - 1/4"   | 4.76 - 3/16" | 6.35 - 1/4" | XA, F2*, G2         | 8    | 172 | THB23782     | *ASERCOM Certified |
| THB23962     | 5.2   | CSIR       | 108  | 145  | 191   | 247   | 315   | 395   | 157  | 0.69 | 6.35 - 1/4"   | 4.76 - 3/16" | 6.35 - 1/4" | FZ                  | 8.3  | 172 | THB23962     | *ASERCOM Certified |
| AE2410Z      | 5.02  | CSIR       | 99   | 142  | 195   | 259   | 336   | 427   | 156  | 0.63 | 6.35 - 1/4"   | 4.76 - 3/16" | 6.35 - 1/4" | F2*, AA, G5         | 9.9  | 210 | AE2410Z      | *ASERCOM Certified |
| AE2415Z      | 7.33  | CSIR       | 160  | 220  | 293   | 382   | 489   | 617   | 206  | 0.78 | 6.35 - 1/4"   | 4.76 - 3/16" | 6.35 - 1/4" | F2*, AA, G5         | 10   | 210 | AE2415Z      | *ASERCOM Certified |
| AE2420Z      | 9.35  | CSIR       | 202  | 280  | 377   | 494   | 636   | 805   | 252  | 0.80 | 9.5 - 3/8"    | 6.35 - 1/4"  | 6.35 - 1/4" | F2*, AA, G5         | 10.1 | 210 | AE2420Z      | *ASERCOM Certified |
| AE2425Z      | 12.01 | CSIR       | 271  | 372  | 496   | 644   | 821   | 1032  | 323  | 0.84 | 9.5 - 3/8"    | 6.35 - 1/4"  | 6.35 - 1/4" | F2*, AA, ES, F5     | 10.1 | 210 | AE2425Z      | *ASERCOM Certified |
| CAJ/TAJ2428Z | 15.2  | CSIR / TRI | 252  | 367  | 511   | 689   | 906   | 1169  | 368  | 0.68 | 12.7 - 1/2"   | 6.35 - 1/4"  | 6.35 - 1/4" | XA, F2*, G2, T2     | 20   | 268 | CAJ/TAJ2428Z | *ASERCOM Certified |
| CAJ/TAJ2432Z | 18.3  | CSIR / TRI | 313  | 458  | 640   | 865   | 1140  | 1470  | 417  | 0.75 | 12.7 - 1/2"   | 7.9 - 5/16"  | 6.35 - 1/4" | XA, F2*, G2, T2     | 21   | 268 | CAJ/TAJ2432Z | *ASERCOM Certified |
| CAJ2480Z     | 21    | CSIR       | 380  | 547  | 755   | 1011  | 1322  | 1695  | 499  | 0.76 | 12.7 - 1/2"   | 7.9 - 5/16"  | 6.35 - 1/4" | FZ                  | 22   | 280 | CAJ2480Z     | *ASERCOM Certified |
| CAJ/TAJ2486Z | 26.2  | CSIR / TRI | 515  | 726  | 982   | 1272  | 1663  | 2102  | 604  | 0.85 | 12.7 - 1/2"   | 7.9 - 5/16"  | 6.35 - 1/4" | XA, F2*, G2, K2, T2 | 22   | 280 | CAJ/TAJ2486Z | *ASERCOM Certified |
| CAJ/TAJ2464Z | 34.5  | CSIR / TRI | 681  | 943  | 1266  | 1660  | 2135  | 2704  | 845  | 0.81 | 15.9 - 5/8"   | 9.5 - 3/8"   | 6.35 - 1/4" | XA, F2*, G2, K2, T2 | 23   | 280 | CAJ/TAJ2464Z | *ASERCOM Certified |
| PH/TFH2480Z  | 53.2  | CSIR / TRI | 924  | 1340 | 1831  | 2405  | 3075  | 3851  | 1032 | 0.84 | 15.9 - 5/8"   | 12.7 - 1/2"  | 7.9 - 5/16" | F2*, G2, K2, T2     | 32   | 354 | PH/TFH2480Z  | *ASERCOM Certified |
| PH/TFH2511Z  | 74.2  | CSIR / TRI | 1224 | 1794 | 2504  | 3176  | 4413  | 5697  | 1348 | 0.88 | 15.9 - 5/8"   | 12.7 - 1/2"  | 7.9 - 5/16" | F2*, G2, K2, T2     | 32   | 370 | PH/TFH2511Z  | *ASERCOM Certified |
| TFH20516Z    | 106.4 | TRI        | 1848 | 2680 | 3662  | 4810  | 6150  | 7702  | 2204 | 0.84 | 22.2 - 7/8"   | 15.9 - 5/8"  | 7.9 - 5/16" | TZ                  | 79   | 405 | TFH20516Z    | *ASERCOM Certified |
| TFH20523Z    | 148.4 | TRI        | 2448 | 3588 | 5008  | 6752  | 8666  | 11004 | 2776 | 0.84 | 28.6 - 1 1/8" | 15.9 - 5/8"  | 7.9 - 5/16" | TZ, K2              | 80   | 405 | TFH20523Z    | *ASERCOM Certified |
| TFH TR2534Z  | 159.6 | TRI        | 2772 | 4020 | 5403  | 7215  | 9225  | 11553 | 3006 | 0.84 | 22.2 - 7/8"   | 19 - 3/4"    | 7.9 - 5/16" | TZ                  | 147  | 794 | TFH TR2534Z  |                    |
| TFH TR2533Z  | 222.6 | TRI        | 3672 | 5382 | 7512  | 10128 | 13299 | 17091 | 4064 | 0.88 | 28.6 - 1 1/8" | 19 - 3/4"    | 7.9 - 5/16" | TZ                  | 148  | 794 | TFH TR2533Z  |                    |
| TAG2513Z     | 100.7 | TRI        | 1260 | 1991 | 2920  | 4083  | 5517  | 7261  | 1631 | 0.77 | 22.2 - 7/8"   | 15.9 - 5/8"  | 6.35 - 1/4" | TZ                  | 44   | 368 | TAG2513Z     |                    |
| TAG2516Z     | 112.5 | TRI        | 1923 | 2860 | 3952  | 4917  | 6473  | 8338  | 2106 | 0.91 | 22.2 - 7/8"   | 15.9 - 5/8"  | 6.35 - 1/4" | K2, T2              | 44   | 368 | TAG2516Z     |                    |
| TAG2522Z     | 135   | TRI        | 2206 | 3203 | 4454  | 6008  | 7917  | 10239 | 2389 | 0.92 | 28.6 - 1 1/8" | 15.9 - 5/8"  | 6.35 - 1/4" | K2, T2              | 47   | 393 | TAG2522Z     |                    |
| TAG2525Z     | 145   | TRI        | 2475 | 3572 | 4913  | 6539  | 8490  | 10815 | 2659 | 0.93 | 28.6 - 1 1/8" | 15.9 - 5/8"  | 6.35 - 1/4" | TZ                  | 47   | 393 | TAG2525Z     |                    |
| TAG2532Z     | 225   | TRI        | 3846 | 5320 | 7304  | 9834  | 12946 | 16676 | 4212 | 0.91 | 22.2 - 7/8"   | 15.9 - 5/8"  | 6.35 - 1/4" | TZ, K2              | 104  | 560 | TAG2532Z     |                    |
| TAG2544Z     | 270   | TRI        | 4412 | 6406 | 8908  | 12016 | 15834 | 20478 | 4778 | 0.92 | 22.2 - 7/8"   | 15.9 - 5/8"  | 6.35 - 1/4" | TZ, K2              | 104  | 560 | TAG2544Z     |                    |
| TAG TR2548Z  | 337.5 | TRI        | 5769 | 7980 | 10956 | 14751 | 19419 | 25014 | 6318 | 0.91 | 34.9 - 1 3/8" | 22.2 - 7/8"  | 6.35 - 1/4" | TZ                  | 183  | 820 | TAG TR2548Z  |                    |
| TAG TR2566Z  | 405   | TRI        | 6618 | 9609 | 13362 | 18024 | 23751 | 30717 | 7167 | 0.92 | 34.9 - 1 3/8" | 22.2 - 7/8"  | 6.35 - 1/4" | TZ                  | 183  | 820 | TAG TR2566Z  |                    |

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, 1HP, 1 PH, R404A, CAJ2446Z, AJ27MIGF704, 26,2cm<sup>3</sup>, LBP, 230V

Zel, 0F605, 0F700, 0F789, 0F1033A, 0F1350A, GUY35AA, GUY40AA, GUY44AA, GUY53AA, GUY57AA, GUY66AA, GW75AA, GTH86AA, GTH93AA, GTM93AA, GTM10AA, GTM12AA, GML70A, GML110A, GML 140A, GML140G, GML160G, GML180A, GML200A, GXL160A, GL60TG, Gt80TB, GL90TB, GHP13AA, GHP16AA, GHP184A, GHP21AA, HBP, high back pressure, R134a, refrigeration compressor for

# refrigerator, 220/240V 50Hz

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 October 2023

## © R134a LBP 220-240V/50Hz

| 系列<br>应用工况            | 型号      | 排气<br>量 | 电机<br>功率 | 电机<br>类型   | 制冷量 (W) 蒸发温度 (°C) / Cooling Capacity ASHRAE |     |       |     |     |     |     |     |   |     |    |  |  |  |                                 |                      | 输入<br>功率      | 性能<br>系数 | 高度 |
|-----------------------|---------|---------|----------|------------|---------------------------------------------|-----|-------|-----|-----|-----|-----|-----|---|-----|----|--|--|--|---------------------------------|----------------------|---------------|----------|----|
|                       | Model   | Displ.  | Power    | Motor type | -30                                         | -25 | -23.3 | -20 | -15 | -10 | -5  | 0   | 5 | 7.2 | 10 |  |  |  | Input<br>Power<br>without<br>RC | COP<br>without<br>RC | Height<br>(h) |          |    |
|                       |         | cc      | hp       |            | W / °C                                      |     |       |     |     |     |     |     |   |     |    |  |  |  |                                 |                      | w             | w/w      | mm |
| Tau 普<br>效系列 /<br>LBP | OF605   | 3.4     | 1/11     | RSIR       | 45                                          | 59  | 76    | 95  | 119 | 149 | 185 | 228 |   |     |    |  |  |  | 78                              | 0.98                 | 163           |          |    |
|                       | OF700   | 3.8     | 1/6~     | RSIR       | 55                                          | 72  | 94    | 118 | 147 | 184 | 229 | 282 |   |     |    |  |  |  | 93                              | 1.01                 | 163           |          |    |
|                       | OF789   | 4.4     | 1/6      | RSIR       | 65                                          | 85  | 110   | 138 | 172 | 216 | 268 | 330 |   |     |    |  |  |  | 102                             | 1.08                 | 174           |          |    |
|                       | OF1033A | 5.7     | 1/5~     | RSIR       | 83                                          | 109 | 141   | 176 | 220 | 276 | 344 | 423 |   |     |    |  |  |  | 118                             | 1.19                 | 174           |          |    |
|                       | OF1350A | 7.5     | 1/4~     | RSIR       | 105                                         | 137 | 178   | 223 | 278 | 349 | 434 | 534 |   |     |    |  |  |  | 158                             | 1.13                 | 183           |          |    |
| Tau 中<br>效系列 /<br>LBP | GVY35AA | 3.5     | 1/11     | RSIR/RSCR  | 47                                          | 62  | 80    | 100 | 125 | 157 | 195 | 240 |   |     |    |  |  |  | 69                              | 1.16                 | 163           |          |    |
|                       | GVY40AA | 4.0     | 1/7      | RSIR/RSCR  | 59                                          | 77  | 100   | 125 | 156 | 196 | 244 | 300 |   |     |    |  |  |  | 83                              | 1.20                 | 174           |          |    |
|                       | GVY44AA | 4.4     | 1/6      | RSIR/RSCR  | 70                                          | 91  | 118   | 148 | 184 | 231 | 288 | 354 |   |     |    |  |  |  | 94                              | 1.25                 | 174           |          |    |
|                       | GVY53AA | 5.3     | 1/5~     | RSIR/RSCR  | 82                                          | 107 | 139   | 174 | 217 | 272 | 339 | 417 |   |     |    |  |  |  | 105                             | 1.33                 | 174           |          |    |
|                       | GVY57AA | 5.7     | 1/5~     | RSIR/RSCR  | 89                                          | 116 | 150   | 188 | 234 | 294 | 366 | 450 |   |     |    |  |  |  | 113                             | 1.33                 | 174           |          |    |
|                       | GVY66AA | 6.6     | 1/5+     | RSIR/RSCR  | 107                                         | 140 | 182   | 228 | 284 | 357 | 444 | 546 |   |     |    |  |  |  | 133                             | 1.37                 | 174           |          |    |
|                       | GVY75AA | 7.5     | 1/5+     | RSIR/RSCR  | 118                                         | 154 | 200   | 250 | 312 | 392 | 488 | 600 |   |     |    |  |  |  | 149                             | 1.34                 | 174           |          |    |
|                       | GTH86AA | 8.6     | 1/4      | RSIR/RSCR  | 136                                         | 177 | 230   | 288 | 359 | 451 | 561 | 690 |   |     |    |  |  |  | 161                             | 1.43                 | 174           |          |    |
| 商用高<br>效系列 /<br>LBP   | GTH93AA | 9.3     | 1/4      | RSIR/RSCR  | 153                                         | 200 | 260   | 325 | 406 | 510 | 634 | 780 |   |     |    |  |  |  | 182                             | 1.43                 | 184           |          |    |
|                       | GTM93AA | 9.3     | 1/4      | RSIR       | 159                                         | 208 | 270   | 338 | 421 | 529 | 659 | 810 |   |     |    |  |  |  | 220                             | 1.35                 | 184           |          |    |
|                       | GTM10AA | 10.0    | 1/3      | CSIR       | 177                                         | 231 | 300   | 375 | 468 | 588 | 732 | 900 |   |     |    |  |  |  | 222                             | 1.35                 | 184           |          |    |
|                       | GTM12AA | 12.0    | 1/3      | CSIR       | 195                                         | 254 | 330   | 413 | 515 | 647 | 805 | 990 |   |     |    |  |  |  | 241                             | 1.37                 | 184           |          |    |

## © R134a LBP 220-240V/50Hz

|                    |          |     |      |           |     |     |     |     |     |     |     |     |  |  |  |  |  |  |  |     |      |     |
|--------------------|----------|-----|------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|--|--|--|-----|------|-----|
| Lambda<br>系列 / LBP | GML70A*  | 3.4 | 1/12 | RSIR      | 40  | 52  | 68  | 85  | 106 | 133 | 166 | 204 |  |  |  |  |  |  |  | 57  | 1.20 | 152 |
|                    | GML110A  | 4.1 | 1/8  | RSIR      | 66  | 86  | 112 | 140 | 175 | 220 | 273 | 336 |  |  |  |  |  |  |  | 90  | 1.25 | 152 |
|                    | GML140A  | 4.9 | 1/6  | RSIR      | 83  | 108 | 140 | 175 | 218 | 274 | 342 | 420 |  |  |  |  |  |  |  | 108 | 1.30 | 152 |
|                    | GML140G* | 4.9 | 1/6  | RSIR/RSCR | 83  | 108 | 140 | 175 | 218 | 274 | 342 | 420 |  |  |  |  |  |  |  | 108 | 1.40 | 152 |
|                    | GML160G  | 5.7 | 1/6  | RSIR/RSCR | 99  | 129 | 168 | 210 | 262 | 329 | 410 | 504 |  |  |  |  |  |  |  | 129 | 1.30 | 161 |
|                    | GML180A  | 6.5 | 1/5  | RSIR/RSCR | 110 | 144 | 187 | 234 | 292 | 367 | 456 | 561 |  |  |  |  |  |  |  | 144 | 1.30 | 164 |
|                    | GML200A  | 7.0 | 1/5  | RSIR/RSCR | 118 | 154 | 200 | 250 | 312 | 392 | 488 | 600 |  |  |  |  |  |  |  | 152 | 1.32 | 164 |
|                    | GXL160A  | 5.7 | 1/7  | RSIR      | 104 | 136 | 176 | 220 | 275 | 345 | 429 | 528 |  |  |  |  |  |  |  | /   | /    | 164 |
|                    | GXL200A  | 7.0 | 1/6  | RSIR      | 126 | 164 | 213 | 266 | 332 | 417 | 520 | 639 |  |  |  |  |  |  |  | /   | /    | 164 |

## © R134a M/HBP 220-240V/50Hz

|                             |          |      |     |      |  |  |  |     |     |     |      |      |      |      |      |     |      |     |
|-----------------------------|----------|------|-----|------|--|--|--|-----|-----|-----|------|------|------|------|------|-----|------|-----|
| 中高背<br>压系列 /<br>MBP/<br>HBP | GL60TG   | 5.3  | 1/3 | CSIR |  |  |  | 172 | 213 | 260 | 329  | 410  | 502  | 540  | 605  | 240 | 2.25 | 174 |
|                             | GL80TB   | 7.5  | 1/2 | CSIR |  |  |  | 204 | 252 | 308 | 390  | 486  | 595  | 640  | 717  | 262 | 2.44 | 184 |
|                             | GL90TB   | 7.5  | 1/2 | CSIR |  |  |  | 239 | 296 | 361 | 458  | 570  | 698  | 750  | 840  | 323 | 2.32 | 184 |
|                             | GL10TB   | 9.3  | 1/2 | CSIR |  |  |  | 249 | 307 | 375 | 476  | 593  | 725  | 780  | 874  | 342 | 2.28 | 184 |
|                             | GL10TB   | 9.3  | 1/2 | CSIR |  |  |  | 281 | 347 | 423 | 537  | 669  | 818  | 880  | 986  | 429 | 2.05 | 184 |
|                             | GHP13AA* | 13.0 | 1   | CSIR |  |  |  | 351 | 433 | 529 | 671  | 836  | 1023 | 1100 | 1232 | 550 | 2.00 | 215 |
|                             | GHP16AA* | 16.0 | 1   | CSIR |  |  |  | 415 | 512 | 625 | 793  | 988  | 1209 | 1300 | 1456 | 650 | 2.00 | 215 |
|                             | GHP18AA* | 18.0 | 1   | CSIR |  |  |  | 510 | 630 | 770 | 976  | 1216 | 1488 | 1600 | 1792 | 730 | 2.20 | 215 |
|                             | GHP21AA* | 21.0 | 1   | CSIR |  |  |  | 606 | 749 | 914 | 1159 | 1444 | 1767 | 1900 | 2128 | 900 | 2.10 | 215 |

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

OF605,  
OF700,  
OF789,  
OF1033A,  
OF1350A,  
GVY35AA,  
GVY40AA,  
GVY44AA,  
GVY53AA,  
GVY57AA,  
GVY66AA,  
GVY75AA,  
GTH86AA,  
GTH93AA,  
GTM93AA,  
GTM10AA,  
GTM12AA,  
GML70A,  
GML110A,

GML 140A,  
GML140G,  
GML160G,  
GML180A,  
GML200A,  
GXL160A,  
GL60TG,  
Gt80TB,  
GL90TB,  
GHP13AA,  
GHP16AA,  
GHP184A,  
GHP21AA,

---

## Mbsm.pro, Compressor, Refrigerant, 1/5 hp, R134a, EMT55HLR, 220-240V 50Hz, 1PH, Embraco

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 October 2023



Mbsm.pro, Compressor, Refrigerant, 1/5 hp, R134a, EMT55HLR, 220-240V 50Hz, 1PH,  
Embraco

---

## Certificate, Compressor , EGL80TB,

1/5 hp++ , 1/4 hp−, H/MBP, R134a, 663  
W

Category: certificate

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 October 2023



Certificate, Compressor , EGL80TB, 1/5 hp++ , 1/4 hp–, H/MBP, R134a, 663 w

---

# Mbsm.pro, Pdf, Samsung Compressor

Category: expertise

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 October 2023





---

Mbsm.pro, White Whale, THailand, 365 L, WRF-404HT, TWH White, SLS Slver, PWH While, 1.4 A, 187 W, r134 a, 105 g, Compressor, Hitachi, FL1257-sr, 1/5 hp

Category: Refrigerator

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 October 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, White Whale, THailand, 365 L WRF-404HT, TWH White,SLS Slver, PWH While, 1.4 A, 187 W, r134 a, 105 g, Compressor, Hitachi, FL1257-sr, 1/5 hp

---

## Mbsm.pro, ALL, Compressor Hitachi, R134a, R404a, R600a, Inverter

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 October 2023

HITACHI FL1462-SA  
220-240V 50Hz OIL 2007.11.12  
SERIAL NO. 22680 HFC-134a  
WARNING | HIGH TEMPERATURE  
ELECTRIC SHOCK  
⚠ DO NOT TOUCH L11

Mbsm.pro, ALL, Compressor Hitachi, R134a, R404a, R600a, Inverter