

Mbsm.pro, Compressor, Cooling
compressor Cubigel, GX21TB, 3/4 hp++
, Hbp, 1 hp-, GPT18RA, 3/4 hp-, lbp,
Country of origin Spain, r134a,
200-220/220-230V, 50/60Hz

Category: expertise

written by www.mbsm.pro | 7 October 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Cooling compressor Cubigel, GX21TB, 3/4 hp++ , Hbp, 1 hp-,
GPT18RA, 3/4 hp-, lbp, Country of origin Spain, r134a, 200-220/220-230V, 50/60Hz

Mbsm.pro, Panasonic, Compressor,
DB66C10RAW5, RSCR, 1/5 hp, Lbp

Category: compressor

written by www.mbsm.pro | 7 October 2023



●○ REDMI NOTE 9 PRO
○ AI QUAD CAMERA

30/09/2023 14:45

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Panasonic, Compressor, DB66C10RAW5, RSCR, 1/5 hp, Lbp

Mbsm.pro, Huaguang, Wanbao,
Compressor, FTA66L, 1/3 hp, FT serie,
320 w, LBP, 1092 btu, r290, OEM, ODM,
SKD, CKD, freezer, 325L, 220V

Mechanical Temperature Controller ABS+PVC, Ice Cream Chest Freezer, SD-325K, SD-405K, SD-511K

Category: compressor

written by www.mbsm.pro | 7 October 2023



Mbsm.pro, Huaguang, Wanbao, Compressor, FTA66L, 1/3 hp, FT serie, 320 w, LBP, 1092 btu, r290, OEM, ODM, SKD, CKD, freezer, 325L, 220V Mechanical Temperature Controller ABS+PVC, Ice Cream Chest Freezer

Mbsm.pro, Compressor, 1HP, 1 PH, R404A, CAJ2446Z, AJ27MIGF704, 26,2cm³, LBP, 230V

Category: compressor

written by www.mbsm.pro | 7 October 2023

R404A

THB23602	3.6	CSIR	71	97	129	169	217	275	104	0.68	6.35 - 1/4"	4.76 - 3/16"	6.35 - 1/4"	XA, F2*, G2	7	172	THB23602	*ASERCOM Certified
THB23782	4.2	CSIR	82	112	149	195	251	318	136	0.60	6.35 - 1/4"	4.76 - 3/16"	6.35 - 1/4"	XA, F2*, G2	8	172	THB23782	*ASERCOM Certified
THB23962	5.2	CSIR	108	145	191	247	315	395	157	0.69	6.35 - 1/4"	4.76 - 3/16"	6.35 - 1/4"	FZ	8.3	172	THB23962	*ASERCOM Certified
AE2410Z	5.02	CSIR	99	142	195	259	336	427	156	0.63	6.35 - 1/4"	4.76 - 3/16"	6.35 - 1/4"	F2*, AA, G5	9.9	210	AE2410Z	*ASERCOM Certified
AE2415Z	7.33	CSIR	160	220	293	382	489	617	206	0.78	6.35 - 1/4"	4.76 - 3/16"	6.35 - 1/4"	F2*, AA, G5	10	210	AE2415Z	*ASERCOM Certified
AE2420Z	9.35	CSIR	202	280	377	494	636	805	252	0.80	9.5 - 3/8"	6.35 - 1/4"	6.35 - 1/4"	F2*, AA, G5	10.1	210	AE2420Z	*ASERCOM Certified
AE2425Z	12.01	CSIR	271	372	496	644	821	1032	323	0.84	9.5 - 3/8"	6.35 - 1/4"	6.35 - 1/4"	F2*, AA, ES, F5	10.1	210	AE2425Z	*ASERCOM Certified
CAJ/TAJ2428Z	15.2	CSIR / TRI	252	367	511	689	906	1169	368	0.68	12.7 - 1/2"	6.35 - 1/4"	6.35 - 1/4"	XA, F2*, G2, T2	20	268	CAJ/TAJ2428Z	*ASERCOM Certified
CAJ/TAJ2432Z	18.3	CSIR / TRI	313	458	640	865	1140	1470	417	0.75	12.7 - 1/2"	7.9 - 5/16"	6.35 - 1/4"	XA, F2*, G2, T2	21	268	CAJ/TAJ2432Z	*ASERCOM Certified
CAJ2480Z	21	CSIR	380	547	755	1011	1322	1695	499	0.76	12.7 - 1/2"	7.9 - 5/16"	6.35 - 1/4"	FZ	22	280	CAJ2480Z	*ASERCOM Certified
CAJ/TAJ2486Z	26.2	CSIR / TRI	515	726	982	1272	1663	2102	604	0.85	12.7 - 1/2"	7.9 - 5/16"	6.35 - 1/4"	XA, F2*, G2, K2, T2	22	280	CAJ/TAJ2486Z	*ASERCOM Certified
CAJ/TAJ2464Z	34.5	CSIR / TRI	681	943	1266	1660	2135	2704	845	0.81	15.9 - 5/8"	9.5 - 3/8"	6.35 - 1/4"	XA, F2*, G2, K2, T2	23	280	CAJ/TAJ2464Z	*ASERCOM Certified
PH/TFH2480Z	53.2	CSIR / TRI	924	1340	1831	2405	3075	3851	1032	0.84	15.9 - 5/8"	12.7 - 1/2"	7.9 - 5/16"	F2*, G2, K2, T2	32	354	PH/TFH2480Z	*ASERCOM Certified
PH/TFH2511Z	74.2	CSIR / TRI	1224	1794	2504	3176	4413	5697	1348	0.88	15.9 - 5/8"	12.7 - 1/2"	7.9 - 5/16"	F2*, G2, K2, T2	32	370	PH/TFH2511Z	*ASERCOM Certified
TFH20516Z	106.4	TRI	1848	2680	3662	4810	6150	7702	2204	0.84	22.2 - 7/8"	15.9 - 5/8"	7.9 - 5/16"	TZ	79	405	TFH20516Z	*ASERCOM Certified
TFH20522Z	148.4	TRI	2448	3588	5008	6752	8666	11004	2776	0.84	28.6 - 1 1/8"	15.9 - 5/8"	7.9 - 5/16"	TZ, K2	80	405	TFH20522Z	*ASERCOM Certified
TFH TR2534Z	159.6	TRI	2772	4020	5403	7215	9225	11553	3006	0.84	22.2 - 7/8"	19 - 3/4"	7.9 - 5/16"	TZ	147	794	TFH TR2534Z	
TFH TR2533Z	222.6	TRI	3672	5382	7512	10128	13299	17091	4064	0.88	28.6 - 1 1/8"	19 - 3/4"	7.9 - 5/16"	TZ	148	794	TFH TR2533Z	
TAG2513Z	100.7	TRI	1260	1991	2920	4083	5517	7261	1631	0.77	22.2 - 7/8"	15.9 - 5/8"	6.35 - 1/4"	TZ	44	368	TAG2513Z	
TAG2516Z	112.5	TRI	1923	2860	3952	4917	6473	8338	2106	0.91	22.2 - 7/8"	15.9 - 5/8"	6.35 - 1/4"	K2, T2	44	368	TAG2516Z	
TAG2522Z	135	TRI	2206	3203	4454	6008	7917	10239	2389	0.92	28.6 - 1 1/8"	15.9 - 5/8"	6.35 - 1/4"	K2, T2	47	393	TAG2522Z	
TAG2525Z	145	TRI	2475	3572	4913	6539	8490	10815	2659	0.93	28.6 - 1 1/8"	15.9 - 5/8"	6.35 - 1/4"	TZ	47	393	TAG2525Z	
TAG2532Z	225	TRI	3846	5320	7304	9834	12946	16676	4212	0.91	22.2 - 7/8"	15.9 - 5/8"	6.35 - 1/4"	TZ, K2	104	560	TAG2532Z	
TAG2544Z	270	TRI	4412	6406	8908	12016	15834	20478	4778	0.92	22.2 - 7/8"	15.9 - 5/8"	6.35 - 1/4"	TZ, K2	104	560	TAG2544Z	
TAG TR2548Z	337.5	TRI	5769	7980	10956	14751	19419	25014	6318	0.91	34.9 - 1 3/8"	22.2 - 7/8"	6.35 - 1/4"	TZ	183	820	TAG TR2548Z	
TAG TR2566Z	405	TRI	6618	9609	13362	18024	23751	30717	7167	0.92	34.9 - 1 3/8"	22.2 - 7/8"	6.35 - 1/4"	TZ	183	820	TAG TR2566Z	

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, 1HP, 1 PH, R404A, CAJ2446Z, AJ27MIGF704, 26,2cm³, LBP, 230V

Zel, 0F605, 0F700, 0F789, 0F1033A, 0F1350A, GUY35AA, GUY40AA, GUY44AA, GUY53AA, GUY57AA, GUY66AA, GW75AA, GTH86AA, GTH93AA, GTM93AA, GTM10AA, GTM12AA, GML70A, GML110A, GML 140A, GML140G, GML160G, GML180A, GML200A, GXL160A, GL60TG, Gt80TB, GL90TB, GHP13AA, GHP16AA, GHP184A, GHP21AA, HBP, high back pressure, R134a, refrigeration compressor for

refrigerator, 220/240V 50Hz

Category: compressor

written by www.mbsm.pro | 7 October 2023

© R134a LBP 220-240V/50Hz

系列 应用工况	型号	排气 量	电机 功率	电机 类型	制冷量 (W) 蒸发温度 (°C) / Cooling Capacity ASHRAE													输入 功率	性能 系数	高度
	Model	Displ.	Power	Motor type	-30	-25	-23.3	-20	-15	-10	-5	0	5	7.2	10	Input Power without RC	COP without RC	Height (h)		
		cc	hp		W / °C													w	w/w	mm
Tau 普 效系列 / LBP	OF605	3.4	1/11	RSIR	45	59	76	95	119	149	185	228					78	0.98	163	
	OF700	3.8	1/6~	RSIR	55	72	94	118	147	184	229	282					93	1.01	163	
	OF789	4.4	1/6	RSIR	65	85	110	138	172	216	268	330					102	1.08	174	
	OF1033A	5.7	1/5~	RSIR	83	109	141	176	220	276	344	423					118	1.19	174	
	OF1350A	7.5	1/4~	RSIR	105	137	178	223	278	349	434	534					158	1.13	183	
Tau 中 效系列 / LBP	GVY35AA	3.5	1/11	RSIR/RSCR	47	62	80	100	125	157	195	240					69	1.16	163	
	GVY40AA	4.0	1/7	RSIR/RSCR	59	77	100	125	156	196	244	300					83	1.20	174	
	GVY44AA	4.4	1/6	RSIR/RSCR	70	91	118	148	184	231	288	354					94	1.25	174	
	GVY53AA	5.3	1/5~	RSIR/RSCR	82	107	139	174	217	272	339	417					105	1.33	174	
	GVY57AA	5.7	1/5~	RSIR/RSCR	89	116	150	188	234	294	366	450					113	1.33	174	
	GVY66AA	6.6	1/5+	RSIR/RSCR	107	140	182	228	284	357	444	546					133	1.37	174	
	GVY75AA	7.5	1/5+	RSIR/RSCR	118	154	200	250	312	392	488	600					149	1.34	174	
	GTH86AA	8.6	1/4	RSIR/RSCR	136	177	230	288	359	451	561	690					161	1.43	174	
商用高 效系列 / LBP	GTH93AA	9.3	1/4	RSIR/RSCR	153	200	260	325	406	510	634	780					182	1.43	184	
	GTM93AA	9.3	1/4	RSIR	159	208	270	338	421	529	659	810					220	1.35	184	
	GTM10AA	10.0	1/3	CSIR	177	231	300	375	468	588	732	900					222	1.35	184	
	GTM12AA	12.0	1/3	CSIR	195	254	330	413	515	647	805	990					241	1.37	184	

© R134a LBP 220-240V/50Hz

Lambda 系列 / LBP	GML70A*	3.4	1/12	RSIR	40	52	68	85	106	133	166	204					57	1.20	152
	GML110A	4.1	1/8	RSIR	66	86	112	140	175	220	273	336					90	1.25	152
	GML140A	4.9	1/6	RSIR	83	108	140	175	218	274	342	420					108	1.30	152
	GML140G*	4.9	1/6	RSIR/RSCR	83	108	140	175	218	274	342	420					108	1.40	152
	GML160G	5.7	1/6	RSIR/RSCR	99	129	168	210	262	329	410	504					129	1.30	161
	GML180A	6.5	1/5	RSIR/RSCR	110	144	187	234	292	367	456	561					144	1.30	164
	GML200A	7.0	1/5	RSIR/RSCR	118	154	200	250	312	392	488	600					152	1.32	164
	GXL160A	5.7	1/7	RSIR	104	136	176	220	275	345	429	528					/	/	164
	GXL200A	7.0	1/6	RSIR	126	164	213	266	332	417	520	639					/	/	164

© R134a M/HBP 220-240V/50Hz

中高背 压系列 / MBP/ HBP	GL60TG	5.3	1/3	CSIR				172	213	260	329	410	502	540	605	240	2.25	174
	GL80TB	7.5	1/2	CSIR				204	252	308	390	486	595	640	717	262	2.44	184
	GL90TB	7.5	1/2	CSIR				239	296	361	458	570	698	750	840	323	2.32	184
	GL10TB	9.3	1/2	CSIR				249	307	375	476	593	725	780	874	342	2.28	184
	GL10TB	9.3	1/2	CSIR				281	347	423	537	669	818	880	986	429	2.05	184
	GHP13AA*	13.0	1	CSIR				351	433	529	671	836	1023	1100	1232	550	2.00	215
	GHP16AA*	16.0	1	CSIR				415	512	625	793	988	1209	1300	1456	650	2.00	215
	GHP18AA*	18.0	1	CSIR				510	630	770	976	1216	1488	1600	1792	730	2.20	215
	GHP21AA*	21.0	1	CSIR				606	749	914	1159	1444	1767	1900	2128	900	2.10	215

Private Picture Copyright : WWW.MBSM.PRO

OF605,
OF700,
OF789,
OF1033A,
OF1350A,
GVY35AA,
GVY40AA,
GVY44AA,
GVY53AA,
GVY57AA,
GVY66AA,
GW75AA,
GTH86AA,
GTH93AA,
GTM93AA,
GTM10AA,
GTM12AA,
GML70A,
GML110A,

GML 140A,
GML140G,
GML160G,
GML180A,
GML200A,
GXL160A,
GL60TG,
Gt80TB,
GL90TB,
GHP13AA,
GHP16AA,
GHP184A,
GHP21AA,

Mbsm.pro, Compressor, Refrigerant, 1/5 hp, R134a, EMT55HLR, 220-240V 50Hz, 1PH, Embraco

Category: compressor

written by www.mbsm.pro | 7 October 2023



Mbsm.pro, Compressor, Refrigerant, 1/5 hp, R134a, EMT55HLR, 220-240V 50Hz, 1PH, Embraco

Certificate, Compressor , EGL80TB,

1/5 hp++ , 1/4 hp−, H/MBP, R134a, 663
W

Category: certificate

written by www.mbsm.pro | 7 October 2023



Certificate, Compressor , EGL80TB, 1/5 hp++ , 1/4 hp−, H/MBP, R134a, 663 w

Mbsm.pro, Pdf, Samsung Compressor

Category: expertise

written by www.mbsm.pro | 7 October 2023





Mbsm.pro, White Whale, THailand, 365 L, WRF-404HT, TWH White, SLS Silver, PWH White, 1.4 A, 187 W, r134 a, 105 g, Compressor, Hitachi, FL1257-sr, 1/5 hp

Category: Refrigerator

written by www.mbsm.pro | 7 October 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, White Whale, THailand, 365 L WRF-404HT, TWH White,SLS Slver, PWH While, 1.4 A, 187 W, r134 a, 105 g, Compressor, Hitachi, FL1257-sr, 1/5 hp

Mbsm.pro, ALL, Compressor Hitachi, R134a, R404a, R600a, Inverter

Category: compressor

written by www.mbsm.pro | 7 October 2023

HITACHI FL1462-SA
220-240V 50Hz OIL 2007.11.12
SERIAL NO. 22680 HFC-134a
WARNING | HIGH TEMPERATURE
ELECTRIC SHOCK
⚠ DO NOT TOUCH L11

Mbsm.pro, ALL, Compressor Hitachi, R134a, R404a, R600a, Inverter