

CR47KQ, CR47KQ-TFD-970-COPW, CR47KQ-TFD, 3.5 hp, 3 ph, r22, 400v, 47000 btu

Category: compressor

written by www.mbsm.pro | 17 April 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Copeland, Hermetic, CR47KQ, Compressor, Series: CR, 47000 BTU/hr, 10.034 cfm, 460 VAC, 6.9 amp, 4 ton Tonnage, 60 Hz, 3 PH, 3500 rpm, 4 hp, 4540 watt, R-22, R-404A, R-407C

CF1441G

Category: expertise

written by www.mbsm.pro | 17 April 2023




Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Freezer, CF1441G, 210 L, Compressor, 1/4 hp++, 1/3 hp-, R134a, 145g, 370w, 220v

ZR61KCE-TFD-522

Category: compressor

written by www.mbsm.pro | 17 April 2023




Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, COPELAND, COMPRESSOR, ZR61KCE-TFD-522, 5 hp, 43000 btu

معرفة قوة أيضاغط في ثواني

Category: Arabe

written by Arabic subjects writer | 17 April 2023




Private Picture Copyright : WWW.MBSM.PRO

معرفة أي قوة ضاغط في ثواني

Sl-nf420w

Category: Refrigerator

written by www.mbsm.pro | 17 April 2023



starlight
SL-NF420
220-240 V
CONSOMMATION
VOLUME TOTAL(L)
BRUT 423
Numéro de

starlight
SL -NF420W
220-240 V ~ 50
CONSOMMATION D'ENERGIE
VOLUME TOTAL (L) CONG
BRUT 423 11






Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, refrigerator, 420 L, Starlight, SL-nf420w, 115 w, compressor, 1/6 hp, r134a, 100g

Condor cfh-t36gm05

Category: Pictures

written by www.mbsm.pro | 17 April 2023

		CONGÉLATEUR MODELE : CFH-T39GM05	
CARACTERISTIQUES الخصائص التقنية		CIRCUIT ELECTRIQUE المخطط الكهربائي	
CLASSE DE CLIMAT.....T.....	تصنيف المناخ		
CLASSIFICATION DE PREVENTION.....I.....	تصنيف الحماية ضد الأخطار الكهربائية		
TENSION (V).....220-240.....	التوتر (فولط)		
FREQUENCE (Hz).....50.....	التردد (هرتز)		
COURANT (A).....0.75.....	شدة التيار الكهربائي (الأمبير)		
CONSOM. D'ENERGIE ELE (KWh/24h)....0.963.....	استهلاك الطاقة الكهربائية		
TYPE DE REFRIGERANT.....R600a.....	نوع الغاز المبرد		
QUANTITE DE REFRIGERANT (g).....75.....	كمية الغاز المبرد المشحونة (غ)		
POIDS NET DE CONGÉLATEUR (Kg).....49.....	الوزن الصافي للمجمدة (كغ)		
Fabriqué en Algérie صنع في الجزائر			
 ATTENTION		 خطر الإصابة لا تدخل الأصابع أو أي شيء آخر داخل المروحة خطر الاحتراق . لا تلمس الضاغط	
		 Risque de blessure. Ne jamais insérer les doigts ou quoi que ce soit à l'intérieur du ventilateur. Risque de brûlure. Ne pas toucher le compresseur.	

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Condor cfh-t36gm05



Private Picture Copyright : WWW.MBSM.PRO

Condor		CONGÉLATEUR MODELE : CFH-T39GM05	
CARACTERISTIQUES	الخصائص التقنية	CIRCUIT ELECTRIQUE	المخطط الكهربائي
CLASSE DE CLIMAT	T		
CLASSIFICATION DE PREVENTION	I		
TENSION (V)	220-240		
FREQUENCE (Hz)	50		
COURANT (A)	0.75		
COS phi (C'ONVERGE ELA (P/N/CO/CI)	0.963		
TYPE DE REFRIGERANT	R500a		
QUANTITE DE REFRIGERANT (kg)	75		
PURITE MEY DE CONGELATION (kg)	40		
Fabrique en Algérie		صنع في الجزائر	
<p>ATTENTION</p> <p>خطر الاسلاك لا تدخل الاسلاك او اي شئ اخر داخل المروحة خطر الاستنساخ - لا تكسر التغليف</p>		<p>Warning: Risk of fire Ne jetez pas les débris au feu car ils ont le potentiel de ventilation. Risque de brûlure. Ne pas toucher le compresseur.</p>	

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, QXA-C133B030gA, Compressor
GREE, PANASONIC, 12000 Btu, R410,
2JS464D3CA02, 24000 Btu, r22

Category: compressor,expertise
written by www.mbsm.pro | 17 April 2023

2JS464D3CA02

THERMALLY PROTECTED R22

1PH 50Hz 220/240V ~

Matsushita Electric Industrial Co., Ltd.

SERIAL NO. J46D


C0068914

7077290

MADE IN MALAYSIA



	WARNING / DANGER
	Danger of Electric Shock <ul style="list-style-type: none">• Earth the equipment.• Disconnect power before work.• Mount the terminal cover in place.
	Danger of Explosion or Fire <ul style="list-style-type: none">• Do not use unprescribed refrigerants and oils.• Do not compress air.• Wear protective goggles.
	Caution , Hot Surface <ul style="list-style-type: none">• Do not touch with bare hands.



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, QXA-C133B030gA, Compressor GREE, PANASONIC, 12000 Btu, R410, 2JS464D3CA02, 24000 Btu,r22

Compressor Mk183g-l2u

Category: compressor

written by www.mbsm.pro | 17 April 2023



Mbsm.pro, Compressor, Samsung, mk183g-l2u, series MK, 1/3 hp, 236 w, Lbp, 203 KCL, 806 BTU, r134a, 3.8 cc, 220-240V ~ 50Hz, Low Back Pressure, compressor static without fan, PTC-RSCR (Optional RSIR)

Mbsm.pro, Compressor, Qd52, 1/6 hp , Mini, R134a, 220-240/50, 128 w, 437 btu

Category: compressor

written by www.mbsm.pro | 17 April 2023

QD52

Refrigerator Compressor

R134a

220V/50HZ



Mbsm.pro, Compressor, Qd52, 1/6 hp , Mini, R134a, 220-240/50, 128 w, 437 btu

Mbsm.pro, LG compressor, R22, QK Series, QK222P, 1PH, 1.5 hp, 220/240V – 50Hz, 12000 btu, 1 Ton, Capacitor 35 mf

Category: compressor

written by www.mbsm.pro | 17 April 2023

QK222PMA

THERMALLY PROTECTED

220-240V ~ 50Hz 1PH LRA31.5


SERIAL NO. 2A2R0015HB26-304633



LG

MADE IN CHINA

乐金电子(天津)电器有限公司



WARNING

Service should be performed by trained personnel only.



ELECTRIC SHOCK HAZARD

- Ground the equipment securely.
- Turn off the power before servicing.
- Retain Terminal Cover in position whenever power is applied to the compressor.



BURN HAZARD

- Do not touch the Compressor with bare hands during operation or after stoppage instantly.



EXPLOSION OR FIRE

- Wear safety goggles and gears as system contains oil and refrigerant under pressure.
- Do not compress air.
- Do not use refrigerant and lubricants besides those specified.
- Make sure to connect right way with valves.

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, LG compressor, R22, QK Series, QK222P, 1PH, 1.5 hp, 220/240V – 50Hz, 12000 btu, 1 Ton, Capacitor 35 mf