

# CR47KQ, CR47KQ-TFD-970-COPW, CR47KQ-TFD, 3.5 hp, 3 ph, r22, 400v, 47000 btu

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 17 April 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Copeland, Hermetic, CR47KQ, Compressor, Series: CR, 47000 BTU/hr, 10.034 cfm, 460 VAC, 6.9 amp, 4 ton Tonnage, 60 Hz, 3 PH, 3500 rpm, 4 hp, 4540 watt, R-22, R-404A, R-407C

---

## CF1441G

Category: expertise

written by [www.mbsm.pro](http://www.mbsm.pro) | 17 April 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Freezer, CF1441G, 210 L, Compressor, 1/4 hp++, 1/3 hp-, R134a, 145g, 370w, 220v

---

## ZR61KCE-TFD-522

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 17 April 2023




Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, COPELAND, COMPRESSOR, ZR61KCE-TFD-522, 5 hp, 43000 btu

## معرفة قوة أيضاغط في ثواني

Category: Arabe

written by Arabic subjects writer | 17 April 2023




Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

معرفة أي قوة ضاغط في ثواني

## Sl-nf420w

Category: Refrigerator

written by [www.mbsm.pro](http://www.mbsm.pro) | 17 April 2023



starlight

SL-NF420

220-240 V

CONSOMMATION

VOLUME	TOTAL(L)
BRUT	423

Numéro de

starlight

SL -NF420W

220-240 V ~ 50

CONSOMMATION D'ENERGIE

VOLUME	TOTAL (L)	CONG
BRUT	423	11






Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, refrigerator, 420 L, Starlight, SL-nf420w, 115 w, compressor, 1/6 hp, r134a, 100g

# Condor cfh-t36gm05

Category: Pictures

written by www.mbsm.pro | 17 April 2023

		<b>CONGÉLATEUR MODELE : CFH-T39GM05</b>	
<b>CARACTERISTIQUES</b> الفصائص التقنية		<b>CIRCUIT ELECTRIQUE</b> المخطط الكهربائي	
CLASSE DE CLIMAT.....T.....	تصنيف المناخ		
CLASSIFICATION DE PREVENTION.....I.....	تصنيف الحماية ضد الأخطار الكهربائية		
TENSION (V).....220-240.....	التوتر (فولط)		
FREQUENCE (Hz).....50.....	التردد (هرتز)		
COURANT (A).....0.75.....	شدة التيار الكهربائي (الأمبير)		
CONSOM. D'ENERGIE ELE (KWh/24h)....0.963.....	استهلاك الطاقة الكهربائية		
TYPE DE REFRIGERANT.....R600a.....	نوع الغاز المبرد		
QUANTITE DE REFRIGERANT (g).....75.....	كمية الغاز المبرد المشحونة (غ)		
POIDS NET DE CONGÉLATEUR (Kg).....49.....	الوزن الصافي للمجمدة (كغ)		
<b>Fabriqué en Algérie</b> صنع في الجزائر			
 <b>ATTENTION</b>		 خطر الإصابات لا تدخل الأصابع أو أي شيء آخر داخل المروحة خطر الاحتراق . لا تلمس الضاغط	
		 Risque de blessure. Ne jamais insérer les doigts ou quoi que ce soit à l'intérieur du ventilateur. Risque de brûlure. Ne pas toucher le compresseur.	

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Condor cfh-t36gm05



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

		<b>CONGÉLATEUR MODELE : CFH-T39GM05</b>	
<b>CARACTERISTIQUES</b>	<b>الخصائص التقنية</b>	<b>CIRCUIT ELECTRIQUE</b>	<b>المخطط الكهربائي</b>
CLASSE DE CLIMAT	T		
CLASSIFICATION DE PREVENTION	I		
TENSION (V)	220-240		
FREQUENCE (Hz)	50		
COURANT (A)	0.75		
COS phi (C'ONVERGE ELA (P/N/CAN))	0.963		
TYPE DE REFRIGERANT	R500a		
QUANTITE DE REFRIGERANT (kg)	75		
PUISS. NET DE CONGELATION (kg)	40		
<b>Fabrique en Algérie</b>			
<b>ATTENTION</b>		<p> <b>تحذير الأمان</b>                      لا تدخل الأصابع أو أي شيء آخر داخل المروحة                      تجنب الاستعمال في الأماكن المشددة                 </p> <p> <b>تحذير الأمان</b>                      Ne jamais toucher les doigts ou tout autre chose avec le ventilateur.                      Risque de brûlure. Ne pas toucher le compresseur.                 </p>	

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

---

Mbsm.pro, QXA-C133B030gA, Compressor  
GREE, PANASONIC, 12000 Btu, R410,  
2JS464D3CA02, 24000 Btu, r22

Category: compressor,expertise  
written by [www.mbsm.pro](http://www.mbsm.pro) | 17 April 2023



**2JS464D3CA02**

THERMALLY PROTECTED R22

1PH 50Hz 220/240V ~

**Matsushita Electric Industrial Co., Ltd.**

SERIAL NO. J46D


C0068914

7077290

MADE IN MALAYSIA



	<b>WARNING / DANGER</b>
	<b>Danger of Electric Shock</b> <ul style="list-style-type: none"><li>• Earth the equipment.</li><li>• Disconnect power before work.</li><li>• Mount the terminal cover in place.</li></ul>
	<b>Danger of Explosion or Fire</b> <ul style="list-style-type: none"><li>• Do not use unprescribed refrigerants and oils.</li><li>• Do not compress air.</li><li>• Wear protective goggles.</li></ul>
	<b>Caution , Hot Surface</b> <ul style="list-style-type: none"><li>• Do not touch with bare hands.</li></ul>



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, QXA-C133B030gA, Compressor GREE, PANASONIC, 12000 Btu, R410, 2JS464D3CA02, 24000 Btu,r22

# Compressor Mk183g-l2u

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 17 April 2023



Mbsm.pro, Compressor, Samsung, mk183g-l2u, series MK, 1/3 hp, 236 w, Lbp, 203 KCL, 806 BTU, r134a, 3.8 cc, 220-240V ~ 50Hz, Low Back Pressure, compressor static without fan, PTC-RSCR (Optional RSIR)

---

## Mbsm.pro, Compressor, Qd52, 1/6 hp , Mini, R134a, 220-240/50, 128 w, 437 btu

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 17 April 2023

QD52

# Refrigerator Compressor

R134a

220V/50HZ



Mbsm.pro, Compressor, Qd52, 1/6 hp , Mini, R134a, 220-240/50, 128 w, 437 btu

Mbsm.pro, LG compressor, R22, QK Series, QK222P, 1PH, 1.5 hp, 220/240V – 50Hz, 12000 btu, 1 Ton, Capacitor 35 mf

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 17 April 2023

**QK222PMA**

THERMALLY PROTECTED

220-240V ~ 50Hz 1PH LRA31.5

SERIAL NO. 2A2R0015HB26-304633



**LG**

MADE IN CHINA

乐金电子(天津)电器有限公司



### WARNING

Service should be performed by trained personnel only.



#### ELECTRIC SHOCK HAZARD

- Ground the equipment securely.
- Turn off the power before servicing.
- Retain Terminal Cover in position whenever power is applied to the compressor.



#### BURN HAZARD

- Do not touch the Compressor with bare hands during operation or after stoppage instantly.



#### EXPLOSION OR FIRE

- Wear safety goggles and gears as system contains oil and refrigerant under pressure.
- Do not compress air.
- Do not use refrigerant and lubricants besides those specified.
- Make sure to connect right way with valves.

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, LG compressor, R22, QK Series, QK222P, 1PH, 1.5 hp, 220/240V – 50Hz, 12000 btu, 1 Ton, Capacitor 35 mf