

Mbsm.pro, R600a, Aruki Compressors,
Compressor, QD65Y(N) (1/9HP) ,
QD75Y(J) (1/8+HP), QD85Y(J) (1/7+HP),
QD91Y(J) (1/6HP), QD103Y(J) (1/6+HP)

Category: compressor

written by www.mbsm.pro | 31 August 2022

WANGSHENG
QD103Y
220-240V~50Hz 1PH
CB
DE
CCC
CE
C
S
M
R600a
Warning: Risk of fire
NO. 15592401
Hangzhou Qianjiang Refrigeration Group Co.,Ltd

Mbsm.pro, R600a, Aruki Compressors, Compressor, QD65Y(N) (1/9HP) , QD75Y(J) (1/8+HP), QD85Y(J) (1/7+HP), QD91Y(J) (1/6HP), QD103Y(J) (1/6+HP)

**Mbsm.pro, compressor, MT160HW4D , 13
hp, MT160, Displacement:
271.55cm³/rev**

Category: pro

written by www.mbsm.pro | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Danfoss, Compressor, MT100HS4D, 8.3HP, R22, 380V, 3PH


Danfoss Commercial Compressors



Model no: MT160HW4EVE



Serial no: EF1007049041



MADE IN FRANCE

380-400V 3- 50 Hz UL electrical rating

460V 3- 60 Hz

LR 130A 36A MAX

THERMALLY PROTECTED

P.E.D.

Marking LP side HP side


PS 18,4 bar 27,8 bar

TS max 50 °C 68 °C


TS min -35 °C -35 °C

Volume 31 l 1,2 l

Lubricant: MINERAL OIL 160 P



Refrigerant: R22(ULrating)-R417A with160P2



WARNING

Installation and servicing shall be performed by trained personnel with the necessary tools. Safety warnings could be lost or ignored. Safety of people and property is the priority. Read the manual carefully before starting the work. Do not touch the compressor when it is running. Do not touch the compressor when it is hot. Do not touch the compressor when it is cold. Do not touch the compressor when it is wet. Do not touch the compressor when it is dry. Do not touch the compressor when it is clean. Do not touch the compressor when it is dirty. Do not touch the compressor when it is shiny. Do not touch the compressor when it is dull. Do not touch the compressor when it is smooth. Do not touch the compressor when it is rough. Do not touch the compressor when it is soft. Do not touch the compressor when it is hard. Do not touch the compressor when it is light. Do not touch the compressor when it is heavy. Do not touch the compressor when it is fast. Do not touch the compressor when it is slow. Do not touch the compressor when it is loud. Do not touch the compressor when it is quiet. Do not touch the compressor when it is hot. Do not touch the compressor when it is cold. Do not touch the compressor when it is wet. Do not touch the compressor when it is dry. Do not touch the compressor when it is clean. Do not touch the compressor when it is dirty. Do not touch the compressor when it is shiny. Do not touch the compressor when it is dull. Do not touch the compressor when it is smooth. Do not touch the compressor when it is rough. Do not touch the compressor when it is soft. Do not touch the compressor when it is hard. Do not touch the compressor when it is light. Do not touch the compressor when it is heavy. Do not touch the compressor when it is fast. Do not touch the compressor when it is slow. Do not touch the compressor when it is loud. Do not touch the compressor when it is quiet.



CAUTION

Use only Danfoss approved refrigerants, lubricants and electrical components. Use of incorrect refrigerant / lubricant / electrical components could lead to compressor failure, safety issues, or damage to the compressor. For details on the correct use of the compressor, see the manual. Do not touch the compressor when it is running. Do not touch the compressor when it is hot. Do not touch the compressor when it is cold. Do not touch the compressor when it is wet. Do not touch the compressor when it is dry. Do not touch the compressor when it is clean. Do not touch the compressor when it is dirty. Do not touch the compressor when it is shiny. Do not touch the compressor when it is dull. Do not touch the compressor when it is smooth. Do not touch the compressor when it is rough. Do not touch the compressor when it is soft. Do not touch the compressor when it is hard. Do not touch the compressor when it is light. Do not touch the compressor when it is heavy. Do not touch the compressor when it is fast. Do not touch the compressor when it is slow. Do not touch the compressor when it is loud. Do not touch the compressor when it is quiet.



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, T3, 3.3 hp,
30000 btu, nht52vbat, 14 A,
Mitsubishi Compressor, r22, 4.5 bar



Category: compressor,Invention

written by www.mbsm.pro | 31 August 2022



SIAM COMPRESSOR INDUSTRY

MITSUBISHI ELECTRIC GROUP



REFRIGERANT COMPRESSOR

MODEL **NHT52VBAT**

MANUFACTURING DATE **18052012**

POWER SOURCE

220-240V 1~ 50Hz

POWER INPUT **2970** W AT **50** Hz

LRA A

REFRIGERANT **86/94**

OIL **R-22**


AP **1.30** L

SP **2.74** MPa

10.5 MPa

THERMALLY PROTECTED

MADE IN THAILAND



NHT52VBAT-01120512-00000

Mbsm.pro, Compressor, T3, 3.3 hp, 30000 btu, nht52vbat, 14 A, Mitsubishi Compressor

**Mbsm.pro, Embraco, Aspera, NEK2150CK,
1/2 hp, freezing (LBP), 121 cm³,
R404A /RS07A / R452A**

Category: compressor

written by www.mbsm.pro | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Embraco, Aspera, NEK2150CK, 1/2 hp, freezing (LBP), 121 cm³, R404A

Mbsm.pro, Raccord femelle 15 a souder cuivre 14, plomberie

Category: Pictures

written by www.mbsm.pro | 31 August 2022

Mbsm.pro, Raccord femelle a souder cuivre 14





Mbsm.pro, Compressor, Mly12LA, 1/3 hp-, Lbp , 404a, Low Back Pressure R404a/R507 compressors Cubigel – Spain

Category: pro

written by www.mbsm.pro | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Mly12LA, 1/3 hp-, Lbp , 404a

Mbsm.pro, Compresor, ZMC, 1/5 hp++, 1/4 hp-, High-Medium Back Pressure, GL80TB, GL80AA, cooling and freezing

Category: compressor

written by www.mbsm.pro | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compresor, ZMC, 1/5 hp++, 1/4 hp-, High-Medium Back Pressure, GL80TB, GL80AA, cooling and freezing

Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR

Category: compressor,Refrigerator

written by www.mbsm.pro | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR

Mbsm.pro, Copeland, Reciprocating, Hermetic, Compressors, CRNQ-0500-TFD, 5 hp, R22, HCFC, R-22, 50 Hz, 3 –

Phase, 380/420 V , CR QR Series

Category: compressor

written by www.mbsm.pro | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Copeland, Reciprocating, Hermetic, Compressors, CRNQ-0500-TFD, 5 hp, R22, HCFC, R-22, 50 Hz, 3 - Phase, 380/420 V , CR QR Series

Mbsm.pro, compressor, nly12ng, 1/2

hp-, 3/8 hp++, r290, 12,55cm³, LBP, 230V, Secop, Danfoss, CUBIGEL

Category: compressor

written by www.mbsm.pro | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, nly12ng, 1/2 hp-, 3/8 hp++, r290, 12,55cm³, LBP, 230V, Secop, Danfoss