

Mbsm.pro, R600a, Aruki Compressors,
Compressor, QD65Y(N) (1/9HP) ,
QD75Y(J) (1/8+HP), QD85Y(J) (1/7+HP),
QD91Y(J) (1/6HP), QD103Y(J) (1/6+HP)

Category: compressor

written by www.mbsm.pro | 31 August 2022

WANSHEG®

QD103Y

220-240V~50Hz 1PH

CB

DE

CCC

CE

CSM

NO. 15592401

Warning: Risk of fire

Hangzhou Qianjiang Refrigeration Group Co.,Ltd

R600a

Mbsm.pro, R600a, Aruki Compressors, Compressor, QD65Y(N) (1/9HP) , QD75Y(J) (1/8+HP), QD85Y(J) (1/7+HP), QD91Y(J) (1/6HP), QD103Y(J) (1/6+HP)

Mbsm.pro, compressor, MT160HW4D , 13
hp, MT160, Displacement:
271.55cm³/rev

Category: pro

written by www.mbsm.pro | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Danfoss, Compressor, MT100HS4D, 8.3HP, R22, 380V, 3PH

Danfoss Commercial Compressors

Danfoss

Model no: MT160HW4EVE

MADE IN FRANCE




Serial no: EF1007049041



380-400V 3~ 50 Hz
460V 3~ 60 Hz
LR 130A 36A MAX
THERMALLY PROTECTED
P.E.D.
Marking LP side HP side
PS 18.4 bar 27.8 bar
TS max 50 °C 68 °C
TS min -35 °C -35 °C
Volume 31 l 1.2 l

Lubricant: MINERAL OIL 160 P



Refrigerant: R22(ULrating)-R417A with160P2

Maneurop
REFRIGERATING COMPRESSORS

WARNING

Installation and servicing must be performed by trained personnel only. Failure to follow the safety warnings could result in serious injury or death.
Always use proper safety practices when working with refrigerant. Do not use open flames or smoking materials near the unit.
Do not touch the refrigerant lines. They are very cold and can cause frostbite.
Do not touch the electrical parts. They are very hot and can cause burns.
Do not touch the moving parts. They are very fast and can cause injury.
Do not touch the oil. It is very hot and can cause burns.



CAUTION

Use only manufacturer's approved refrigerants, lubricants and electrical components. Use of other components may void the warranty and cause damage to the unit.
Do not touch the refrigerant lines. They are very cold and can cause frostbite.
Do not touch the electrical parts. They are very hot and can cause burns.
Do not touch the moving parts. They are very fast and can cause injury.
Do not touch the oil. It is very hot and can cause burns.



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, T3, 3.3 hp,
30000 btu, nht52vbat, 14 A,
Mitsubishi Compressor, r22, 4.5 bar



Category: compressor,Invention

written by www.mbsm.pro | 31 August 2022



SIAM COMPRESSOR INDUSTRY

MITSUBISHI ELECTRIC GROUP



REFRIGERANT COMPRESSOR

MODEL **NHT52VBAT**

MANUFACTURING DATE **18052012**

POWER SOURCE

220-240V 1~ 50Hz

POWER INPUT **2970 W** AT **50** Hz

LRA

A

REFRIGERANT

86/94

OIL

R-22

AP

1.30 L

SP

2.74


MPa

10.5

MPa

MADE IN THAILAND

THERMALLY PROTECTED



NHT52VBAT-18052012-V0001

Mbsm.pro, Compressor, T3, 3.3 hp, 30000 btu, nht52vbat, 14 A, Mitsubishi Compressor

Mbsm.pro, Embraco, Aspera, NEK2150CK,
1/2 hp, freezing (LBP), 121 cm³,
R404A /RS07A / R452A

Category: compressor

written by www.mbsm.pro | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Embraco, Aspera, NEK2150CK, 1/2 hp, freezing (LBP), 121 cm³, R404A

Mbsm.pro, Raccord femelle 15 a souder cuivre 14, plomberie

Category: Pictures

written by www.mbsm.pro | 31 August 2022

Mbsm.pro, Raccord femelle a souder cuivre 14





Mbsm.pro, Compressor, Mly12LA, 1/3 hp—, Lbp , 404a, Low Back Pressure R404a/R507 compressors Cubigel – Spain

Category: pro

written by www.mbsm.pro | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Mly12LA, 1/3 hp—, Lbp , 404a

Mbsm.pro, Compresor, ZMC, 1/5 hp++, 1/4 hp–, High-Medium Back Pressure, GL80TB, GL80AA, cooling and freezing

Category: compressor

written by www.mbsm.pro | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compresor, ZMC, 1/5 hp++, 1/4 hp–, High-Medium Back Pressure, GL80TB, GL80AA, cooling and freezing

Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR

Category: compressor,Refrigerator

written by www.mbsm.pro | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR

Mbsm.pro, Copeland, Reciprocating, Hermetic, Compressors, CRNQ-0500-TFD, 5 hp, R22, HCFC, R-22, 50 Hz, 3 –

Phase, 380/420 V , CR QR Series

Category: compressor
written by www.mbsm.pro | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Copeland, Reciprocating, Hermetic, Compressors, CRNQ-0500-TFD, 5 hp, R22, HCFC, R-22, 50 Hz, 3 – Phase, 380/420 V , CR QR Series

Mbsm.pro, compressor, nly12ng, 1/2

hp–, 3/8 hp++, r290, 12,55cm³, LBP,
230V, Secop, Danfoss, CUBIGEL

Category: compressor

written by www.mbsm.pro | 31 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, nly12ng, 1/2 hp–, 3/8 hp++, r290, 12,55cm³, LBP, 230V,
Secop, Danfoss