

# Mbsm.pro, Compressor, hys69yq, 1/4 hp, lbp, HiTech, r134a

Category: compressor,expertise

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, hys69yq, 1/4 hp, lbp, HiTech, r134a

---

# Mbsm.pro, Compressor, AGB4573ZKZ , TAG4573Z , 6.5HP, R404A, MHBP, TAG4573Z-V, Compresseur Hermétique, Tecumseh

Category: Chaud&Froid,compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, AGB4573ZKZ , TAG4573Z , 6.5HP, R404A, MHBP, TAG4573Z-V, Compresseur Hermétique, Tecumseh


---

# Mbsm.pro, Compressor, TECUMSEH, THG1374YS, R134, 1/5++, 1/4-, PTCSIR, K350, kiriazi defrost, 14 feet, Capillary Tube, 0.31, 150 mm

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 August 2022





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, TECUMSEH, THG1374YS, R134, 1/5++ , 1/4—, PTCSIR, K350, kiriazi defrost, 14 feet,

Mbsm.pro, compressor, Semi Hermétiques, Semi Hermétiques à Pistons, Bitzer, Bitzer compressors the large portfolio of products and services, Bitzer offer the right

Category: Chaud&Froid,compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, compressor, Semi Hermétiques, Semi Hermétiques à Pistons, Bitzer, Bitzer compressors the large portfolio of products and services, Bitzer offer the right

---

Mbsm.pro, Compressor, Tecumseh, aw807jt-139-a4, aw807jt, 29700 btu, Awj5530AVA, 3.5 hp, R22, 1900 g, 4 to 5 bar

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 August 2022



| Basic B/M | Compressor Model |               | Volt/Hz/Ph   | App-Ref | Rated Btu/h | Replacement Model No. | Replacement B/M | Volt/Hz/Ph   | Rated Btu/h |
|-----------|------------------|---------------|--------------|---------|-------------|-----------------------|-----------------|--------------|-------------|
|           | Old Model No.    | New Model No. |              |         |             |                       |                 |              |             |
| AW802JT   |                  | AWJ5519EVA    | 265/60/1     | AC-22   | 18,700      | FROM OEM              | FROM OEM        |              |             |
| AW803ET   |                  | AWJ5520EXN    | 208-230/60/1 | AC-22   | 20,000      | AWG5519EXN            | AW702ET         | 208-230/60/1 | 18,800      |
| AW804JT   | AWJ5522EVA       | AWJ5522EVA    | 265/60/1     | AC-22   | 21,400      | FROM OEM              | FROM OEM        |              |             |
| AW805ET   |                  | AWJ5524EXN    | 208-230/60/1 | AC-22   | 23,600      | AWG5524EXN            | AW705ET         | 208-230/60/1 | 24,200      |
| AW805JT   |                  | AWJ5524EVA    | 265/60/1     | AC-22   | 23,900      | FROM OEM              | FROM OEM        |              |             |
| AW806ET   |                  | AWJ5528EXN    | 208-230/60/1 | AC-22   | 27,500      | AWG5528EXN            | AW706ET         | 208-230/60/1 | 28,000      |
| AW806JT   |                  | AWJ5528EVA    | 265/60/1     | AC-22   | 26,950      | FROM OEM              | FROM OEM        |              |             |
| AW807JT   |                  | AWJ5530EVA    | 265/60/1     | AC-22   | 29,700      | FROM OEM              | FROM OEM        |              |             |
| AW808ET   |                  | AWJ5532EXN    | 208-230/60/1 | AC-22   | 30,300      | AWA5532EXN            | AV113ET         | 208-230/60/1 | 32,000      |
| AW808JT   |                  | AWJ5532EVA    | 265/60/1     | AC-22   | 31,450      | FROM OEM              | FROM OEM        |              |             |
| AW809ET   |                  | AWJ5520EXN    | 208-230/60/1 | AC-22   | 20,000      | AWG5519EXN            | AW702ET         | 208-230/60/1 | 18,800      |
| AW811ET   |                  | AWJ5528EXN    | 208-230/60/1 | AC-22   | 27,000      | AWG5528EXN            | AW706ET         | 208-230/60/1 | 28,000      |
| AZ222B    | AZ1340D          | AZB1340AXA    | 115/60/1     | LT-12   | 410         | FROM OEM              | FROM OEM        |              |             |
| AZ222C    | AZ0387A          | AZA0387AXA    | 115/60/1     | CT-12   | 870         | FROM OEM              | FROM OEM        |              |             |
| AZ223AR   | AZ1335D          | AZB1335AXA    | 115/60/1     | LT-12   | 360         | FROM OEM              | FROM OEM        |              |             |
| AZ223B    | AZ1335D          | AZB1335AXA    | 115/60/1     | LT-12   | 360         | FROM OEM              | FROM OEM        |              |             |
| AZ223C    | AZ0374A          | AZA0374AXA    | 115/60/1     | CT-12   | 740         | FROM OEM              | FROM OEM        |              |             |
| AZ224B    | AZ1320D          | AZB1320AXA    | 115/60/1     | LT-12   | 200         | FROM OEM              | FROM OEM        |              |             |
| AZ224C    | AZ0345A          | AZA0345AXA    | 115/60/1     | CT-12   | 450         | FROM OEM              | FROM OEM        |              |             |
| AZ224F    | AZ1320D          |               | 220/60/1     | LT-12   | 200         | FROM OEM              | FROM OEM        |              |             |
| AZ225B    | AZ1328D          | AZB1328AXA    | 115/60/1     | LT-12   | 280         | FROM OEM              | FROM OEM        |              |             |
| AZ225C    | AZ0360A          | AZA0360AXA    | 115/60/1     | CT-12   | 600         | FROM OEM              | FROM OEM        |              |             |

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Tecumseh, aw807jt-139-a4, aw807jt, 29700 btu, Awj5530AVA, 3.5 hp, R22, 1900 g, 4 to 5 bar

طرق البحث عن قدرة  
الكباسات المحكمة الغلق وكيفية قراءة  
الكتالوج.. معلومات صحيحة

Category: Files

written by www.mbsm.pro | 7 August 2022



**Enregistrer** ACC GLT75BL PV30



**ACC GLT75BL (GL80DA)**  
 ACC GLT75BL (GL80DA) THERMALLY PROTECTED  
 R134a 220-230V~60Hz 200-220V~50Hz PH1 MADE IN  
 EEC Siltal Bottle Cooler DEW 40 Compresseur de  
 réfrigérateur Ventilateur tangentiel Condenseur Filtre  
 déshydrateur Évaporateur Compresseur de réfrigérateur  
 Fabriqué en Clis Anselme Gras France



Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

**Enregistrer** ACC GLT75BL PV30



**ACC GLT75BL (GL80DA)**  
 ACC GLT75BL (GL80DA) THERMALLY PROTECTED  
 R134a 220-230V~60Hz 200-220V~50Hz PH1 MADE IN  
 EEC Siltal Bottle Cooler DEW 40 Compresseur de  
 réfrigérateur Ventilateur tangentiel Condenseur Filtre  
 déshydrateur Évaporateur Compresseur de réfrigérateur  
 Fabriqué en Clis Anselme Gras France



Private Picture Copyright : WWW.MBSM.PRO

Mbsm\_dot\_pro\_private\_PDF\_mbsm-compressorTélécharger

ملف اكسل لمعظم قدرات , PDF , Mbsm.pro

# ضواغط الثلجة

Category: Arabe,Files

written by www.mbsm.pro | 7 August 2022

| الفرغون | التطبيق | COOLING CAPACITY |      |       |     |          | الامتير | الاراحة | القدرة |      | MODEL      |    |
|---------|---------|------------------|------|-------|-----|----------|---------|---------|--------|------|------------|----|
|         |         | W 7.2+           | W -5 | W -23 | BTU | k CAL/HR |         |         | W      | HP   |            |    |
| 134 a   | LBP     |                  |      | 113   | 385 | 97       | 0.7     | 4.56    |        | 1/8  | EGM 45 AZ  | 22 |
| 134 a   | LBP     |                  |      | 129   | 440 | 111      | 0.7     | 4.56    |        | 1/8  | EGM 45 AF  | 23 |
| 134 a   | LBP     |                  |      | 135   | 460 | 116      | 0.8     | 2.12    |        | 1/7  | EGM 50 AZ  | 24 |
| 134 a   | LBP     |                  |      | 130   | 444 | 112      | 0.8     | 5.12    |        | 1/7  | EGM 50 AF  | 25 |
| 134 a   | LBP     |                  |      | 137   | 468 | 118      | 0.8     | 5.48    |        | 1/7  | EGM 55 AF  | 26 |
| 134 a   | LBP     |                  |      | 162   | 552 | 139      | 0.9     | 5.99    |        | 1/6  | EGM 60 AZ  | 27 |
| 134 a   | LBP     |                  |      | 152   | 520 | 131      | 0.9     | 5.99    |        | 1/6  | EGM 60 AF  | 28 |
| 134 a   | LBP     |                  |      | 172   | 587 | 148      | 1       | 6.64    |        | 1/5  | EGM 70 AZ  | 29 |
| 134 a   | LBP     |                  |      | 184   | 627 | 158      | 1       | 6.64    |        | 1/5  | EGM 70 AF  | 30 |
| 134 a   | LBP     |                  |      | 200   | 682 | 172      | 1.1     | 7.39    |        | 1/5  | EGM 75 AF  | 31 |
| 134 a   | LBP     |                  |      | 221   | 754 | 190      | 1.2     | 8.10    |        | 1/5+ | EGM 80 AZ  | 32 |
| 134 a   | LBP     |                  |      | 230   | 786 | 198      | 1.2     | 8.10    |        | 1/5+ | EGM 80 AF  | 33 |
| 134 a   | LBP     |                  |      | 251   | 857 | 216      | 1.2     | 9.08    |        | 1/4  | EGM 90 AZ  | 34 |
| 134 a   | LBP     |                  |      | 240   | 817 | 206      | 1.2     | 9.08    |        | 1/4  | EGM 90AF   | 35 |
| 134 a   | LBP     |                  |      | 274   | 936 | 236      | 1.3     | 9.93    |        | 1/4  | EGM 99 AZ  | 36 |
| 134 a   | LBP     |                  |      | 262   |     | 225      | 1.4     |         |        |      | G p 12 F B | 37 |
|         |         |                  |      |       |     |          |         |         |        |      |            | 40 |
|         |         |                  |      |       |     |          |         |         |        |      |            | 41 |
|         |         |                  |      |       |     |          |         |         |        |      |            | 42 |
|         |         |                  |      |       |     |          |         |         |        |      |            | 43 |
|         |         |                  |      |       |     |          |         |         |        |      |            | 44 |

Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

| الفرغون | التطبيق | COOLING CAPACITY |      |       |     |          | الامتير | الاراحة | القدرة |      | MODEL      |    |
|---------|---------|------------------|------|-------|-----|----------|---------|---------|--------|------|------------|----|
|         |         | W 7.2+           | W -5 | W -23 | BTU | k CAL/HR |         |         | W      | HP   |            |    |
| 134 a   | LBP     |                  |      | 113   | 385 | 97       | 0.7     | 4.56    |        | 1/8  | EGM 45 AZ  | 22 |
| 134 a   | LBP     |                  |      | 129   | 440 | 111      | 0.7     | 4.56    |        | 1/8  | EGM 45 AF  | 23 |
| 134 a   | LBP     |                  |      | 135   | 460 | 116      | 0.8     | 2.12    |        | 1/7  | EGM 50 AZ  | 24 |
| 134 a   | LBP     |                  |      | 130   | 444 | 112      | 0.8     | 5.12    |        | 1/7  | EGM 50 AF  | 25 |
| 134 a   | LBP     |                  |      | 137   | 468 | 118      | 0.8     | 5.48    |        | 1/7  | EGM 55 AF  | 26 |
| 134 a   | LBP     |                  |      | 162   | 552 | 139      | 0.9     | 5.99    |        | 1/6  | EGM 60 AZ  | 27 |
| 134 a   | LBP     |                  |      | 152   | 520 | 131      | 0.9     | 5.99    |        | 1/6  | EGM 60 AF  | 28 |
| 134 a   | LBP     |                  |      | 172   | 587 | 148      | 1       | 6.64    |        | 1/5  | EGM 70 AZ  | 29 |
| 134 a   | LBP     |                  |      | 184   | 627 | 158      | 1       | 6.64    |        | 1/5  | EGM 70 AF  | 30 |
| 134 a   | LBP     |                  |      | 200   | 682 | 172      | 1.1     | 7.39    |        | 1/5  | EGM 75 AF  | 31 |
| 134 a   | LBP     |                  |      | 221   | 754 | 190      | 1.2     | 8.10    |        | 1/5+ | EGM 80 AZ  | 32 |
| 134 a   | LBP     |                  |      | 230   | 786 | 198      | 1.2     | 8.10    |        | 1/5+ | EGM 80 AF  | 33 |
| 134 a   | LBP     |                  |      | 251   | 857 | 216      | 1.2     | 9.08    |        | 1/4  | EGM 90 AZ  | 34 |
| 134 a   | LBP     |                  |      | 240   | 817 | 206      | 1.2     | 9.08    |        | 1/4  | EGM 90AF   | 35 |
| 134 a   | LBP     |                  |      | 274   | 936 | 236      | 1.3     | 9.93    |        | 1/4  | EGM 99 AZ  | 36 |
| 134 a   | LBP     |                  |      | 262   |     | 225      | 1.4     |         |        |      | G p 12 F B | 37 |
|         |         |                  |      |       |     |          |         |         |        |      |            | 40 |
|         |         |                  |      |       |     |          |         |         |        |      |            | 41 |
|         |         |                  |      |       |     |          |         |         |        |      |            | 42 |
|         |         |                  |      |       |     |          |         |         |        |      |            | 43 |
|         |         |                  |      |       |     |          |         |         |        |      |            | 44 |

Private Picture Copyright : WWW.MBSM.PRO

---

## Mbsm.pro, compressor, EGM60AF, zmc, Manufacturing Compressor Misr , 1/6 hp, LBP, RSIR / RSCR

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, compressor, EGM60AF, zmc, Manufacturing Compressor Misr , 1/6 hp, LBP, RSIR / RSCR

---

## Mbsm.pro, Compressor, Acc, GLT75BL, GL80DA, 1/5++ hp, 1/4– hp, Hermetic piston compressors, HMBP, CSIR

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 7 August 2022





Mbsm.pro, Compressor, Acc, GLT75BL, GL80DA, 1/5++ hp, 1/4- hp, Hermetic piston compressors, HMBP, CSIR

---

Mbsm.pro, Compressor, DANFOSS ,  
NL10FT, 105G6829, 105G 6839,  
105g6839, SECOP, NL10FT 105g6839,  
(10.10 CM<sup>3</sup>), HERMETIC RECIPROCATING,  
3/8 Hp, lbp, r134, 190g, 500 litres

Category: compressor

written by www.mbsm.pro | 7 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, DANFOSS , NL10FT, 105G6829, 105G 6839, 105g6839, SECOP, NL10FT 105g6839, (10.10 CM<sup>3</sup>), HERMETIC RECIPROCATING, 3/8 Hp, lbp, r134, 190g, 500 litres , k500