


Mbsm.pro, Danfoss, compressor, relay, connection, Refrigeration

Category: Chaud&Froid

written by www.mbsm.pro | 17 December 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Danfoss, compressor, relay, connection, Refrigeration

Mbsm.pro, Compressors, Hermetic reciprocating

Category: compressor

written by www.mbsm.pro | 17 December 2024



Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Compressors,
Hermetic reciprocating,
Cubigel Compressors R134A/R513A LBP,

Mbsm.pro, Tecumseh, Compressors, R134a, M/HBP

Category: compressor
written by www.mbsm.pro | 17 December 2024



Tecumseh Compressors R134a M/HBP

Tecumseh created the world's first hermetic compressor for the commercial refrigeration industry in the 1930s and created our reputation as a pioneer of refrigeration solutions. Today, our offerings reach much further than hermetic compressors.

Tecumseh is a global manufacturer of hermetic reciprocating and rotary compressors. We supply to applications to include; Domestic, light commercial, commercial along with air conditioning and heat pumps.

Refrigerant capabilities are numerous with suitability for HFC, HFO and HC options. Tested and compliant to all applicable standards Tecumseh represents quality, best in class efficiency, robust design and proven long life. A compressor that will not let you down, or your customer.

CODE	MODEL	C.C.	Watss	BTU/HR	Control	Voltage	List Price
TECC110-T	CAJ4461Y-FZ	18.3	723	2,467	C/V	230.1	£564.00
TECC110-V	CAJ4461Y-FZ	18.3	723	2,467	C/V	230.1	£571.00
TECC114-T	CAJ4492Y-FZ	25.9	1,065	3,634	C/V	230.1	£647.00
TECC114-V	CAJ4492Y-FZ	25.9	1,065	3,634	C/V	230.1	£654.00
TECC116-T	CAJ4511Y-FZ	32.7	1,429	4,876	C/V	230.1	£696.00
TECC116-V	CAJ4511Y-FZ	32.7	1,429	4,876	C/V	230.1	£703.00

Private Picture Copyright : WWW.MBSM.PRO

Tecumseh Compressors R134a M/HBP

Mbsm.pro, Compressor, PW4.5VK, 1/8hP, 128 W, PW5.5VK, 1/6hP, 148 W, PW6.5VK, 1/5hP, 168 W, r134a, 1ph220v, watercooler, freezing

Category: compressor

written by www.mbsm.pro | 17 December 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, PW4.5VK, 1/8hP, 128 W, PW5.5VK, 1/6hP, 148 W, PW6.5VK, 1/5hP, 168 W, r134a, 1ph220v, watercooler, freezing

**Mbsm.pro, Compressor , Copeland ,
CRFQ-0250-PFV-501, 2.5 hp, CRDQ-0200-
PFJ-501, 2 hp, r22**

Category: expertise
written by www.mbsm.pro | 17 December 2024




Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor , Copeland, CRFQ-0250-PFV-501, 2.5 hp, CRDQ-0200-PFJ-501, 2 hp, r22

Mbsm.pro, REFRIGERATOR-FREEZER, GR-B392RQCC, 364L, compressor, 1/5 hp, r134a(125g), 1.4 A, 1p/220v

Category: Refrigerator

written by www.mbsm.pro | 17 December 2024



Private Picture Copyright : WWW.MBSM.PRO


Mbsm.pro, REFRIGERATOR-FREEZER, GR-B392RQCC, 364L, compressor, 1/5 hp, r134a(125g), 1.4 A, 1p/220v

Mbsm.pro, Alignment of Pumps


Category: Pictures

written by www.mbsm.pro | 17 December 2024


Alignment of Pumps



Parallel
misalignment
(or offset)



Angular
misalignment



Correct
alignment

Private Picture Copyright : WWW.MBSM.PRO

Alignment of Pumps

Mbsm.pro, compressor, HYE81Y, 1/3 hp, 1bp, r134

Category: compressor

written by www.mbsm.pro | 17 December 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, HYE81Y, 1/3 hp, lbp, r134

Mbsm.pro, Compressor, PW3.0B, PW4.0B, PW58BM, PW5.0B, PW7.0B, PW9.0B, PW10.0B, PW12.0B, DFB30LF, DFB30L-1F, DFB35L, DFB53L, DFB60L, DFB69L, DFB79L, DFB90L, DFB60S, DFB69S, DFB79S, DFB90S, DFB35T, DFB45T, DFB60T, DFB69T, DFB79T, DFB90T, DFB103T, DFB115T, PW48BMF, DFB55KF, DFB69LKF, DFB79LKF, DFB30DF, DFB30DLF, DFB40DF, DFB40DLF, DFB50DF, DFB50DLF, DFB55DF, DFB55DLF, DFB60DF, DFB60DLF, DFB70DF, DFB70DLF

Category: compressor

written by www.mbsm.pro | 17 December 2024

R600a COMPRESSOR R600a压缩机

Private Picture Copyright : WWW.MBSM.PRO


Mbsm.pro, Compressor, PW3.0B, PW4.0B, PW58BM, PW5.0B, PW7.0B, PW9.0B, PW10.0B, PW12.0B, DFB30LF, DFB30L-1F, DFB35L, DFB53L, DFB60L, DFB69L, DFB79L, DFB90L, DFB60S, DFB69S, DFB79S, DFB90S, DFB35T, DFB45T, DFB60T, DFB69T, DFB79T, DFB90T, DFB103T, DFB115T, PW48BMF, DFB55KF, DFB69LKF, DFB79LKF, DFB30DF, DFB30DLF, DFB40DF, DFB40DLF, DFB50DF, DFB50DLF, DFB55DF, DFB55DLF, DFB60DF, DFB60DLF, DFB70DF, DFB70DLF

Mbsm.pro, Cubigel Compressors Specifications

Category: compressor

written by www.mbsm.pro | 17 December 2024

Artikelnr.	Typ	Leistung (PS)	Kälteleistung [W] T _o -25 °C, T _e +45 °C	
			-25	-18
47-32 HQY45AA	HQY 45 AA	1/12	52	
47-32 HQY55AA	HQY 55 AA	1/9	62	
47-32 HQY70AA	HQY 70 AA	1/8	80	
47-32 HQY80AA	HQY 80 AA	1/7	99	
47-32 HQY90AA	HQY 90 AA	1/7	109	
47-32 HQY99AA	HQY 99 AA	1/6	119	
47-32 HPY12AA	HPY 12 AA	1/5	144	
47-32 HPY14AA	HPY 14 AA	1/5	166	
47-32 HPY16AA	HPY 16 AA	1/4	181	



Private Picture Copyright : WWW.MBSM.PRO

table with the specifications for the Cubigel compressors:

Cubigel Compressors Specifications

Model Power (HP) Cooling Capacity (W) at T1 = -25°C, T2 = +45°C

HQY45AA	1/12	52
HQY55AA	1/9	62
HQY70AA	1/8	80
HQY80AA	1/7	99
HQY90AA	1/7	109
HQY99AA	1/6	119
HPY12AA	1/5	144
HPY14AA	1/5	166
HPY16AA	1/4	181

Key Features

- **Type:** Hermetic compressor for capillary tube operation
- **Temperature Range:** LBP (-30 °C to -10 °C)
- **Voltage:** 220 – 240 V / 50 Hz
- **Refrigerant:** R-600a