

Mbsm.pro, JS-C186VA , air
conditioner, 18000 Btu/h, York ,
Cooling Only, r22, 1100 G gaz, T3 ,
9A

Category: air conditioner,compressor
written by www.mbsm.pro | 21 April 2022



**WALL SPLIT UNIT
OUTDOOR UNIT**

Model

JS-C186VA

Rated voltage	220-240V~
Rated Freq.	50Hz
Cooling Cap.	18000 Btu/h
Heating cap.	-
Current	9(A)
Sound Pres. Level	56dB(A)
Refrigerant	R22/1.1Kg
Weight	45 Kg
Climate	T3
Moisture Protection	IP24

**Johnson
Controls**



Made for JCI-USA

63229953602

Made in China

Private Picture Copyright: WWW.MBSM.PRO

Private Picture Copyright: WWW.MBSM.PRO

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, JS-C186VA , air conditioner, 18000 Btu/h, York , Cooling Only, r22,
1100 G gaz, T3 , 9A

MBSM.pro, Compressor, 13HP, Danfoss,
Performer, Scroll Compressor, Sm160,
Sm161t4vc, Refrigeration Chiller, 3
ph, 380 v, 38BB 055 – 240, 38bb-250
9e/k, 38BB 250, 250 = 250000 kBtu/hr,
30 Ton, r22, 19 Kg, suction 1-1/8"–2,
refoulement 5/8"–2

Category: Archivation,compressor
written by www.mbsm.pro | 21 April 2022

Danfoss
MADE IN CHINA

Model no: **SM161T4VC**



Serial no: **GD2503110072**



M 380-400 V 3 ~ 50 Hz
460 V 3 ~ 60 Hz
LR 145 A MAX OPER. 31 A
Thermally protected system
P.E.D. LP side HP side
Marking 25 bar 27.8 bar
PS 63 °C 150 °C
TS max -35 °C -35 °C
TS min 17.6 L 20 L
Volume 17.6 L 20 L
Lubricant: MINERAL OIL 160P

CE **UL** EAC
0062



2016 Refrigerant: R22 (UL rating) - R417A with 160S2
PROTECTED BY DOMESTIC AND FOREIGN PATENTS

WARNING

Installation and servicing shall be performed by trained personnel only. Failure to observe these safety warnings could result in serious injury or death.
ELECTRIC SHOCK HAZARD: Turn off power before servicing. Disconnect all conductors.
Keep terminal cover in place and securely fastened. Refrigerant power is applied to the compressor and the refrigerant unit is grounded system only.
HIGH PRESSURE: System contains refrigerant and oil under pressure. Pressure increases from both the high and low side during servicing when safety devices.
FIRE HAZARD: Use tubing cutter to remove refrigerant. Do not use torch or hot metal parts.



CAUTION
Use only manufacturer's recommended oil and refrigerant. Do not mix. Use only manufacturer's recommended tools and equipment. Do not use open flame. Do not use electrical equipment.

Private Picture Copyright: WWW.MBSM.PRO

MBSM.pro, Compressor, 13HP, Danfoss, Performer, Scroll Compressor, Sm160, Sm161t4vc, Refrigeration Chiller, 3 ph, 380 v, 38BB 055 – 240, 38bb-250 9e/k, 38BB 250, 250 = 250000 kBTu/hr, 30 Ton, r22, 19 Kg, suction 1-1/8"–2, refoulement 5/8"–2

Mbsm.pro, Compressor, atk72x,
HuaGuang, cmA069LHEM, LG, lbp, 1/4
hp, 205 W, 699 Btu/h, 220-240V 50HZ,
Refrigerator, Fresh, FNT-BR470K, 1 A,
376 L, R134a, 95 G, freezer

Category: Archivation,compressor,Freezer
written by www.mbsm.pro | 21 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, atk72x, HuaGuang, cmA069LHEM, LG, lbp, 1/4 hp, 205 W, 699
Btu/h, 220-240V 50HZ, Refrigerator, Fresh, FNT-BR470K, 1 A, 376 L, R134a, 95 G,
freezer

MBSM.PRO, LG-520, UPRIGHT SHOWCASE,
520 L, 260w, 2.20 A, EGAS 90HLR,
EGAS90HLR, 1/3 hp, LBP, EMBRACO,
R34A, 230 G, 220-240 V

Category: Archivation,compressor
written by www.mbsm.pro | 21 April 2022



Private Picture Copyright: WWW.MBSM.PRO

MBSM.PRO, LG-520, UPRIGHT SHOWCASE, 520 L, 260w, 2.20 A, EGAS 90HLR, EGAS90HLR, 1/3 hp, LBP, EMBRACO, R34A, 230 G, 220-240 V

Mbsm.pro, Embraco, NEU2178GK,
Compressor, R-404A, 220-240V 50Hz, 1
HP, 1 PH, LBN, Lra 21 A, Oil 350 cc

Category: Archivation,compressor

written by www.mbsm.pro | 21 April 2022




Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Embraco, NEU2178GK, Compressor, R-404A, 220-240V 50Hz, 1 HP, 1 PH, LBN

Mbsm.pro, Compressor, Tecumseh,
AW704ET-094-A4, AWG5522EXN, 2 HP,
RECIPROCATING Compressor,
200-208-220-230/60-50/1, R-22, 28000
btu/h

Category: air conditioner,compressor

written by www.mbsm.pro | 21 April 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Tecumseh, AW704ET-094-A4, AWG5522EXN, 2 HP, RECIPROCATING Compressor, 200-208-220-230/60-50/1, R-22, 28000 btu/h

Mbsm.pro, Compressor, AJ220FT-206-J7, High Temperature, 1 1/2 hp, 1.5 hp, 19000 btu/h, r22, AJA5519EXD, TECUMSEH

Category: air conditioner,compressor
written by www.mbsm.pro | 21 April 2022

R22 Compressor Reciprocating										
High/Commercial Temperature Rated @ 45°F										
AE4430E-DS1A	AE1320E-212-J7	115-127/60/1	1/3	CSIR	High	3200	5/16 ODF	1/4 ODF	22	
AE4440E-DS1A	AE1483E-209-J7	115-127/60/1	1/3	CSIR	High	4,000	5/16 ODF	1/4 ODF	24	
AE4450E-DS1B	AE1363E-209-J7	115-127/60/1	1/2	CSIR	High	5100	5/16 ODF	1/4 ODF	24	
AE4456E-DS1B	AE1364E-214-J7	115-127/60/1	1/2	CSIR	High	5800	3/8 ODF	1/4 ODF	25	
R22 Compressor Reciprocating (model begins with "A") and Rotary (model begins with "R")										
High Temperature and A/C Rated @ 45°F										
RGAS460EXA	RG121AR-001-J7LN	115/60/1	1/2	PSC	Normal	6,000	3/8 ODF	5/16 ODF	25	
AKAS470EXA*	AK120AT-004-J7	115/60/1	1/2	PSC	Normal	7,000	3/8 ODF	1/4 ODF	37	
RGAS480EXA	RG151AR-003-J7LN	115/60/1	3/4	PSC	Normal	8,000	3/8 ODF	5/16 ODF	26	
AKAS483EXA*	AK130AT-004-J7	115/60/1	3/4	PSC	Normal	8,300	3/8 ODF	1/4 ODF	36	
AKAS483EXD*	AK130ET-004-J7	208-230/60/1	3/4	PSC	Normal	8,300	3/8 ODF	1/4 ODF	37	
RKAS490EXD	RK124ET-020-J7	208-230/60/1	3/4	PSC	Normal	9,100	1/2 ODF	5/16 ODF	28	
AKAS490EXV	RK124JB-020-J7	265/60/1	3/4	PSC	Normal	9,100	1/2 ODF	5/16 ODF	28	
RKAS490EXA	RK124AT-020-J7	115/60/1	3/4	PSC	Normal	9,200	1/2 ODF	5/16 ODF	28	
RGAS510EXA	RG181AR-006-J7LN	115/60/1	1	PSC	Normal	10,000	1/2 ODF	5/16 ODF	27	
AKAS510EXA*	AK100AT-004-J7	115/60/1	1	PSC	Normal	10,000	3/8 ODF	1/4 ODF	38	
AKAS510EXD*	AK100ET-004-J7	208-230/60/1	1	PSC	Normal	10,000	3/8 ODF	1/4 ODF	38	
AKAS510EXV*	AK100JB-004-J7	265/60/1	1	PSC	Normal	10,000	3/8 ODF	1/4 ODF	37	
AKAS511EXA*	AK110AT-004-J7	115/60/1	1	PSC	Normal	11,000	3/8 ODF	1/4 ODF	38	
RKAS512EXA	RK147AT-021-J7	115/60/1	1	PSC	Normal	11,700	1/2 ODF	5/16 ODF	33	
RKAS512EXD	RK147ET-021-J7	208-230/60/1	1	PSC	Normal	11,700	1/2 ODF	5/16 ODF	30	
RKAS512EXV	RK147JB-021-J7	265/60/1	1	PSC	Normal	11,750	1/2 ODF	5/16 ODF	30	
AKAS512EXA*	AK111AT-004-J7	115/60/1	1	PSC	Normal	12,000	3/8 ODF	1/4 ODF	38	
AKAS512EXD*	AK111ET-004-J7	208-230/60/1	1	PSC	Normal	12,000	3/8 ODF	1/4 ODF	37	
AKAS512EXV*	AK111JB-004-J7	265/60/1	1	PSC	Normal	12,000	3/8 ODF	1/4 ODF	39	
RKBS513EXA	RK160AT-024-J7	115/60/1	1	PSC	Normal	13,000	3/8 ODF	5/16 ODF	30	
RKAS513EXD	RK157ET-021-J7	208-230/60/1	1	PSC	Normal	13,200	1/2 ODF	5/16 ODF	28	
AJB5515EXD*	AJ600FT-205-J7	208-230/60/1	1 1/4	PSC	Normal	15,000	1/2 ODF	5/16 ODF	49	
AJB5515EXV*	AJ600JB-205-J7	265/60/1	1 1/4	PSC	Normal	15,000	1/2 ODF	5/16 ODF	48	
AWG5515EXN	AW700ET-111-J7	208-230/60/1	1 1/4	PSC	Normal	15,200	1 1/4 RL	7/16 ODF	63	
AWG5515EXN	AW700ET-129-J7	208-230/60/1	1 1/4	PSC	Normal	15,200	5/8 ODF	3/8 ODF	63	
AWG5515EXT	AW700RT-121-J7	200-230/60/3	1 1/4	3 PH	3 PH	15,500	7/8 ODF	3/8 ODF	61	
RKAS515EXD	RK222ET-022-J7	208-230/60/1	1 1/4	PSC	Normal	15,500	5/8 ODF	5/16 ODF	30	
RKAS515EXV	RK222JB-022-J7	265/60/1	1 1/4	PSC	Normal	15,500	5/8 ODF	5/16 ODF	30	
RKC5515EXA	RK225AT-026-J7	115/60/1	1 1/4	PSC	Normal	15,500	1/2 ODF	3/8 ODF	28	
AWF5516EXN	AW500ET-089-J7	208-230/60/1	1 1/2	PSC	Normal	16,300	3/4 ODF	3/8 ODF	64	
AJA5517EXD*	AJ210FT-206-J7	208-230/60/1	1 1/2	PSC	Normal	16,600	1/2 ODF	5/16 ODF	51	
RKAS518EXD	RK233ET-022-J7	208-230/60/1	1 1/2	PSC	Normal	17,700	5/8 ODF	5/16 ODF	33	
AJA5518EXV*	AJ200JB-206-J7	265/60/1	1 1/2	PSC	Normal	18,500	1/2 ODF	5/16 ODF	53	
AJA5519EXD*	AJ220FT-206-J7	208-230/60/1	1 1/2	PSC	Normal	19,300	1/2 ODF	5/16 ODF	50	

*These models are not heat pump approved, A/C only

RL = Roto Lock

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, AJ220FT-206-J7, High Temperature, 1 1/2 hp, 1.5 hp, 19000 btu/h, r22, AJA5519EXD, TECUMSEH

Mbsm.pro, Compressor, H20b193ABJB, bristol compressor, High Temperature, r410a, Third generation, Basic model, Benchmark, 19000 btu/h, psc, 220-240~ /50hz, 1 phase,

Category: air conditioner,compressor

written by www.mbsm.pro | 21 April 2022





Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, H20b193ABJB, bristol compressor, High Temperature, r410a, Third generation, Basic model, Benchmark, 19000 btu/h, psc, 220-240~/50hz, 1 phase,

Mbsm.pro, SFW13C/IW, Air conditioner, Fresh, 12500 btu/h, Cooling, heating, 3664 w, r22, t1 ,1.5 hp, 1 Ton

Category: Post

written by www.mbsm.pro | 21 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, SFW13C/IW, Air conditioner, Fresh, 12500 btu/h, Cooling, heating, 3664 w, r22, t1 ,1.5 hp, 1 Ton

Mbsm.pro, Compressor, ns11116,1/5 hp, Lbp, R600A, 186 W, 220-240~/50hz, R600, 10.50cc, JIAXIPERA Compressor

Category: Archivation,compressor

written by www.mbsm.pro | 21 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, ns11116,1/5 hp, Lbp, R600A, 186 W, 220-240~/50hz, R600, 10.50cc, JIAXIPERA Compressor