

Mbsm.pro, JS-C186VA , air  
conditioner, 18000 Btu/h, York ,  
Cooling Only, r22, 1100 G gaz, T3 ,  
9A

Category: air conditioner,compressor  
written by [www.mbsm.pro](http://www.mbsm.pro) | 21 April 2022



**WALL SPLIT UNIT  
OUTDOOR UNIT**

**Model**

**JS-C186VA**

|                     |             |
|---------------------|-------------|
| Rated voltage       | 220-240V~   |
| Rated Freq.         | 50Hz        |
| Cooling Cap.        | 18000 Btu/h |
| Heating cap.        | -           |
| Current             | 9(A)        |
| Sound Pres. Level   | 56dB(A)     |
| Refrigerant         | R22/1.1Kg   |
| Weight              | 45 Kg       |
| Climate             | T3          |
| Moisture Protection | IP24        |

**Johnson  
Controls**



Made for JCI-USA

63229953602

Made in China

Private Picture Copyright: WWW.MBSM.PRO

Private Picture Copyright: WWW.MBSM.PRO

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, JS-C186VA , air conditioner, 18000 Btu/h, York , Cooling Only, r22,  
1100 G gaz, T3 , 9A

---

MBSM.pro, Compressor, 13HP, Danfoss,  
Performer, Scroll Compressor, Sm160,  
Sm161t4vc, Refrigeration Chiller, 3  
ph, 380 v, 38BB 055 – 240, 38bb-250  
9e/k, 38BB 250, 250 = 250000 kBtu/hr,  
30 Ton, r22, 19 Kg, suction 1-1/8"–2,  
refoulement 5/8"–2

Category: Archivation,compressor  
written by [www.mbsm.pro](http://www.mbsm.pro) | 21 April 2022

**Danfoss**  
MADE IN CHINA

Model no: **SM161T4VC**



Serial no: **GD2503110072**



M 380-400 V 3 ~ 50 Hz  
460 V 3 ~ 60 Hz  
LR 145 A MAX OPER. 31 A  
Thermally protected system  
P.E.D. LP side HP side  
Marking 25 bar 27.8 bar  
PS 63 °C 150 °C  
TS max -35 °C -35 °C  
TS min 17.6 L 20 L  
Volume 17.6 L 20 L  
Lubricant: MINERAL OIL 160P

CE ENEC  
0062



2016 Refrigerant: R22 (UL rating) - R417A with 160S2  
PROTECTED BY DOMESTIC AND FOREIGN PATENTS

### WARNING

Installation and servicing shall be performed by trained personnel only. Failure to observe these safety warnings could result in serious injury or death.  
**ELECTRIC SHOCK HAZARD:** Turn off power before servicing. Observe all electrical safety rules.  
**Pressure Hazard:** Do not touch or remove any component until the refrigerant pressure has been released. The system contains high pressure refrigerant. Do not touch or remove any component until the refrigerant pressure has been released.  
**Flammable Hazard:** Do not touch or remove any component until the refrigerant pressure has been released.



Use only manufacturer's recommended oil and lubricants. Do not use any other oil or lubricant. Do not use any other oil or lubricant. Do not use any other oil or lubricant.

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

MBSM.pro, Compressor, 13HP, Danfoss, Performer, Scroll Compressor, Sm160, Sm161t4vc, Refrigeration Chiller, 3 ph, 380 v, 38BB 055 – 240, 38bb-250 9e/k, 38BB 250, 250 = 250000 kBTu/hr, 30 Ton, r22, 19 Kg, suction 1-1/8"–2, refoulement 5/8"–2

---

Mbsm.pro, Compressor, atk72x,  
HuaGuang, cmA069LHEM, LG, lbp, 1/4  
hp, 205 W, 699 Btu/h, 220-240V 50HZ,  
Refrigerator, Fresh, FNT-BR470K, 1 A,  
376 L, R134a, 95 G, freezer

Category: Archivation,compressor,Freezer  
written by [www.mbsm.pro](http://www.mbsm.pro) | 21 April 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, atk72x, HuaGuang, cmA069LHEM, LG, lbp, 1/4 hp, 205 W, 699  
Btu/h, 220-240V 50HZ, Refrigerator, Fresh, FNT-BR470K, 1 A, 376 L, R134a, 95 G,  
freezer

---

MBSM.PRO, LG-520, UPRIGHT SHOWCASE,  
520 L, 260w, 2.20 A, EGAS 90HLR,  
EGAS90HLR, 1/3 hp, LBP, EMBRACO,  
R34A, 230 G, 220-240 V

Category: Archivation,compressor  
written by [www.mbsm.pro](http://www.mbsm.pro) | 21 April 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

MBSM.PRO, LG-520, UPRIGHT SHOWCASE, 520 L, 260w, 2.20 A, EGAS 90HLR, EGAS90HLR, 1/3 hp, LBP, EMBRACO, R34A, 230 G, 220-240 V

Mbsm.pro, Embraco, NEU2178GK,  
Compressor, R-404A, 220-240V 50Hz, 1  
HP, 1 PH, LBN, Lra 21 A, Oil 350 cc

Category: Archivation,compressor

written by www.mbsm.pro | 21 April 2022




Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Embraco, NEU2178GK, Compressor, R-404A, 220-240V 50Hz, 1 HP, 1 PH, LBN

Mbsm.pro, Compressor, Tecumseh,  
AW704ET-094-A4, AWG5522EXN, 2 HP,  
RECIPROCATING Compressor,  
200-208-220-230/60-50/1, R-22, 28000  
btu/h

Category: air conditioner,compressor

written by www.mbsm.pro | 21 April 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Tecumseh, AW704ET-094-A4, AWG5522EXN, 2 HP, RECIPROCATING Compressor, 200-208-220-230/60-50/1, R-22, 28000 btu/h

---

Mbsm.pro, Compressor, AJ220FT-206-J7, High Temperature, 1 1/2 hp, 1.5 hp, 19000 btu/h, r22, AJA5519EXD, TECUMSEH

Category: air conditioner,compressor  
written by [www.mbsm.pro](http://www.mbsm.pro) | 21 April 2022

| R22 Compressor Reciprocating                                                            |                  |              |       |      |        |        |          |          |    |  |
|-----------------------------------------------------------------------------------------|------------------|--------------|-------|------|--------|--------|----------|----------|----|--|
| High/Commercial Temperature Rated @ 45°F                                                |                  |              |       |      |        |        |          |          |    |  |
| AE4430E-DS1A                                                                            | AE1320E-212-J7   | 115-127/60/1 | 1/3   | CSIR | High   | 3200   | 5/16 ODF | 1/4 ODF  | 22 |  |
| AE4440E-DS1A                                                                            | AE1483E-209-J7   | 115-127/60/1 | 1/3   | CSIR | High   | 4,000  | 5/16 ODF | 1/4 ODF  | 24 |  |
| AE4450E-DS1B                                                                            | AE1363E-209-J7   | 115-127/60/1 | 1/2   | CSIR | High   | 5100   | 5/16 ODF | 1/4 ODF  | 24 |  |
| AE4456E-DS1B                                                                            | AE1364E-214-J7   | 115-127/60/1 | 1/2   | CSIR | High   | 5800   | 3/8 ODF  | 1/4 ODF  | 25 |  |
| R22 Compressor Reciprocating (model begins with "A") and Rotary (model begins with "R") |                  |              |       |      |        |        |          |          |    |  |
| High Temperature and A/C Rated @ 45°F                                                   |                  |              |       |      |        |        |          |          |    |  |
| RGAS460EXA                                                                              | RG121AR-001-J7LN | 115/60/1     | 1/2   | PSC  | Normal | 6,000  | 3/8 ODF  | 5/16 ODF | 25 |  |
| AKAS470EXA*                                                                             | AK120AT-004-J7   | 115/60/1     | 1/2   | PSC  | Normal | 7,000  | 3/8 ODF  | 1/4 ODF  | 37 |  |
| RGAS480EXA                                                                              | RG151AR-003-J7LN | 115/60/1     | 3/4   | PSC  | Normal | 8,000  | 3/8 ODF  | 5/16 ODF | 26 |  |
| AKAS483EXA*                                                                             | AK130AT-004-J7   | 115/60/1     | 3/4   | PSC  | Normal | 8,300  | 3/8 ODF  | 1/4 ODF  | 36 |  |
| AKAS483EXD*                                                                             | AK130ET-004-J7   | 208-230/60/1 | 3/4   | PSC  | Normal | 8,300  | 3/8 ODF  | 1/4 ODF  | 37 |  |
| RKAS490EXD                                                                              | RK124ET-020-J7   | 208-230/60/1 | 3/4   | PSC  | Normal | 9,100  | 1/2 ODF  | 5/16 ODF | 28 |  |
| AKAS490EXV                                                                              | RK124JB-020-J7   | 265/60/1     | 3/4   | PSC  | Normal | 9,100  | 1/2 ODF  | 5/16 ODF | 28 |  |
| RKAS490EXA                                                                              | RK124AT-020-J7   | 115/60/1     | 3/4   | PSC  | Normal | 9,200  | 1/2 ODF  | 5/16 ODF | 28 |  |
| RGAS510EXA                                                                              | RG181AR-006-J7LN | 115/60/1     | 1     | PSC  | Normal | 10,000 | 1/2 ODF  | 5/16 ODF | 27 |  |
| AKAS510EXA*                                                                             | AK100AT-004-J7   | 115/60/1     | 1     | PSC  | Normal | 10,000 | 3/8 ODF  | 1/4 ODF  | 38 |  |
| AKAS510EXD*                                                                             | AK100ET-004-J7   | 208-230/60/1 | 1     | PSC  | Normal | 10,000 | 3/8 ODF  | 1/4 ODF  | 38 |  |
| AKAS510EXV*                                                                             | AK100JB-004-J7   | 265/60/1     | 1     | PSC  | Normal | 10,000 | 3/8 ODF  | 1/4 ODF  | 37 |  |
| AKAS511EXA*                                                                             | AK110AT-004-J7   | 115/60/1     | 1     | PSC  | Normal | 11,000 | 3/8 ODF  | 1/4 ODF  | 38 |  |
| RKAS512EXA                                                                              | RK147AT-021-J7   | 115/60/1     | 1     | PSC  | Normal | 11,700 | 1/2 ODF  | 5/16 ODF | 33 |  |
| RKAS512EXD                                                                              | RK147ET-021-J7   | 208-230/60/1 | 1     | PSC  | Normal | 11,700 | 1/2 ODF  | 5/16 ODF | 30 |  |
| RKAS512EXV                                                                              | RK147JB-021-J7   | 265/60/1     | 1     | PSC  | Normal | 11,750 | 1/2 ODF  | 5/16 ODF | 30 |  |
| AKAS512EXA*                                                                             | AK111AT-004-J7   | 115/60/1     | 1     | PSC  | Normal | 12,000 | 3/8 ODF  | 1/4 ODF  | 38 |  |
| AKAS512EXD*                                                                             | AK111ET-004-J7   | 208-230/60/1 | 1     | PSC  | Normal | 12,000 | 3/8 ODF  | 1/4 ODF  | 37 |  |
| AKAS512EXV*                                                                             | AK111JB-004-J7   | 265/60/1     | 1     | PSC  | Normal | 12,000 | 3/8 ODF  | 1/4 ODF  | 39 |  |
| RKBS513EXA                                                                              | RK160AT-024-J7   | 115/60/1     | 1     | PSC  | Normal | 13,000 | 3/8 ODF  | 5/16 ODF | 30 |  |
| RKAS513EXD                                                                              | RK157ET-021-J7   | 208-230/60/1 | 1     | PSC  | Normal | 13,200 | 1/2 ODF  | 5/16 ODF | 28 |  |
| AJB5515EXD*                                                                             | AJ600FT-205-J7   | 208-230/60/1 | 1 1/4 | PSC  | Normal | 15,000 | 1/2 ODF  | 5/16 ODF | 49 |  |
| AJB5515EXV*                                                                             | AJ600JB-205-J7   | 265/60/1     | 1 1/4 | PSC  | Normal | 15,000 | 1/2 ODF  | 5/16 ODF | 48 |  |
| AWG5515EXN                                                                              | AW700ET-111-J7   | 208-230/60/1 | 1 1/4 | PSC  | Normal | 15,200 | 1 1/4 RL | 7/16 ODF | 63 |  |
| AWG5515EXN                                                                              | AW700ET-129-J7   | 208-230/60/1 | 1 1/4 | PSC  | Normal | 15,200 | 5/8 ODF  | 3/8 ODF  | 63 |  |
| AWG5515EXT                                                                              | AW700RT-121-J7   | 200-230/60/3 | 1 1/4 | 3 PH | 3 PH   | 15,500 | 7/8 ODF  | 3/8 ODF  | 61 |  |
| RKAS515EXD                                                                              | RK222ET-022-J7   | 208-230/60/1 | 1 1/4 | PSC  | Normal | 15,500 | 5/8 ODF  | 5/16 ODF | 30 |  |
| RKAS515EXV                                                                              | RK222JB-022-J7   | 265/60/1     | 1 1/4 | PSC  | Normal | 15,500 | 5/8 ODF  | 5/16 ODF | 30 |  |
| RKC5515EXA                                                                              | RK225AT-026-J7   | 115/60/1     | 1 1/4 | PSC  | Normal | 15,500 | 1/2 ODF  | 3/8 ODF  | 28 |  |
| AWF5516EXN                                                                              | AW500ET-089-J7   | 208-230/60/1 | 1 1/2 | PSC  | Normal | 16,300 | 3/4 ODF  | 3/8 ODF  | 64 |  |
| AJA5517EXD*                                                                             | AJ210FT-206-J7   | 208-230/60/1 | 1 1/2 | PSC  | Normal | 16,600 | 1/2 ODF  | 5/16 ODF | 51 |  |
| RKAS518EXD                                                                              | RK233ET-022-J7   | 208-230/60/1 | 1 1/2 | PSC  | Normal | 17,700 | 5/8 ODF  | 5/16 ODF | 33 |  |
| AJA5518EXV*                                                                             | AJ200JB-206-J7   | 265/60/1     | 1 1/2 | PSC  | Normal | 18,500 | 1/2 ODF  | 5/16 ODF | 53 |  |
| AJA5519EXD*                                                                             | AJ220FT-206-J7   | 208-230/60/1 | 1 1/2 | PSC  | Normal | 19,300 | 1/2 ODF  | 5/16 ODF | 50 |  |

\*These models are not heat pump approved, A/C only

RL = Roto Lock

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, AJ220FT-206-J7, High Temperature, 1 1/2 hp, 1.5 hp, 19000 btu/h, r22, AJA5519EXD, TECUMSEH

Mbsm.pro, Compressor, H20b193ABJB, bristol compressor, High Temperature, r410a, Third generation, Basic model, Benchmark, 19000 btu/h, psc, 220-240~ /50hz, 1 phase,

Category: air conditioner,compressor

written by www.mbsm.pro | 21 April 2022





Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, H20b193ABJB, bristol compressor, High Temperature, r410a, Third generation, Basic model, Benchmark, 19000 btu/h, psc, 220-240~/50hz, 1 phase,

# Mbsm.pro, SFW13C/IW, Air conditioner, Fresh, 12500 btu/h, Cooling, heating, 3664 w, r22, t1 ,1.5 hp, 1 Ton

Category: Post

written by [www.mbsm.pro](http://www.mbsm.pro) | 21 April 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, SFW13C/IW, Air conditioner, Fresh, 12500 btu/h, Cooling, heating, 3664 w, r22, t1 ,1.5 hp, 1 Ton

# Mbsm.pro, Compressor, ns11116,1/5 hp, Lbp, R600A, 186 W, 220-240~/50hz, R600, 10.50cc, JIAXIPERA Compressor

Category: Archivation,compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 21 April 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, ns11116,1/5 hp, Lbp, R600A, 186 W, 220-240~/50hz, R600, 10.50cc, JIAXIPERA Compressor