

Mbsm.pro, compressor, MT160HW4D , 13  
hp, MT160, Displacement:  
271.55cm<sup>3</sup>/rev

Category: pro

written by [www.mbsm.pro](http://www.mbsm.pro) | 30 August 2022



**Danfoss Commercial Compressors**

*Danfoss*

Model no: MT160HW4EVE  
 Serial no: EF1007049041

MADE IN FRANCE

380-400V 3- 50 Hz  
 460V 3- 60 Hz

LR 130A 36A MAX

THERMALLY PROTECTED

P.E.D.

Marking	LP side	HP side
PS	18.4 bar	27.8 bar
TS max	50 °C	68 °C
TS min	-35 °C	-35 °C
Volume	31 l	

Lubricant: MINERAL OIL 160 P

CE EAC

Refrigerant: R22(ULrating)-R417A with 160P2

**WARNING**

**CAUTION**

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Danfoss, Compressor, MT100HS4D, 8.3HP, R22, 380V, 3PH

**Danfoss Commercial Compressors**



**Model no: MT160HW4EVE**



**Serial no: EF1007049041**



MADE IN FRANCE

380-400V 3- 50 Hz UL electrical rating

460V 3- 60 Hz

LR 130A 36A MAX

THERMALLY PROTECTED

P.E.D.

Marking LP side HP side


PS 18,4 bar 27,8 bar

TS max 50 °C 68 °C


TS min -35 °C -35 °C

Volume 31 l 1,2 l

Lubricant: MINERAL OIL 160 P



Refrigerant: R22(ULrating)-R417A with160P2



**WARNING**

Installation and servicing shall be performed by trained personnel with the necessary tools. Safety warnings could be lost or ignored during or after the servicing work. Do not touch the compressor when it is running.

Do not touch the compressor when it is running. Do not touch the compressor when it is running. Do not touch the compressor when it is running.

Do not touch the compressor when it is running. Do not touch the compressor when it is running. Do not touch the compressor when it is running.



**CAUTION**

Use only Danfoss approved refrigerants, lubricants and electrical components. Use of incorrect refrigerant / lubricant / electrical components could cause fire, explosion, electric shock or death.

For details visit the Danfoss website: [www.danfoss.com](http://www.danfoss.com)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, T3, 3.3 hp,  
30000 btu, nht52vbat, 14 A,  
Mitsubishi Compressor, r22, 4.5 bar



Category: compressor,Invention

written by [www.mbsm.pro](http://www.mbsm.pro) | 30 August 2022



SIAM COMPRESSOR INDUSTRY

MITSUBISHI ELECTRIC GROUP



REFRIGERANT COMPRESSOR

MODEL **NHT52VBAT**

MANUFACTURING DATE **18052012**

POWER SOURCE

**220-240V 1~ 50Hz**

POWER INPUT **2970** W AT **50** Hz

LRA A

REFRIGERANT **86/94**

OIL **R-22**


AP **1.30** L

SP **2.74** MPa

**10.5** MPa

**THERMALLY PROTECTED**

MADE IN THAILAND



NHT52VBAT-011205-1-0000

Mbsm.pro, Compressor, T3, 3.3 hp, 30000 btu, nht52vbat, 14 A, Mitsubishi  
Compressor

---

**Mbsm.pro, Embraco, Aspera, NEK2150CK,  
1/2 hp, freezing (LBP), 121 cm<sup>3</sup>,  
R404A /RS07A / R452A**

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 30 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Embraco, Aspera, NEK2150CK, 1/2 hp, freezing (LBP), 121 cm<sup>3</sup>, R404A

# Mbsm.pro, Raccord femelle 15 a souder cuivre 14, plomberie

Category: Pictures

written by [www.mbsm.pro](http://www.mbsm.pro) | 30 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Raccord femelle a souder cuivre 14





# Mbsm.pro, Compressor, Mly12LA, 1/3 hp-, Lbp , 404a, Low Back Pressure R404a/R507 compressors Cubigel – Spain

Category: pro

written by [www.mbsm.pro](http://www.mbsm.pro) | 30 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Mly12LA, 1/3 hp-, Lbp , 404a

---

# Mbsm.pro, Compresor, ZMC, 1/5 hp++, 1/4 hp-, High-Medium Back Pressure, GL80TB, GL80AA, cooling and freezing

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 30 August 2022



ZMC GL80TB 1515  
220-240V~50Hz  
R 134 a  
MADE IN EGYPT  
3 950  
0238165

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compresor, ZMC, 1/5 hp++, 1/4 hp-, High-Medium Back Pressure, GL80TB, GL80AA, cooling and freezing

---

Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR

Category: compressor,Refrigerator

written by www.mbsm.pro | 30 August 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR

---

Mbsm.pro, Copeland, Reciprocating, Hermetic, Compressors, CRNQ-0500-TFD, 5 hp, R22, HCFC, R-22, 50 Hz, 3 –

# Phase, 380/420 V , CR QR Series

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 30 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Copeland, Reciprocating, Hermetic, Compressors, CRNQ-0500-TFD, 5 hp, R22, HCFC, R-22, 50 Hz, 3 - Phase, 380/420 V , CR QR Series

---

Mbsm.pro, compressor, nly12ng, 1/2

hp–, 3/8 hp++, r290, 12,55cm<sup>3</sup>, LBP,  
230V, Secop, Danfoss, CUBIGEL

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 30 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, compressor, nly12ng, 1/2 hp–, 3/8 hp++, r290, 12,55cm<sup>3</sup>, LBP, 230V,  
Secop, Danfoss

---

Mbsm.pro, Compressor, semi-hermetic,  
piston, Q4-24.1Y, Q4-24.1y1000, 4 hp,  
lbp

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 30 August 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, semi-hermetic, piston, Q4-24.1Y, Q4-24.1y1000, 4 hp, lbp