

Mbsm.pro, Compressor, DONPER, NE 2125  
CE, NE2125CE, r22, 3/8hp++, HMBP, 266  
W

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 June 2022



NE2125CE

220V-50Hz 1PH

CSR

3/8+HP



THERMALLY PROTECTED

MADE IN CHINA-TECH OF ITALY



H140422568320302154

R22

Mbsm.pro, Compressor, DONPER, NE 2125 CE, NE2125CE, r22, 3/8hp++, lbp HMBP

---

**Mbsm.pro, compressor, CUBIGEL,  
ELECTOLUX, ACC, R404a, R507, MP14FB,  
220-240V 50Hz, LBP, 1/2HP**

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 June 2022



Mbsm.pro, compressor, CUBIGEL, ELECTOLUX, ACC, R404a, R507, MP14FB, 220-240V  
50Hz, LBP, 1/2HP

---

Mbsm.pro, Secop, Freezer, Compressor,  
Sc18cl, 104L2123, 104L2123, 5/8HP++,  
1/2-, R404A, Secop SCxxCL Series,  
LMBP, 495 w

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 June 2022



Mbsm.pro, Secop, Freezer, Compressor, Sc18cl, 104L2123, 5/8HP++, 1/2-, R404A,  
Secop SCxxCL Series, LMBP, 495 w

---

Mbsm.pro, Compressor, DB110C19RAW5,  
1/3 hp, LBP, R134a, 200g, D series,  
Refrigerators, Smeg, 2 Doors, 18  
feet, no-frost freezer

Category: compressor,Refrigerator  
written by [www.mbsm.pro](http://www.mbsm.pro) | 2 June 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, DB110C19RAW5, 1/3 hp, LBP, R134a, 200g, D series, Refrigerators, Smeg, 2 Doors, 18 feet, no-frost freezer

---

**Mbsm.pro, Kiriazi, K500, No-Frost, Refrigerator, 500 Liters, 18 feet, Compressor, 1/3 hp, R134a, 190g**

Category: Refrigerator

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 June 2022



Mbsm.pro, Kiriazi, K500, No-Frost, Refrigerator, 500 Liters, 18 feet, Compressor, 1/3 hp, R134a, 190g

## Mbsm.pro, compressor, EM Series, Embraco, EMY75HLC, 211 w, 1/4 hp, lbp, 750 btu, r134a

Category: compressor

written by www.mbsm.pro | 2 June 2022

R	Series	Model	Capacity (kg)	Performance (kg/h)					ISO	CCC/VDE	Weight (kg)	Height (mm)		
				220-240/50	220-240/50	220-240/50	220-240/50	220-240/50						
R 134a	EMZ	EMZ 66 CLP	190	10.61	190	163.4	1.74	1.50	4	ISO 5	CCC/VDE	171	6.73	
		EMX	EMX 32 CLC	102	5.96	102	87.7	1.78	1.53	2.5	ISO 5	CCC	166	6.54
			EMX 40 CLC	128	7.24	128	110.1	1.80	1.55	4	ISO 5	CCC	166	6.54
	EMB	EMB 32 CLC	103	5.96	103	88.6	1.88	1.62	2.5	ISO 5	CCC	166	6.54	
		EMB 40 CLC	128	7.24	128	110.1	1.92	1.65	4	ISO 5	CCC/VDE	171	6.73	
		EMB 46 CLC	142	7.96	142	122.1	1.90	1.63	4	ISO 5	CCC/VDE	171	6.73	
		EMB 55 CLC	163	9.05	163	140.2	1.88	1.62	4	ISO 5	CCC/VDE	171	6.73	
		EMB 66 CLC	190	10.61	190	163.4	1.87	1.61	4	ISO 5	CCC/VDE	171	6.73	
	EMT	EMT 45 HLP	145	4.85	145	124.7	1.40	1.20		ISO 7	CCC/VDE	158	6.22	
		EMU	EMU 45 HLP	145	4.85	145	124.7	1.50	1.29		ISO 7	CCC/VDE	158	6.22
			EMU 55 HLP	161	5.20	161	138.5	1.50	1.29		ISO 7	CCC/VDE	166	6.54
			EMU 65 HLP	185	5.96	185	159.1	1.47	1.26		ISO 7	CCC/VDE	166	6.54
			EMU 45 HLP	145	4.85	145	124.7	1.45	1.25		ISO 22	CCC/VDE	158	6.22
			EMU 55 HLP	161	5.20	161	138.5	1.45	1.25		ISO 22	CCC/VDE	166	6.54
			EMU 65 HLP	185	5.96	185	159.1	1.45	1.25		ISO 22	CCC/VDE	166	6.54
		EMU 55 HLP	148	4.15	148	127.3	1.46	1.26		ISO 7	UL	158	6.22	
		EMY	EMY 55 HLC	161	5.20	161	138.5	1.60	1.38	4	ISO 7	CCC/VDE	166	6.54
			EMY 65 HLC	185	5.96	185	159.1	1.60	1.38	4	ISO 7	CCC/VDE	166	6.54
EMY 75 HLC			215	7.00	215	184.9	1.60	1.38	4	ISO 7	CCC/VDE	171	6.73	
EMY 50 HLP			140	4.15	140	120.4	1.60	1.38	12	ISO 7	UL	158	6.22	
EMY 55 HLP	160		4.50	160	137.6	1.60	1.38	12	ISO 7	UL	158	6.22		
EMY 60 HLP	180		4.85	180	154.8	1.60	1.38	12	ISO 7	UL	166	6.54		
EMH	EMH 60 HER	189	5.19	189	162.5	1.47	1.26		ISO 7	CCC	166	6.54		
R 290	EMT	EMT 2121 U	256	5.57	256	220.0	1.42	1.22	48	ISO 22	CCC/VDE	166	6.54	
		EMT 2125 U	301	5.96	301	259.0	1.48	1.28	58	ISO 22	CCC/VDE	166	6.54	

测试条件: 蒸发-23.3° C (-10° F) 冷凝54.4° C (130° F) 吸气/环境32.2° C (90° F) 液体32.2° C (90° F)  
 Test Conditions: Evaporating: -23.3°C (-10°F) | Condensing: 54.4°C (130°F) | Gas and Ambient: 32.2°C (90°F) | Liquid: 32.2°C (90°F)

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, compressor, EM Series, Embraco, EMY75HLC, 211 w, 1/4 hp, lbp, 750 btu, r134a

## Mbsm.pro, Compressor, AW700ET-111-P2, Tecumseh 1-1/4 HP, 208-230V, 1 PH, 15,200 BTU, R22, Hermetic Compressor Replacement

Category: compressor

written by www.mbsm.pro | 2 June 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, AW700ET-111-P2, Tecumseh 1-1/4 HP, 208-230V, 1 PH, 15,200 BTU, R22, Hermetic Compressor Replacement

---

Mbsm.pro, Freezer, 420 L,  
regeneration, using Cooling,  
Aluminium Plated, Roll Bonded,  
Evaporator Plate, Compressor, L72cZ1

, 1/4 hp, r134a, capillarie 3 M,  
0.032

Category: Chaud&Froid,compressor

written by www.mbsm.pro | 2 June 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Freezer, 420 L, regeneration, using Cooling, Aluminium Plated, Roll Bonded, Evaporator Plate, Compressor, L72cZ1 , 1/4 hp, r134a, capillarie 3 M, 0.032

Mbsm.pro, Refrigerator, Fridge-Freezer, RT511JSPN, No Frost, Sumsung, 441 L, 309 L, Compressor, Mk172Q-L2U, 1/4 Hp, 205 W, 699 BTu/H, Samsung Compressor, Mk Serie, R134A, 7.21 cc, 220-240 v, LBP, Static Compressor, RSIR

Category: Refrigerator

written by www.mbsm.pro | 2 June 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Refrigerator, Fridge-Freezer, RT511JSPN, No Frost, Sumsung, 441 L, 309 L, Compressor, Mk172Q-L2U, 1/4 Hp, 205 W, 699 BTu/H, Samsung Compressor, Mk Serie, R134A, 7.21 cc, 220-240 v, LBP, Static Compressor, RSIR

Mbsm.pro, compressor, cae2412y,  
Tecumseh, 1/3 hp, 306 w, 236 kcal/h,  
1043 btu/h, Lbp, r134a

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 June 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, compressor, cae2412y, Tecumseh, 1/3 hp, 306 w, 236 kcal/h, 1043 btu/h, Lbp, r134a