

# Mbsm.pro, COMPRESSOR, EMBRACO, 1/5+ HP, EGAS 70HLR, R134a, egas70h1r, 695 btu, R134a

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 February 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, COMPRESSOR, EMBRACO, 1/5+ HP, EGAS 70HLR, R134a, egas70h1r, 695 btu, R134a

---

# Mbsm.pro, BITZER, Semi Hermetic, 4VES-7, R22, 7.0 Hp, 14.0 A, 32,939 btu

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 February 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, BITZER, Semi Hermetic, 4VES-7, R22, 7.0 Hp, 14.0 A, 32,939 btu



Mbsm.pro, Compressor, Copeland, 1 1/4 Ton, 2 hp, Scroll, ZR16KC-PFV-230, ZR16KA-PFV-830, ZR16K4-PFV-130, 15500 btu, R-22, 230 v, 1 ph

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 February 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Copeland, 1 1/4 Ton, 2 hp, Scroll, ZR16KC-PFV-230, ZR16KA-PFV-830, ZR16K4-PFV-130, 15500 btu, R-22, 230 v, 1 ph

Mbsm.pro, COMPRESSOR, EMBRACO, HERMETIC, FREEZE, ICE CREAM, NT2192GK, 1.2 HP, 1v2 HP , 220-240V, LBP, 1262 W, R404A/R507, CSR

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 February 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, COMPRESSOR, EMBRACO, HERMETIC, FREEZE, ICE CREAM, NT2192GK, 1.2 HP, 1v2 HP , 220-240V, LBP, 1262 W, R404A/R507, CSR

---

Mbsm.pro, Compressor, Danfoss, 3/4 HP, ++BIG, SECOP, SC21G, HMBP, R134a, SC21G 8124, 8124 , R134A, 550W

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 February 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Danfoss, 3/4 HP, ++BIG, SECOP, SC21G, HMBP, R134a, SC21G 8124, 8124 , R134A, 550W

---

Mbsm.pro, COMPRESSOR, Tecumseh, 1/2 hp ++, 7/16 HP, CAE4456Y, CSIR, HMBP, ++Big, R134A, 1396 W, 1201 KCal, 4760 Btu, P.frigorifique 436 W -25

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 February 2022





R134a LRA 19

220-240V 50Hz RLA 4.30



6B86830200  
CAE4456Y



52 K3006 10 202957 A

COUNTRY OF ORIGIN: FRANCE THERMALLY PROTECTED

### WARNING

To avoid burns,  
IMMEDIATELY GET AWAY  
if you hear sizzling,  
spitting or popping inside  
the compressor.  
Improper servicing can lead  
to electrocution, fire or  
explosion. Service only by  
trained professional.

### ADVERTENCIA

Para evitar quemaduras,  
RETIRESE INMEDIATAMENTE  
al oír chisporroteos, siseos o  
estallidos dentro del compresor.  
El mantenimiento inadecuado  
puede causar electrocución,  
incendio o explosión. Solamente  
profesionales entrenados  
pueden hacer los servicios de  
mantenimientos.

⚠️ **AVERTISSEMENT**  
Pour vous prévenir de brûlures,  
ÉLOIGNEZ-VOUS IMMÉDIATEMENT  
si vous entendez des présifflements,  
crépitements ou petites explosions  
l'intérieur du compresseur.  
Une maintenance inappropriée  
peut engendrer une électrocution, une  
explosion ou une explosion.  
Toute intervention est réservée à  
un professionnel habilité.

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, COMPRESSOR, Tecumseh, 1/2 hp ++, 7/16 HP, CAE4456Y, CSIR, HMBP, ++Big, R134A, 1396 W, 1201 KCal, 4760 Btu, P.frigorifique 436 W -25

# Mbsm.pro, Compressor, AE66ZD7, Tecumseh 1/6 HP, 220V, 450 BTU, R12, Hermetic

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 February 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, AE66ZD7, Tecumseh 1/6 HP, 115V, 450 BTU, R12, Hermetic



# Mbsm.pro, Compressor, Embraco, Aspera, MA8DCV04, NT6220GK, Hermetic reciprocating compressor , R404a, MHBP, 17.4CC, 3/4Hp, ++big, 240V~50Hz

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 February 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Embraco, Aspera, NT6220GK, Hermetic reciprocating compressor , R404a, MHBP, 17.4CC, 3/4Hp, ++big, 240V~50Hz

---

## Mbsm.pro, PDF, File, Embraco, Catalogue, r134a, Embraco Condensing Units

Category: Files

written by [www.mbsm.pro](http://www.mbsm.pro) | 13 February 2022



## Embraco Condensing Units

| Unit Model | Motor Type | Expan. Device | Motor HP | -25°C | -20°C | -15°C | Performance (Watts) |      |      |      | HRP Code | Sales Cat |        |     |
|------------|------------|---------------|----------|-------|-------|-------|---------------------|------|------|------|----------|-----------|--------|-----|
|            |            |               |          |       |       |       | -10°C               | -5°C | 0°C  | 5°C  | 10°C     | 15°C      |        |     |
| R134a HMBP |            |               |          |       |       |       |                     |      |      |      |          |           |        |     |
| UEMT6144Z  | CSIR       | CV            | 1/5      | -     | -     | 249   | 308                 | 375  | 451  | 533  | -        | -         | 208162 | 20A |
| UEMT6160Z  | CSIR       | CV            | 1/6      | -     | -     | 335   | 411                 | 499  | 597  | 706  | -        | -         | 208164 | 20A |
| UEMT6170Z  | CSIR       | CV            | 1/4      | -     | -     | 359   | 443                 | 539  | 646  | 764  | -        | -         | 208166 | 20A |
| UNEK6187Z  | CSIR       | CV            | 1/4      | -     | -     | 405   | 503                 | 616  | 744  | 887  | -        | -         | 208168 | 20A |
| UNEK6210Z  | CSIR       | CV            | 1/3      | -     | -     | 430   | 584                 | 789  | 929  | 1065 | -        | -         | 208170 | 20A |
| UNEK6212Z  | CSIR       | CV            | 1/2      | -     | -     | 640   | 800                 | 975  | 1157 | 1354 | -        | -         | 208172 | 20A |
| UNEK6215Z  | CSIR       | CV            | 1/2      | -     | -     | 705   | 816                 | 1003 | 1188 | 1362 | -        | -         | 208180 | 20A |
| UNEK6214Z  | CSIR       | CV            | 1/2      | -     | -     | 658   | 826                 | 1004 | 1192 | 1395 | -        | -         | 208174 | 20A |
| UNTE220Z   | CSIR       | CV            | 2/3      | -     | -     | 843   | 1050                | 1281 | 1541 | 1828 | -        | -         | 208184 | 20A |
| UNJ6220Z   | CSIR       | CV            | 3/4      | -     | -     | 994   | 1256                | 1529 | 1843 | 2154 | -        | -         | 207861 | 20A |
| UNTE217Z   | CSIR       | CV            | 3/4      | -     | -     | 993   | 1275                | 1555 | 1861 | 2178 | -        | -         | 208182 | 20A |
| UNJ6225Z   | CSIR       | CV            | 1        | -     | -     | 1372  | 1686                | 2035 | 2419 | 2814 | -        | -         | 207888 | 20A |
|            |            |               |          |       |       |       |                     |      |      |      |          |           |        |     |
| Unit Model | Motor Type | Expan. Device | Motor HP | -25°C | -20°C | -15°C | Performance (Watts) |      |      |      | HRP Code | Sales Cat |        |     |
|            |            |               |          |       |       |       | -10°C               | -5°C | 0°C  | 5°C  | 10°C     | 15°C      |        |     |
| R404A HMBP |            |               |          |       |       |       |                     |      |      |      |          |           |        |     |
| UEMT6144GK | CSIR       | CV            | 1/4      | -     | 277   | 338   | 400                 | 470  | 543  | 615  | -        | -         | 208186 | 20A |
| UEMT6152GK | CSIR       | CV            | 1/4      | -     | 301   | 388   | 435                 | 504  | 574  | 644  | -        | -         | 208188 | 20A |
| UEMT6165GK | CSIR       | CV            | 1/3      | -     | 360   | 445   | 523                 | 626  | 729  | 815  | -        | -         | 208190 | 20A |
| UNEK6181GK | CSIR       | CV            | 1/2      | -     | 427   | 530   | 644                 | 767  | 900  | 1040 | -        | -         | 208192 | 20A |
| UNEK6210GK | CSIR       | CV            | 1/3      | -     | 581   | 670   | 665                 | 886  | 1032 | 1228 | -        | -         | 208194 | 20A |
| UNEK6213GK | CSIR       | CV            | 1/2      | -     | 734   | 904   | 1064                | 1213 | 1352 | 1468 | -        | -         | 208196 | 20A |
| UNEK6217GK | CSIR       | CV            | 1/2      | -     | 741   | 960   | 1180                | 1406 | 1640 | 1880 | -        | -         | 208198 | 20A |
| UNTE220GK  | CSIR       | CV            | 3/4      | -     | 793   | 1024  | 1262                | 1505 | 1754 | 2009 | -        | -         | 208204 | 20A |
| UNTE222GK  | CSIR       | CV            | 3/4      | -     | TBA   | TBA   | TBA                 | TBA  | TBA  | TBA  | -        | -         | 208206 | 20A |
| UNTE226GK  | CSIR       | CV            | 1        | -     | 1265  | 1568  | 1878                | 2198 | 2526 | 2864 | -        | -         | 208202 | 20A |
| UNJ6225GK  | CSIR       | CV            | 1        | -     | 1205  | 1523  | 1822                | 2094 | 2364 | 2616 | -        | -         | 208140 | 20A |
| UNJ6225GS  | 3ph        | CV            | 1        | -     | 1205  | 1523  | 1822                | 2094 | 2364 | 2616 | -        | -         | 208200 | 20A |
| UNJ6223GK  | CSIR       | CV            | 1-1/4    | -     | 1467  | 1855  | 2219                | 2550 | 2879 | 3186 | -        | -         | 208145 | 20A |
| UNJ6223GS  | 3ph        | CV            | 1-1/4    | -     | 1467  | 1855  | 2219                | 2550 | 2879 | 3186 | -        | -         | 208150 | 20A |
| UNJ6238GK  | CSIR       | CV            | 1-1/2    | -     | 1817  | 2297  | 2748                | 3157 | 3565 | 3963 | -        | -         | 208155 | 20A |

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, PDF, File, Embraco, Catalogue, r134a, Embraco Condensing Units

# Mbsm.pro, PDF, File, Cubigel Katalog, r134a, Huayi, Electrolux, ZEM

Category: Files

written by www.mbsm.pro | 13 February 2022

| R134a                                                                                            |                 |       |             | HMBP        | HBP               | 50 Hz |          | R134a compressors compatible with R12 |                                                                              |     |      |      |        |        |      |      |    |  |        |        |  |  |  |
|--------------------------------------------------------------------------------------------------|-----------------|-------|-------------|-------------|-------------------|-------|----------|---------------------------------------|------------------------------------------------------------------------------|-----|------|------|--------|--------|------|------|----|--|--------|--------|--|--|--|
| GREEN COOLING                                                                                    |                 |       |             |             |                   |       |          |                                       |                                                                              |     |      |      |        |        |      |      |    |  |        |        |  |  |  |
| MODEL                                                                                            | DISPLACEMENT    | POWER | APPLICATION | CPR COOLING | VOLTAGE FREQUENCY | MOTOR | STARTING | EXPANSION                             | REFRIGERATION CAPACITY °C                                                    |     |      |      |        |        |      |      |    |  | WEIGHT | DESIGN |  |  |  |
|                                                                                                  |                 |       |             |             |                   |       |          |                                       | COP in W/W<br>1 W = 0.864 kcal/h = 3.415 BTU/h<br>Evaporating Temperature °C |     |      |      |        |        |      |      |    |  |        |        |  |  |  |
|                                                                                                  |                 |       |             |             |                   |       |          |                                       | Cecostat (W)                                                                 |     |      |      |        | Ashrae |      |      |    |  |        |        |  |  |  |
|                                                                                                  |                 |       |             |             |                   |       |          |                                       | -25                                                                          | -15 | 5    | 10   | kcal/h | COP    | Kg   |      |    |  |        |        |  |  |  |
|                                                                                                  | cm <sup>3</sup> | hp    |             |             |                   |       |          |                                       |                                                                              |     |      |      |        |        |      |      |    |  |        |        |  |  |  |
|  GLY45RAa     | 4.56            | 1/6   | HMBP        | F           | 220-240V 50Hz ~1  | CSIR  | R        | C-V                                   | 71                                                                           | 139 | 373  | 1.85 | 452    | 385    | 2.25 | 9    | Lb |  |        |        |  |  |  |
|  GLY45RAb     | 4.56            | 1/6   | HMBP        | F           | 220-240V 50Hz ~1  | CSIR  | R        | C-V                                   | 71                                                                           | 139 | 373  | 2.12 | 452    | 385    | 2.45 | 9    | Lb |  |        |        |  |  |  |
|  GLY60RAa     | 5.98            | 1/5   | HMBP        | F           | 220-240V 50Hz ~1  | CSIR  | R        | C-V                                   | 106                                                                          | 191 | 486  | 2.08 | 586    | 500    | 2.36 | 9.9  | Lc |  |        |        |  |  |  |
|  GLY60RAb     | 5.98            | 1/5   | HMBP        | F           | 220-240V 50Hz ~1  | CSIR  | R        | C-V                                   | 106                                                                          | 191 | 486  | 2.25 | 586    | 500    | 2.60 | 9.9  | Lc |  |        |        |  |  |  |
|  GLY80RAa     | 8.10            | 1/5   | HMBP        | F           | 220-240V 50Hz ~1  | CSIR  | R        | C-V                                   | 159                                                                          | 275 | 681  | 2.17 | 819    | 700    | 2.50 | 10.4 | Lc |  |        |        |  |  |  |
|  GLY80RAb     | 8.10            | 1/5   | HMBP        | F           | 220-240V 50Hz ~1  | CSIR  | R        | C-V                                   | 159                                                                          | 275 | 681  | 2.35 | 819    | 700    | 2.71 | 10.4 | Lc |  |        |        |  |  |  |
|  GLY90RAa     | 9.09            | 1/4   | HMBP        | F           | 220-240V 50Hz ~1  | CSIR  | R        | C-V                                   | 169                                                                          | 298 | 748  | 2.06 | 901    | 770    | 2.37 | 10.5 | Lc |  |        |        |  |  |  |
|  GLY90RAb     | 9.09            | 1/4   | HMBP        | F           | 220-240V 50Hz ~1  | CSIR  | R        | C-V                                   | 169                                                                          | 298 | 748  | 2.27 | 901    | 770    | 2.61 | 10.5 | Lc |  |        |        |  |  |  |
|  GLY99RAa (*) | 9.95            | 3/8   | HMBP        | F           | 220-240V 50Hz ~1  | CSIR  | R        | C-V                                   | 189                                                                          | 328 | 814  | 2.01 | 972    | 836    | 2.31 | 10.8 | Ld |  |        |        |  |  |  |
|  GLY99RAb (*) | 9.95            | 3/8   | HMBP        | F           | 220-240V 50Hz ~1  | CSIR  | R        | C-V                                   | 189                                                                          | 328 | 814  | 2.18 | 972    | 836    | 2.49 | 10.8 | Ld |  |        |        |  |  |  |
|  GPY12RAa     | 12.10           | 3/8   | HMBP        | F           | 220-240V 50Hz ~1  | CSIR  | R        | C-V                                   | 228                                                                          | 401 | 993  | 2.05 | 1192   | 1020   | 2.35 | 12.6 | Pd |  |        |        |  |  |  |
|  GPY12RAb     | 12.10           | 3/8   | HMBP        | F           | 220-240V 50Hz ~1  | CSIR  | R        | C-V                                   | 228                                                                          | 401 | 993  | 2.24 | 1192   | 1020   | 2.58 | 12.6 | Pd |  |        |        |  |  |  |
|  GPY14RAa     | 14.32           | 3/8   | HMBP        | F           | 220-240V 50Hz ~1  | CSIR  | R        | C-V                                   | 296                                                                          | 492 | 1161 | 1.98 | 1386   | 1190   | 2.27 | 12.6 | Pd |  |        |        |  |  |  |
|  GPY14RAb     | 14.32           | 3/8   | HMBP        | F           | 220-240V 50Hz ~1  | CSIR  | R        | C-V                                   | 296                                                                          | 492 | 1161 | 2.18 | 1386   | 1190   | 2.50 | 12.6 | Pd |  |        |        |  |  |  |
|  GPY16RAa     | 16.15           | 3/8   | HMBP        | F           | 220-240V 50Hz ~1  | CSIR  | R        | C-V                                   | 315                                                                          | 522 | 1248 | 2.20 | 1490   | 1351   | 2.31 | 12.8 | Pd |  |        |        |  |  |  |
|  GPY16RAb     | 16.15           | 3/8   | HMBP        | F           | 220-240V 50Hz ~1  | CSIR  | R        | C-V                                   | 315                                                                          | 522 | 1248 | 2.38 | 1490   | 1351   | 2.50 | 12.8 | Pd |  |        |        |  |  |  |

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, PDF, File, Cubigel Katalog, r134a, Huayi, Electrolux, ZEM