

Mbsm.pro, COMPRESSOR, EMBRACO, 1/5+ HP, EGAS 70HLR, R134a, egas70h1r, 695 btu, R134a

Category: compressor

written by www.mbsm.pro | 13 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, COMPRESSOR, EMBRACO, 1/5+ HP, EGAS 70HLR, R134a, egas70h1r, 695 btu, R134a

Mbsm.pro, BITZER, Semi Hermetic, 4VES-7, R22, 7.0 Hp, 14.0 A, 32,939 btu

Category: compressor

written by www.mbsm.pro | 13 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, BITZER, Semi Hermetic, 4VES-7, R22, 7.0 Hp, 14.0 A, 32,939 btu

Mbsm.pro, Compressor, Copeland, 1 1/4 Ton, 2 hp, Scroll, ZR16KC-PFV-230, ZR16KA-PFV-830, ZR16K4-PFV-130, 15500 btu, R-22, 230 v, 1 ph

Category: compressor

written by www.mbsm.pro | 13 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Copeland, 1 1/4 Ton, 2 hp, Scroll, ZR16KC-PFV-230, ZR16KA-PFV-830, ZR16K4-PFV-130, 15500 btu, R-22, 230 v, 1 ph

Mbsm.pro, COMPRESSOR, EMBRACO, HERMETIC, FREEZE, ICE CREAM, NT2192GK, 1.2 HP, 1v2 HP , 220-240V, LBP, 1262 W, R404A/R507, CSR

Category: compressor

written by www.mbsm.pro | 13 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, COMPRESSOR, EMBRACO, HERMETIC, FREEZE, ICE CREAM, NT2192GK, 1.2 HP, 1v2 HP , 220-240V, LBP, 1262 W, R404A/R507, CSR

Mbsm.pro, Compressor, Danfoss, 3/4 HP, ++BIG, SECOP, SC21G, HMBP, R134a, SC21G 8124, 8124 , R134A, 550W

Category: compressor

written by www.mbsm.pro | 13 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Danfoss, 3/4 HP, ++BIG, SECOP, SC21G, HMBP, R134a, SC21G 8124, 8124 , R134A, 550W

Mbsm.pro, COMPRESSOR, Tecumseh, 1/2 hp ++, 7/16 HP, CAE4456Y, CSIR, HMBP, ++Big, R134A, 1396 W, 1201 KCal, 4760 Btu, P.frigorifique 436 W -25

Category: compressor

written by www.mbsm.pro | 13 February 2022



R134a LRA 19

220-240V 50Hz RLA 4.30



6B86830200
CAE4456Y



52 K3006 10 202957 A

COUNTRY OF ORIGIN: FRANCE THERMALLY PROTECTED

⚠ WARNING

To avoid burns,
IMMEDIATELY GET AWAY
if you hear sizzling,
spitting or popping inside
the compressor.
Improper servicing can lead
to electrocution, fire or
explosion. Service only by
trained professional.

⚠ ADVERTENCIA

Para evitar quemaduras,
RETIRESE INMEDIATAMENTE
al oír chisporroteos, siseos o
estallidos dentro del compresor.
El mantenimiento inadecuado
puede causar electrocución,
incendio o explosión. Solamente
profesionales entrenados
pueden hacer los servicios de
mantenimientos.

⚠ AVERTISSEMENT

Pour vous prévenir de brûlures,
ELOIGNEZ-VOUS IMMÉDIATEMENT
si vous entendez des présifflements,
crépitements ou petites explosions
l'intérieur du compresseur.
Une maintenance inappropriée
peut engendrer une électrocution, une
explosion ou une explosion.
Toute intervention est réservée à
un professionnel habilité.

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, COMPRESSOR, Tecumseh, 1/2 hp ++, 7/16 HP, CAE4456Y, CSIR, HMBP, ++Big, R134A, 1396 W, 1201 KCal, 4760 Btu, P.frigorifique 436 W -25

Mbsm.pro, Compressor, AE66ZD7, Tecumseh 1/6 HP, 220V, 450 BTU, R12, Hermetic

Category: compressor

written by www.mbsm.pro | 13 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, AE66ZD7, Tecumseh 1/6 HP, 115V, 450 BTU, R12, Hermetic

Mbsm.pro, Compressor, Embraco, Aspera, MA8DCV04, NT6220GK, Hermetic reciprocating compressor , R404a, MHBP, 17.4CC, 3/4Hp, ++big, 240V~50Hz

Category: compressor

written by www.mbsm.pro | 13 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Embraco, Aspera, NT6220GK, Hermetic reciprocating compressor , R404a, MHBP, 17.4CC, 3/4Hp, ++big, 240V~50Hz

Mbsm.pro, PDF, File, Embraco, Catalogue, r134a, Embraco Condensing Units

Category: Files

written by www.mbsm.pro | 13 February 2022



Embraco Condensing Units

Unit Model	Motor Type	Expan. Device	Motor HP	-25°C	-20°C	-15°C	Performance (Watts)				HRP Code	Sales Cat		
							-10°C	-5°C	0°C	5°C	10°C	15°C		
R134a HMBP														
UEMT6144Z	CSR	CV	1/5	-	-	249	308	375	451	533	-	-	208162	20A
UEMT6160Z	CSR	CV	1/6	-	-	335	411	499	597	706	-	-	208164	20A
UEMT6170Z	CSR	CV	1/4	-	-	359	443	539	646	764	-	-	208166	20A
UNEK6187Z	CSR	CV	1/4	-	-	405	503	616	744	887	-	-	208168	20A
UNEK6210Z	CSR	CV	1/3	-	-	430	584	789	929	1065	-	-	208170	20A
UNEK6212Z	CSR	CV	1/2	-	-	640	800	975	1157	1354	-	-	208172	20A
UNEK6215Z	CSR	CV	1/2	-	-	705	816	1003	1188	1362	-	-	208180	20A
UNEK6214Z	CSR	CV	1/2	-	-	658	826	1004	1192	1395	-	-	208174	20A
UNTE220Z	CSR	CV	2/3	-	-	843	1050	1281	1541	1828	-	-	208184	20A
UNJ6220Z	CSR	CV	3/4	-	-	994	1256	1529	1843	2154	-	-	207861	20A
UNTE217Z	CSR	CV	3/4	-	-	993	1275	1555	1861	2178	-	-	208182	20A
UNJ6225Z	CSR	CV	1	-	-	1372	1686	2035	2419	2814	-	-	207888	20A
Unit Model	Motor Type	Expan. Device	Motor HP	-25°C	-20°C	-15°C	Performance (Watts)				HRP Code	Sales Cat		
							-10°C	-5°C	0°C	5°C	10°C	15°C		
R404A HMBP														
UEMT6144GK	CSR	CV	1/4	-	277	338	400	470	543	615	-	-	208186	20A
UEMT6152GK	CSR	CV	1/4	-	301	368	435	504	574	644	-	-	208188	20A
UEMT6165GK	CSR	CV	1/3	-	360	445	523	626	729	815	-	-	208190	20A
UNEK6181GK	CSR	CV	1/2	-	427	530	644	767	900	1040	-	-	208192	20A
UNEK6210GK	CSR	CV	1/3	-	581	670	665	886	1032	1228	-	-	208194	20A
UNEK6213GK	CSR	CV	1/2	-	734	904	1064	1213	1352	1468	-	-	208196	20A
UNEK6217GK	CSR	CV	1/2	-	741	960	1180	1406	1640	1880	-	-	208198	20A
UNTE220GK	CSR	CV	3/4	-	793	1024	1262	1505	1754	2009	-	-	208204	20A
UNTE222GK	CSR	CV	3/4	-	TBA	TBA	TBA	TBA	TBA	TBA	-	-	208206	20A
UNTE226GK	CSR	CV	1	-	1265	1568	1878	2198	2526	2864	-	-	208202	20A
UNJ6225GK	CSR	CV	1	-	1205	1523	1822	2094	2364	2616	-	-	208140	20A
UNJ6225GS	3ph	CV	1	-	1205	1523	1822	2094	2364	2616	-	-	208200	20A
UNJ6223GK	CSR	CV	1-1/4	-	1467	1855	2219	2550	2879	3186	-	-	208145	20A
UNJ6223GS	3ph	CV	1-1/4	-	1467	1855	2219	2550	2879	3186	-	-	208150	20A
UNJ6238GK	CSR	CV	1-1/2	-	1817	2297	2748	3157	3565	3963	-	-	208155	20A

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, PDF, File, Embraco, Catalogue, r134a, Embraco Condensing Units

Mbsm.pro, PDF, File, Cubigel Katalog, r134a, Huayi, Electrolux, ZEM

Category: Files

written by www.mbsm.pro | 13 February 2022

R134a				HMBP	HBP	50 Hz		R134a compressors compatible with R12															
GREEN COOLING														REFRIGERATION CAPACITY °C									
MODEL	DISPLACEMENT	POWER	APPLICATION	CPR COOLING	VOLTAGE FREQUENCY	MOTOR	STARTING	EXPANSION	COP in W/W 1 W = 0.864 kcal/h = 3.415 BTU/h Evaporating Temperature °C						WEIGHT	DESIGN							
									Cecostat (W)				Ashrae 7-2				Kg						
									-25	-15	5	10	kcal/h	COP									
	cm³	hp																					
GLY45RAa	4.56	1/6	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	71	139	373	1.85	452	385	2.25	9	Lb						
GLY45RAb	4.56	1/6	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	71	139	373	2.12	452	385	2.45	9	Lb						
GLY60RAa	5.98	1/5	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	106	191	486	2.08	586	500	2.36	9.9	Lc						
GLY60RAb	5.98	1/5	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	106	191	486	2.25	586	500	2.60	9.9	Lc						
GLY80RAa	8.10	1/5	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	159	275	681	2.17	819	700	2.50	10.4	Lc						
GLY80RAb	8.10	1/5	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	159	275	681	2.35	819	700	2.71	10.4	Lc						
GLY90RAa	9.09	1/4	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	169	298	748	2.06	901	770	2.37	10.5	Lc						
GLY90RAb	9.09	1/4	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	169	298	748	2.27	901	770	2.61	10.5	Lc						
GLY99RAa (*)	9.95	3/8	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	189	328	814	2.01	972	836	2.31	10.8	Ld						
GLY99RAb (*)	9.95	3/8	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	189	328	814	2.18	972	836	2.49	10.8	Ld						
GPY12RAa	12.10	3/8	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	228	401	993	2.05	1192	1020	2.35	12.6	Pd						
GPY12RAb	12.10	3/8	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	228	401	993	2.24	1192	1020	2.58	12.6	Pd						
GPY14RAa	14.32	3/8	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	296	492	1161	1.98	1386	1190	2.27	12.6	Pd						
GPY14RAb	14.32	3/8	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	296	492	1161	2.18	1386	1190	2.50	12.6	Pd						
GPY16RAa	16.15	3/8	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	315	522	1248	2.20	1490	1351	2.31	12.8	Pd						
GPY16RAb	16.15	3/8	HMBP	F	220-240V 50Hz ~1	CSR	R	C-V	315	522	1248	2.38	1490	1351	2.50	12.8	Pd						

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, PDF, File, Cubigel Katalog, r134a, Huayi, Electrolux, ZEM