

Mbsm.pro, Compressor, BP1072Z,
221CA32, 1/10 Hp, 66W, EMBRACO,
ASPERA, r134A, Lbp, HERMETIC
COMPRESSORS, Oil 200 cc, 220 V/ 60 Hz

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, BP1072Z, 221CA32, 1/10 Hp, 66W, EMBRACO, ASPERA, r134A, Lbp, HERMETIC COMPRESSORS, Oil 200 cc, 220 V/ 60 Hz

Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

Mbsm.pro, Compressor, Samsung, MSV162AL1J/TS, MSV162, MSV162A-L1B, Compressor Inverter, Block DC, 1200/4000 RPM, 70/244 W, 238/834 BTU, Lnb, 1/3 hp, R134A, Blcd

Category: compressor

written by www.mbsm.pro | 2 February 2022



Mbsm.pro, Compressor, Samsung, MSV162AL1J/TS, MSV162, MSV162A-L1B, Compresseur Inverter, Block DC, 1200/4000 RPM, 70/244 W, 238/834 BTU, Lnb, 1/3 hp, R134A, Blcd

Mbsm.pro, Compressor, Tecumseh, TAH4518A, 1.5 Hp, HBp, R12, 440V 3~ 60Hz 400V 3~ 50Hz, 1684 W, 14048 btu

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Tecumseh, TAH4518A, 1.5 Hp, HBp, R12, 440V 3~ 60Hz 400V 3~ 50Hz, 1684 W, 14048 btu

الطريقة الصحيحة والوحيدة لحساب قدرة The Only Correct And Reliable Way To Calculate The Capacity Of TEE Compressors.

Category: Arabe,Chaud&Froid

written by www.mbsm.pro | 2 February 2022



Picture Private Copyright: WWW.MBSMGROUP.TN

Private Picture Copyright: WWW.MBSM.PRO

.. الطريقة الصحيحة والوحيدة لحساب قدرة ضواغط تي
The Only Correct And Reliable
Way To Calculate The Capacity Of TEE Compressors.

Mbsm.pro, Compressor, 4ec-6.2-4os,
6HP, Bitzer Piston Compressor,
4ces-6, Refrigeration Compressor ,
4ec-6.2/4ees-6, Cold Room. R22, R404

Category: compressor

written by www.mbsm.pro | 2 February 2022



Typ 4EC-6.2-40S
S.Nr. 1679004388



ER KÜHLMASCHINENBAU GMBH
Made in E.C.

Anspannung Δ 3Ph~ V Y 3Ph~	Frequ. Hz	Max. Betr. strom		Anlaufstrom		Fördervol. m ³ /h	Drehzahl min
		A(Δ)	A(Y)	A(Δ)	A(Y)		
20-240	50	22,9	13,2	107,7	62,2	22,7	1450
235-290	60	22,9	13,2	107,7	62,2	27,4	1750

IP 65 ND/HD max 19 / 28 bar



Mbsm.pro, Compressor, 4ec-6.2-4os, 6HP, Bitzer Piston Compressor, 4ces-6, Refrigeration Compressor , 4ec-6.2/4ees-6, Cold Room. R22, R404

Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A

Category: compressor

written by www.mbsm.pro | 2 February 2022



Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A

Mbsm.pro, Compressor, AJE4511YTZ , R134a, hbp, TAJ4511Y, R-12/R-409A, lbp, 1HP, 3hp, 400V U.H., CAJ4511A, 1ph, R-12, lbp, 220v

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, AJE4511YTZ , R134a, TAJ4511Y, R-12/R-409A, 1HP, 3hp, 400V U.H., CAJ4511A, 1ph, R-12, 220v

Mbsm.pro, Compressor, R290, 0.110Kg,

SC15CNX.2, Secop, DANFOSS, SC15CNX,
15,28cm³, LBP, 230V, Hermetic piston
compressors, 5/8 Hp, 104h 8568,
104h8568

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, R290, 0.110Kg, SC15CNX, 15,28cm³, LBP, 230V, Hermetic piston compressors, 5/8 Hp, 104h 8568, 104h8568

Mbsm.pro, Daikin, compressor , R22/R407C

Category: compressor

written by www.mbsm.pro | 2 February 2022

3 Model Standard Dimension (Refrigerant R22/R600a)

Model	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)
JT90GAJV1L	9.0	2.6	30800	10000	40.8	13.4	10.0	9.0	2.6	30800	10000	40.8	13.4	10.0
JT95BHHY1L	9.5	2.7	32000	10500	42.4	14.0	10.5	9.5	2.7	32000	10500	42.4	14.0	10.5
JT100GABY1L	10.0	2.8	33200	11000	44.0	14.6	11.0	10.0	2.8	33200	11000	44.0	14.6	11.0

3 Model Standard Dimension (Refrigerant R22)

Model	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)
JTB125GBBY1L	JT125GBBY1L	12.5	3.8	39600	12500	50.0	16.3	12.5	3.8	39600	12500	50.0	16.3	12.5
	JT140G-P4Y1	14.0	4.3	42000	13500	53.6	17.7	14.0	4.3	42000	13500	53.6	17.7	14.0
	JT150GBBY1L	15.0	4.6	43800	14000	56.2	18.5	15.0	4.6	43800	14000	56.2	18.5	15.0
	JT160GBBY1L	16.0	4.9	45600	14500	58.8	19.3	16.0	4.9	45600	14500	58.8	19.3	16.0
	JT170GBBY1L	17.0	5.2	47400	15000	61.4	20.1	17.0	5.2	47400	15000	61.4	20.1	17.0
JTB180GBBY1L	JT180GBBY1L	18.0	5.5	49200	15500	64.0	20.9	18.0	5.5	49200	15500	64.0	20.9	18.0
	JT190GBBY1L	19.0	5.8	51000	16000	66.6	21.7	19.0	5.8	51000	16000	66.6	21.7	19.0
	JT200GBBY1L	20.0	6.1	52800	16500	69.2	22.5	20.0	6.1	52800	16500	69.2	22.5	20.0
	JT210GBBY1L	21.0	6.4	54600	17000	71.8	23.3	21.0	6.4	54600	17000	71.8	23.3	21.0
	JT220GBBY1L	22.0	6.7	56400	17500	74.4	24.1	22.0	6.7	56400	17500	74.4	24.1	22.0
JTB230GBBY1L	JT230GBBY1L	23.0	7.0	58200	18000	77.0	24.9	23.0	7.0	58200	18000	77.0	24.9	23.0
	JT240GBBY1L	24.0	7.3	60000	18500	79.6	25.7	24.0	7.3	60000	18500	79.6	25.7	24.0
	JT250GBBY1L	25.0	7.6	61800	19000	82.2	26.5	25.0	7.6	61800	19000	82.2	26.5	25.0
	JT260GBBY1L	26.0	7.9	63600	19500	84.8	27.3	26.0	7.9	63600	19500	84.8	27.3	26.0
	JT270GBBY1L	27.0	8.2	65400	20000	87.4	28.1	27.0	8.2	65400	20000	87.4	28.1	27.0
JTB280GBBY1L	JT280GBBY1L	28.0	8.5	67200	20500	90.0	28.9	28.0	8.5	67200	20500	90.0	28.9	28.0
	JT290GBBY1L	29.0	8.8	69000	21000	92.6	29.7	29.0	8.8	69000	21000	92.6	29.7	29.0
	JT300GBBY1L	30.0	9.1	70800	21500	95.2	30.5	30.0	9.1	70800	21500	95.2	30.5	30.0
	JT310GBBY1L	31.0	9.4	72600	22000	97.8	31.3	31.0	9.4	72600	22000	97.8	31.3	31.0
	JT320GBBY1L	32.0	9.7	74400	22500	100.4	32.1	32.0	9.7	74400	22500	100.4	32.1	32.0
JTB330GBBY1L	JT330GBBY1L	33.0	10.0	76200	23000	103.0	32.9	33.0	10.0	76200	23000	103.0	32.9	33.0
	JT340GBBY1L	34.0	10.3	78000	23500	105.6	33.7	34.0	10.3	78000	23500	105.6	33.7	34.0
	JT350GBBY1L	35.0	10.6	79800	24000	108.2	34.5	35.0	10.6	79800	24000	108.2	34.5	35.0
	JT360GBBY1L	36.0	10.9	81600	24500	110.8	35.3	36.0	10.9	81600	24500	110.8	35.3	36.0
	JT370GBBY1L	37.0	11.2	83400	25000	113.4	36.1	37.0	11.2	83400	25000	113.4	36.1	37.0
JTB380GBBY1L	JT380GBBY1L	38.0	11.5	85200	25500	116.0	36.9	38.0	11.5	85200	25500	116.0	36.9	38.0
	JT390GBBY1L	39.0	11.8	87000	26000	118.6	37.7	39.0	11.8	87000	26000	118.6	37.7	39.0
	JT400GBBY1L	40.0	12.1	88800	26500	121.2	38.5	40.0	12.1	88800	26500	121.2	38.5	40.0
	JT410GBBY1L	41.0	12.4	90600	27000	123.8	39.3	41.0	12.4	90600	27000	123.8	39.3	41.0
	JT420GBBY1L	42.0	12.7	92400	27500	126.4	40.1	42.0	12.7	92400	27500	126.4	40.1	42.0
JTB430GBBY1L	JT430GBBY1L	43.0	13.0	94200	28000	129.0	40.9	43.0	13.0	94200	28000	129.0	40.9	43.0
	JT440GBBY1L	44.0	13.3	96000	28500	131.6	41.7	44.0	13.3	96000	28500	131.6	41.7	44.0
	JT450GBBY1L	45.0	13.6	97800	29000	134.2	42.5	45.0	13.6	97800	29000	134.2	42.5	45.0
	JT460GBBY1L	46.0	13.9	99600	29500	136.8	43.3	46.0	13.9	99600	29500	136.8	43.3	46.0
	JT470GBBY1L	47.0	14.2	101400	30000	139.4	44.1	47.0	14.2	101400	30000	139.4	44.1	47.0
JTB480GBBY1L	JT480GBBY1L	48.0	14.5	103200	30500	142.0	44.9	48.0	14.5	103200	30500	142.0	44.9	48.0
	JT490GBBY1L	49.0	14.8	105000	31000	144.6	45.7	49.0	14.8	105000	31000	144.6	45.7	49.0
	JT500GBBY1L	50.0	15.1	106800	31500	147.2	46.5	50.0	15.1	106800	31500	147.2	46.5	50.0
	JT510GBBY1L	51.0	15.4	108600	32000	149.8	47.3	51.0	15.4	108600	32000	149.8	47.3	51.0
	JT520GBBY1L	52.0	15.7	110400	32500	152.4	48.1	52.0	15.7	110400	32500	152.4	48.1	52.0
JTB530GBBY1L	JT530GBBY1L	53.0	16.0	112200	33000	155.0	48.9	53.0	16.0	112200	33000	155.0	48.9	53.0
	JT540GBBY1L	54.0	16.3	114000	33500	157.6	49.7	54.0	16.3	114000	33500	157.6	49.7	54.0
	JT550GBBY1L	55.0	16.6	115800	34000	160.2	50.5	55.0	16.6	115800	34000	160.2	50.5	55.0
	JT560GBBY1L	56.0	16.9	117600	34500	162.8	51.3	56.0	16.9	117600	34500	162.8	51.3	56.0
	JT570GBBY1L	57.0	17.2	119400	35000	165.4	52.1	57.0	17.2	119400	35000	165.4	52.1	57.0
JTB580GBBY1L	JT580GBBY1L	58.0	17.5	121200	35500	168.0	52.9	58.0	17.5	121200	35500	168.0	52.9	58.0
	JT590GBBY1L	59.0	17.8	123000	36000	170.6	53.7	59.0	17.8	123000	36000	170.6	53.7	59.0
	JT600GBBY1L	60.0	18.1	124800	36500	173.2	54.5	60.0	18.1	124800	36500	173.2	54.5	60.0
	JT610GBBY1L	61.0	18.4	126600	37000	175.8	55.3	61.0	18.4	126600	37000	175.8	55.3	61.0
	JT620GBBY1L	62.0	18.7	128400	37500	178.4	56.1	62.0	18.7	128400	37500	178.4	56.1	62.0
JTB630GBBY1L	JT630GBBY1L	63.0	19.0	130200	38000	181.0	56.9	63.0	19.0	130200	38000	181.0	56.9	63.0
	JT640GBBY1L	64.0	19.3	132000	38500	183.6	57.7	64.0	19.3	132000	38500	183.6	57.7	64.0
	JT650GBBY1L	65.0	19.6	133800	39000	186.2	58.5	65.0	19.6	133800	39000	186.2	58.5	65.0
	JT660GBBY1L	66.0	19.9	135600	39500	188.8	59.3	66.0	19.9	135600	39500	188.8	59.3	66.0
	JT670GBBY1L	67.0	20.2	137400	40000	191.4	60.1	67.0	20.2	137400	40000	191.4	60.1	67.0
JTB680GBBY1L	JT680GBBY1L	68.0	20.5	139200	40500	194.0	60.9	68.0	20.5	139200	40500	194.0	60.9	68.0
	JT690GBBY1L	69.0	20.8	141000	41000	196.6	61.7	69.0	20.8	141000	41000	196.6	61.7	69.0
	JT700GBBY1L	70.0	21.1	142800	41500	199.2	62.5	70.0	21.1	142800	41500	199.2	62.5	70.0
	JT710GBBY1L	71.0	21.4	144600	42000	201.8	63.3	71.0	21.4	144600	42000	201.8	63.3	71.0
	JT720GBBY1L	72.0	21.7	146400	42500	204.4	64.1	72.0	21.7	146400	42500	204.4	64.1	72.0
JTB730GBBY1L	JT730GBBY1L	73.0	22.0	148200	43000	207.0	64.9	73.0	22.0	148200	43000	207.0	64.9	73.0
	JT740GBBY1L	74.0	22.3	150000	43500	209.6	65.7	74.0	22.3	150000	43500	209.6	65.7	74.0
	JT750GBBY1L	75.0	22.6	151800	44000	212.2	66.5	75.0	22.6	151800	44000	212.2	66.5	75.0
	JT760GBBY1L	76.0	22.9	153600	44500	214.8	67.3	76.0	22.9	153600	44500	214.8	67.3	76.0
	JT770GBBY1L	77.0	23.2	155400	45000	217.4	68.1	77.0	23.2	155400	45000	217.4	68.1	77.0
JTB780GBBY1L	JT780GBBY1L	78.0	23.5	157200	45500	220.0	68.9	78.0	23.5	157200	45500	220.0	68.9	78.0
	JT790GBBY1L	79.0	23.8	159000	46000	222.6	69.7	79.0	23.8	159000	46000	222.6	69.7	79.0
	JT800GBBY1L	80.0	24.1	160800	46500	225.2	70.5	80.0	24.1	160800	46500	225.2	70.5	80.0
	JT810GBBY1L	81.0	24.4	162600	47000	227.8	71.3	81.0	24.4	162600	47000	227.8	71.3	81.0
	JT820GBBY1L	82.0	24.7	164400	47500	230.4	72.1	82.0	24.7	164400	47500	230.4	72.1	82.0
JTB830GBBY1L	JT830GBBY1L	83.0	25.0	166200	48000	233.0	72.9	83.0	25.0	166200	48000	233.0	72.9	83.0
	JT840GBBY1L	84.0	25.3	168000	48500	235.6	73.7	84.0	25.3	168000	48500	235.6	73.7	84.0
	JT850GBBY1L	85.0	25.6	169800	49000	238.2	74.5	85.0	25.6	169800	49000	238.2	74.5	85.0
	JT860GBBY1L	86.0	25.9	171600	49500	240.8	75.3	86.0	25.9	171600	49500	240.8	75.3	86.0
	JT870GBBY1L	87.0	26.2	173400	50000	243.4	76.1	87.0	26.2	173400	50000	243.4	76.1	87.0
JTB880GBBY1L	JT880GBBY1L	88.0	26.5	175200	50500	246.0	76.9	88.0	26.5	175200	50500	246.0	76.9	88.0
	JT890GBBY1L	89.0	26.8	177000	51000	248.6	77.7	89.0	26.8	177000	51000	248.6	77.7	89.0
	JT900GBBY1L	90.0	27.1	178800	51500	251.2	78.5	90.0	27.1	178800	51500	251.2	78.5	90.0
	JT910GBBY1L	91.0	27.4	180600	52000	253.8	79.3	91.0	27.4	180600	52000	253.8	79.3	91.0
	JT920GBBY1L	92.0	27.7	182400	52500	256.4	80.1	92.0	27.7	182400	52500	256.4	80.1	92.0
JTB930GBBY1L	JT930GBBY1L	93.0	28.0	184200	53000	259.0	80.9	93.0	28.0	184200	53000	259.0	80.9	93.0
	JT940GBBY1L	94.0	28.3	186000	53500	261.6	81.7	94.0	28.3	186000	53500	261.6	81.7	94.0
	JT950GBBY1L	95.0	28.6	187800	54000	264.2	82.5	95.0	28.6	187800	54000	264.2	82.5	95.0
	JT960GBBY1L	96.0	28.9	189600	54500	266.8	83.3	96.0	28.9	189600	54500	266.8	83.3	96.0
	JT970GBBY1L	97.0	29.2	191400	55000	269.4	84.1	97.0	29.2	191400	55000	269.4	84.1	97.0
JTB980GBBY1L	JT980GBBY1L	98.0												

JT150BCBY1L JT150BK-YE JT160BCBY1L JT170GABY1L JT170FDKYE JT300D-YE JT300D-P1YE
JT300D-YE @ JT315D-Y1L JT335D-Y1L JT100BHVYE JT100BHV JT100BCBV1L JT100GABV1L
2YC45BXD 2YC45JXD 2YC45BXD 1GDY23AXD 2YC32VXD JT1FCVDKTYR JT1GCVDKYR 6T55TAC5YE
6T55WAC5YE JT170G-K1YE JT170G-KYE@BA etc. Mainly used for refrigeration
equipment such as air conditioners. Varieties ***, ***, ***, service is
exhausted, welcome to call to discuss!

Daikin Compressor Features: JT170G-K1YE JT170G-KYE@BA

Daikin Compressor Features: Small and light. High reliability and easy to use.

?Due to the small diameter and slenderness of the compressor cylinder, it
provides a good choice for the small and lightweight outdoor unit.

?In order to save the flexibility of space and location design, a new model with
three-legged chassis is added on the basis of the original four-legged
chassis. Give users more choices.

?The number of compressor parts is small and the reliability is high.

?Compressors can withstand the most brutal tests of heat pump systems.

?Only the protection device of the motor in the compressor is built-in, and
other protections are matched by the system. This allows system designers to set
protections in the system as needed, allowing product designers to better
control the compressors used.

JT300DJT160B-NYE JT160B-NFYE New original Daikin marine air conditioner
refrigeration equipment compressor A-Y1L JT335DA-Y1L New original Daikin
compressor R407CJT100BDVTYE JT100FBVD JT100FAVD New original Daikin inverter air
conditioner compressor JT170G-K1YE JT170FDKYE JT170FBKYE New original Daikin air
conditioner compressor Machine JT160BCBY1L JT160GABY1L Original Daikin 5 HP
Central Air Conditioning Compressor VRV3 generation RHXYQ14PY1 inverter
compressor original new JT160GAJY1L Daikin 5 hp central air conditioning
compressor three feet return air pipe upward R22 original 12 hp JT335D-P1YE
JT300D-P1YE Daikin central air conditioning compressor 10 hp JT315D
Original 5 HP JT160GABY1L JT170GABY1L Daikin Air Conditioning Compressor Heat
Pump Straight Tube Daikin Parallel Compressor JT300DA-YE Daikin 10P12 HP Air
Conditioning Compressor R40JT100FBVD JT100BHV JT100G-VDL@S Original Daikin
Inverter Air Conditioning Refrigeration Compressor JT140G-P4Y1@K Brand New
Original 5 Daikin Fixed Frequency Air Conditioning Compressor R410A 3 Foot
Daikin 5P JT160BCBY1L Panasonic C-SB373H8A Air Conditioning Air Energy Heat Pump
Compressor C-SB453



Private Picture Copyright : WWW.MBSM.PRO