

Mbsm.pro, Compressor, BP1072Z,  
221CA32, 1/10 Hp, 66W, EMBRACO,  
ASPERA, r134A, Lbp, HERMETIC  
COMPRESSORS, Oil 200 cc, 220 V/ 60 Hz

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 February 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, BP1072Z, 221CA32, 1/10 Hp, 66W, EMBRACO, ASPERA, r134A, Lbp, HERMETIC COMPRESSORS, Oil 200 cc, 220 V/ 60 Hz

# Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 February 2022



Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

# Mbsm.pro, Compressor, Samsung, MSV162AL1J/TS, MSV162, MSV162A-L1B, Compressor Inverter, Block DC, 1200/4000 RPM, 70/244 W, 238/834 BTU, Lnb, 1/3 hp, R134A, Blcd

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 February 2022



**SAMSUNG** MSV162A-1J TB2  
160-260V-60-200Hz  
RoHS Compliance  
THERMALLY PROTECTED  
4173C3CHA03887  
MADE IN KOREA

Mbsm.pro, Compressor, Samsung, MSV162AL1J/TS, MSV162, MSV162A-L1B, Compresseur Inverter, Block DC, 1200/4000 RPM, 70/244 W, 238/834 BTU, Lnb, 1/3 hp, R134A, Blcd

---

## Mbsm.pro, Compressor, Tecumseh, TAH4518A, 1.5 Hp, HBp, R12, 440V 3~ 60Hz 400V 3~ 50Hz, 1684 W, 14048 btu

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 February 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Tecumseh, TAH4518A, 1.5 Hp, HBp, R12, 440V 3~ 60Hz 400V 3~ 50Hz, 1684 W, 14048 btu

# الطريقة الصحيحة والوحيدة لحساب قدرة تي . The Only Correct And Reliable Way To Calculate The Capacity Of TEE Compressors.

Category: Arabe,Chaud&Froid

written by www.mbsm.pro | 2 February 2022



Picture Private Copyright: [WWW.MBSMGROUP.TN](http://WWW.MBSMGROUP.TN)

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

تي . The Only Correct And Reliable  
Way To Calculate The Capacity Of TEE Compressors.

Mbsm.pro, Compressor, 4ec-6.2-4os,  
6HP, Bitzer Piston Compressor,  
4ces-6, Refrigeration Compressor ,  
4ec-6.2/4ees-6, Cold Room. R22, R404

Category: compressor

written by www.mbsm.pro | 2 February 2022



Typ 4EC-6.2-40S  
 S.Nr. 1679004388



ER KÜHLMASCHINENBAU GMBH  
 Made in E.C.

Anspannung	Frequ.	Max. Betr. strom		Anlaufstrom		Fördervol. m³/h	Drehzahl min	
		A(Δ)	A(Y)	A(Δ)	A(Y)			
Δ 3Ph- / V Y 3Ph-	Hz	A(Δ)	A(Y)	A(Δ)	A(Y)			
20-240	380-420	50	22,9	13,2	107,7	62,2	22,7	1450
265-290	440-480	60	22,9	13,2	107,7	62,2	27,4	1750

IP 65 ND/HD max 19 / 28 bar



Mbsm.pro, Compressor, 4ec-6.2-4os, 6HP, Bitzer Piston Compressor, 4ces-6, Refrigeration Compressor , 4ec-6.2/4ees-6, Cold Room. R22, R404

---

**Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A**

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 February 2022





Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A

---

Mbsm.pro, Compressor, AJE4511YTZ , R134a, hbp, TAJ4511Y, R-12/R-409A, lbp, 1HP, 3hp, 400V U.H., CAJ4511A, 1ph, R-12, lbp, 220v

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 February 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, AJE4511YTZ , R134a, TAJ4511Y, R-12/R-409A, 1HP, 3hp, 400V U.H., CAJ4511A, 1ph, R-12, 220v

---

Mbsm.pro, Compressor, R290, 0.110Kg,

SC15CNX.2, Secop, DANFOSS, SC15CNX,  
15,28cm<sup>3</sup>, LBP, 230V, Hermetic piston  
compressors, 5/8 Hp, 104h 8568,  
104h8568

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 February 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, R290, 0.110Kg, SC15CNX, 15,28cm<sup>3</sup>, LBP, 230V, Hermetic piston compressors, 5/8 Hp, 104h 8568, 104h8568

# Mbsm.pro, Daikin, compressor , R22/R407C

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 February 2022

High Performance Scroll

© 2010. Standard Conditions: Refrigerant R22 (R685C)

Capacity (kW)	Capacity (hp)	Capacity (ton)	Capacity (ton)	Capacity (ton)	Capacity (ton)
10	14	28	28	28	28
15	21	42	42	42	42
20	28	56	56	56	56
25	35	70	70	70	70

© 2010. Standard Conditions: Refrigerant R410A (R685C)

Model	Capacity (kW)	Capacity (hp)	Capacity (ton)	Evaporator		Condenser		Efficiency	Capacity (kW)	Capacity (hp)	Capacity (ton)
				Area (m²)	Pressure (kPa)	Area (m²)	Pressure (kPa)				
JT90GAJV1L	10	14	28	1.5	500	1.5	500	0.8	10	14	28
	15	21	42	2.2	500	2.2	500	0.8	15	21	42
	20	28	56	3.0	500	3.0	500	0.8	20	28	56
	25	35	70	3.8	500	3.8	500	0.8	25	35	70
JT95BHB1L	10	14	28	1.5	500	1.5	500	0.8	10	14	28
	15	21	42	2.2	500	2.2	500	0.8	15	21	42
	20	28	56	3.0	500	3.0	500	0.8	20	28	56
	25	35	70	3.8	500	3.8	500	0.8	25	35	70
JT125GGBY1L	10	14	28	1.5	500	1.5	500	0.8	10	14	28
	15	21	42	2.2	500	2.2	500	0.8	15	21	42
	20	28	56	3.0	500	3.0	500	0.8	20	28	56
	25	35	70	3.8	500	3.8	500	0.8	25	35	70
JT125GGBY1L	10	14	28	1.5	500	1.5	500	0.8	10	14	28
	15	21	42	2.2	500	2.2	500	0.8	15	21	42
	20	28	56	3.0	500	3.0	500	0.8	20	28	56
	25	35	70	3.8	500	3.8	500	0.8	25	35	70
JT140G-P4Y1 @ K	10	14	28	1.5	500	1.5	500	0.8	10	14	28
	15	21	42	2.2	500	2.2	500	0.8	15	21	42
	20	28	56	3.0	500	3.0	500	0.8	20	28	56
	25	35	70	3.8	500	3.8	500	0.8	25	35	70

Refrigerant		Capacity (kW)		Capacity (hp)		Capacity (ton)	
R410A	R22	10	15	14	21	28	42

© 2010. Standard Conditions: Refrigerant R410A (R685C)

Model	Capacity (kW)	Capacity (hp)	Capacity (ton)	Evaporator		Condenser		Efficiency	Capacity (kW)	Capacity (hp)	Capacity (ton)
				Area (m²)	Pressure (kPa)	Area (m²)	Pressure (kPa)				
JT90GAJV1L	10	14	28	1.5	500	1.5	500	0.8	10	14	28
	15	21	42	2.2	500	2.2	500	0.8	15	21	42
	20	28	56	3.0	500	3.0	500	0.8	20	28	56
	25	35	70	3.8	500	3.8	500	0.8	25	35	70
JT95BHB1L	10	14	28	1.5	500	1.5	500	0.8	10	14	28
	15	21	42	2.2	500	2.2	500	0.8	15	21	42
	20	28	56	3.0	500	3.0	500	0.8	20	28	56
	25	35	70	3.8	500	3.8	500	0.8	25	35	70
JT125GGBY1L	10	14	28	1.5	500	1.5	500	0.8	10	14	28
	15	21	42	2.2	500	2.2	500	0.8	15	21	42
	20	28	56	3.0	500	3.0	500	0.8	20	28	56
	25	35	70	3.8	500	3.8	500	0.8	25	35	70
JT125GGBY1L	10	14	28	1.5	500	1.5	500	0.8	10	14	28
	15	21	42	2.2	500	2.2	500	0.8	15	21	42
	20	28	56	3.0	500	3.0	500	0.8	20	28	56
	25	35	70	3.8	500	3.8	500	0.8	25	35	70
JT140G-P4Y1 @ K	10	14	28	1.5	500	1.5	500	0.8	10	14	28
	15	21	42	2.2	500	2.2	500	0.8	15	21	42
	20	28	56	3.0	500	3.0	500	0.8	20	28	56
	25	35	70	3.8	500	3.8	500	0.8	25	35	70

Refrigerant		Capacity (kW)		Capacity (hp)		Capacity (ton)	
R410A	R22	10	15	14	21	28	42

© 2010. Standard Conditions: Refrigerant R410A (R685C)

Model	Capacity (kW)	Capacity (hp)	Capacity (ton)	Evaporator		Condenser		Efficiency	Capacity (kW)	Capacity (hp)	Capacity (ton)
				Area (m²)	Pressure (kPa)	Area (m²)	Pressure (kPa)				
JT90GAJV1L	10	14	28	1.5	500	1.5	500	0.8	10	14	28
	15	21	42	2.2	500	2.2	500	0.8	15	21	42
	20	28	56	3.0	500	3.0	500	0.8	20	28	56
	25	35	70	3.8	500	3.8	500	0.8	25	35	70
JT95BHB1L	10	14	28	1.5	500	1.5	500	0.8	10	14	28
	15	21	42	2.2	500	2.2	500	0.8	15	21	42
	20	28	56	3.0	500	3.0	500	0.8	20	28	56
	25	35	70	3.8	500	3.8	500	0.8	25	35	70
JT125GGBY1L	10	14	28	1.5	500	1.5	500	0.8	10	14	28
	15	21	42	2.2	500	2.2	500	0.8	15	21	42
	20	28	56	3.0	500	3.0	500	0.8	20	28	56
	25	35	70	3.8	500	3.8	500	0.8	25	35	70
JT125GGBY1L	10	14	28	1.5	500	1.5	500	0.8	10	14	28
	15	21	42	2.2	500	2.2	500	0.8	15	21	42
	20	28	56	3.0	500	3.0	500	0.8	20	28	56
	25	35	70	3.8	500	3.8	500	0.8	25	35	70
JT140G-P4Y1 @ K	10	14	28	1.5	500	1.5	500	0.8	10	14	28
	15	21	42	2.2	500	2.2	500	0.8	15	21	42
	20	28	56	3.0	500	3.0	500	0.8	20	28	56
	25	35	70	3.8	500	3.8	500	0.8	25	35	70

Refrigerant		Capacity (kW)		Capacity (hp)		Capacity (ton)	
R410A	R22	10	15	14	21	28	42

JT90GAJV1L JT95BHB1L JT125GGBY1L JT125GGBY1L JT125G-YE @ K JT140G-P4Y1 @ K



JT150BCBY1L JT150BK-YE JT160BCBY1L JT170GABY1L JT170FDKYE JT300D-YE JT300D-P1YE  
JT300D-YE @ JT315D-Y1L JT335D-Y1L JT100BHVE JT100BHV JT100BCBV1L JT100GABV1L  
2YC45BXD 2YC45JXD 2YC45BXD 1GDY23AXD 2YC32VXD JT1FCVDKTYR JT1GCVDKYR 6T55TAC5YE  
6T55WAC5YE JT170G-K1YE JT170G-KYE@BA etc. Mainly used for refrigeration  
equipment such as air conditioners. Varieties \*\*\*, \*\*\*, \*\*\*, service is  
exhausted, welcome to call to discuss!

Daikin Compressor Features: JT170G-K1YE JT170G-KYE@BA

Daikin Compressor Features: Small and light. High reliability and easy to use.

?Due to the small diameter and slenderness of the compressor cylinder, it  
provides a good choice for the small and lightweight outdoor unit.

?In order to save the flexibility of space and location design, a new model with  
three-legged chassis is added on the basis of the original four-legged  
chassis. Give users more choices.

?The number of compressor parts is small and the reliability is high.

?Compressors can withstand the most brutal tests of heat pump systems.

?Only the protection device of the motor in the compressor is built-in, and  
other protections are matched by the system. This allows system designers to set  
protections in the system as needed, allowing product designers to better  
control the compressors used.

JT300DJT160B-NYE JT160B-NFYE New original Daikin marine air conditioner  
refrigeration equipment compressor A-Y1L JT335DA-Y1L New original Daikin  
compressor R407CJT100BDVTE JT100FBVD JT100FAVD New original Daikin inverter air  
conditioner compressor JT170G-K1YE JT170FDKYE JT170FBKYE New original Daikin air  
conditioner compressor Machine JT160BCBY1L JT160GABY1L Original Daikin 5 HP  
Central Air Conditioning Compressor VRV3 generation RHXQ14PY1 inverter  
compressor original new JT160GAJY1L Daikin 5 hp central air conditioning  
compressor three feet return air pipe upward R22 original 12 hp JT335D-P1YE  
JT300D-P1YE Daikin central air conditioning compressor 10 hp JT315D  
Original 5 HP JT160GABY1L JT170GABY1L Daikin Air Conditioning Compressor Heat  
Pump Straight Tube Daikin Parallel Compressor JT300DA-YE Daikin 10P12 HP Air  
Conditioning Compressor R40JT100FBVD JT100BHV JT100G-VDL@S Original Daikin  
Inverter Air Conditioning Refrigeration Compressor JT140G-P4Y1@K Brand New  
Original 5 Daikin Fixed Frequency Air Conditioning Compressor R410A 3 Foot  
Daikin 5P JT160BCBY1L Panasonic C-SB373H8A Air Conditioning Air Energy Heat Pump  
Compressor C-SB453



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)