

Mbsm.pro, Compressor, BP1072Z,
221CA32, 1/10 Hp, 66W, EMBRACO,
ASPERA, r134A, Lbp, HERMETIC
COMPRESSORS, Oil 200 cc, 220 V/ 60 Hz

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, BP1072Z, 221CA32, 1/10 Hp, 66W, EMBRACO, ASPERA, r134A, Lbp, HERMETIC COMPRESSORS, Oil 200 cc, 220 V/ 60 Hz

Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

Mbsm.pro, Compressor, Samsung, MSV162AL1J/TS, MSV162, MSV162A-L1B, Compressor Inverter, Block DC, 1200/4000 RPM, 70/244 W, 238/834 BTU, Lnb, 1/3 hp, R134A, Blcd

Category: compressor

written by www.mbsm.pro | 2 February 2022



Mbsm.pro, Compressor, Samsung, MSV162AL1J/TS, MSV162, MSV162A-L1B, Compresseur Inverter, Block DC, 1200/4000 RPM, 70/244 W, 238/834 BTU, Lnb, 1/3 hp, R134A, Blcd

Mbsm.pro, Compressor, Tecumseh, TAH4518A, 1.5 Hp, HBp, R12, 440V 3~ 60Hz 400V 3~ 50Hz, 1684 W, 14048 btu

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Tecumseh, TAH4518A, 1.5 Hp, HBp, R12, 440V 3~ 60Hz 400V 3~ 50Hz, 1684 W, 14048 btu

الطريقة الصحيحة والوحيدة لحساب قدرة The Only Correct And Reliable Way To Calculate The Capacity Of TEE Compressors.

Category: Arabe,Chaud&Froid

written by www.mbsm.pro | 2 February 2022



Picture Private Copyright: WWW.MBSMGROUP.TN

Private Picture Copyright: WWW.MBSM.PRO

.. الطريقة الصحيحة والوحيدة لحساب قدرة ضواغط تي
The Only Correct And Reliable
Way To Calculate The Capacity Of TEE Compressors.

Mbsm.pro, Compressor, 4ec-6.2-4os,
6HP, Bitzer Piston Compressor,
4ces-6, Refrigeration Compressor ,
4ec-6.2/4ees-6, Cold Room. R22, R404

Category: compressor

written by www.mbsm.pro | 2 February 2022



Typ 4EC-6.2-40S
S.Nr. 1679004388



ER KÜHLMASCHINENBAU GMBH
Made in E.C.

ER KÜHLMASCHINENBAU GMBH									
Made in E.C.									
Anspannung		Frequ.	Max. Betr. strom		Anlaufstrom		Fördervol.	Drehzahl	
Δ 3Ph~ V Y 3Ph~		Hz	A(Δ)	A(Y)	A(Δ)	A(Y)	m³/h	min	
20-240	380-420	50	22,9	13,2	107,7	62,2	22,7	1450	
265-290	440-480	60	22,9	13,2	107,7	62,2	27,4	1750	
IP 65		ND/HD max		19 / 28 bar					



Mbsm.pro, Compressor, 4ec-6.2-4os, 6HP, Bitzer Piston Compressor, 4ces-6, Refrigeration Compressor , 4ec-6.2/4ees-6, Cold Room. R22, R404

Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A

Category: compressor

written by www.mbsm.pro | 2 February 2022



Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A

Mbsm.pro, Compressor, AJE4511YTZ , R134a, hbp, TAJ4511Y, R-12/R-409A, lbp, 1HP, 3hp, 400V U.H., CAJ4511A, 1ph, R-12, lbp, 220v

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, AJE4511YTZ , R134a, TAJ4511Y, R-12/R-409A, 1HP, 3hp, 400V U.H., CAJ4511A, 1ph, R-12, 220v

Mbsm.pro, Compressor, R290, 0.110Kg,

SC15CNX.2, Secop, DANFOSS, SC15CNX,
15,28cm³, LBP, 230V, Hermetic piston
compressors, 5/8 Hp, 104h 8568,
104h8568

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, R290, 0.110Kg, SC15CNX, 15,28cm³, LBP, 230V, Hermetic piston compressors, 5/8 Hp, 104h 8568, 104h8568

Mbsm.pro, Daikin, compressor , R22/R407C

Category: compressor

written by www.mbsm.pro | 2 February 2022

3 Model Standard Dimension (Refrigerant R22/R600a)

Model	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)
JT90GAJV1L	9.0	2.6	31000	10000	12.5	9.0	9.0	9.0	2.6	31000	10000	12.5	9.0	9.0
JT95BHHY1L	9.5	2.7	32000	10500	13.0	9.5	9.5	9.5	2.7	32000	10500	13.0	9.5	9.5
JT100GAPV1L	10.0	2.8	33000	11000	13.5	10.0	10.0	10.0	2.8	33000	11000	13.5	10.0	10.0

4 Model Standard Dimension (Refrigerant R22)

Model	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)
JTB125GBBY1L	JT125GBBY1L	12.5	3.8	38000	12000	16.0	12.5	12.5	3.8	38000	12000	16.0	12.5	12.5
	JT140GAPV1L	14.0	4.2	42000	13000	17.5	14.0	14.0	4.2	42000	13000	17.5	14.0	14.0
	JT150GBBY1L	15.0	4.5	45000	14000	18.5	15.0	15.0	4.5	45000	14000	18.5	15.0	15.0
	JT160GBBY1L	16.0	4.8	48000	15000	19.5	16.0	16.0	4.8	48000	15000	19.5	16.0	16.0
	JT170GBBY1L	17.0	5.1	51000	16000	20.5	17.0	17.0	5.1	51000	16000	20.5	17.0	17.0
JTB180GBBY1L	JT180GBBY1L	18.0	5.4	54000	17000	21.5	18.0	18.0	5.4	54000	17000	21.5	18.0	18.0
	JT190GBBY1L	19.0	5.7	57000	18000	22.5	19.0	19.0	5.7	57000	18000	22.5	19.0	19.0
	JT200GBBY1L	20.0	6.0	60000	19000	23.5	20.0	20.0	6.0	60000	19000	23.5	20.0	20.0
	JT210GBBY1L	21.0	6.3	63000	20000	24.5	21.0	21.0	6.3	63000	20000	24.5	21.0	21.0
	JT220GBBY1L	22.0	6.6	66000	21000	25.5	22.0	22.0	6.6	66000	21000	25.5	22.0	22.0
JTB230GBBY1L	JT230GBBY1L	23.0	6.9	69000	22000	26.5	23.0	23.0	6.9	69000	22000	26.5	23.0	23.0
	JT240GBBY1L	24.0	7.2	72000	23000	27.5	24.0	24.0	7.2	72000	23000	27.5	24.0	24.0
	JT250GBBY1L	25.0	7.5	75000	24000	28.5	25.0	25.0	7.5	75000	24000	28.5	25.0	25.0
	JT260GBBY1L	26.0	7.8	78000	25000	29.5	26.0	26.0	7.8	78000	25000	29.5	26.0	26.0
	JT270GBBY1L	27.0	8.1	81000	26000	30.5	27.0	27.0	8.1	81000	26000	30.5	27.0	27.0
JTB280GBBY1L	JT280GBBY1L	28.0	8.4	84000	27000	31.5	28.0	28.0	8.4	84000	27000	31.5	28.0	28.0
	JT290GBBY1L	29.0	8.7	87000	28000	32.5	29.0	29.0	8.7	87000	28000	32.5	29.0	29.0
	JT300GBBY1L	30.0	9.0	90000	29000	33.5	30.0	30.0	9.0	90000	29000	33.5	30.0	30.0
	JT310GBBY1L	31.0	9.3	93000	30000	34.5	31.0	31.0	9.3	93000	30000	34.5	31.0	31.0
	JT320GBBY1L	32.0	9.6	96000	31000	35.5	32.0	32.0	9.6	96000	31000	35.5	32.0	32.0
JTB330GBBY1L	JT330GBBY1L	33.0	9.9	99000	32000	36.5	33.0	33.0	9.9	99000	32000	36.5	33.0	33.0
	JT340GBBY1L	34.0	10.2	102000	33000	37.5	34.0	34.0	10.2	102000	33000	37.5	34.0	34.0
	JT350GBBY1L	35.0	10.5	105000	34000	38.5	35.0	35.0	10.5	105000	34000	38.5	35.0	35.0
	JT360GBBY1L	36.0	10.8	108000	35000	39.5	36.0	36.0	10.8	108000	35000	39.5	36.0	36.0
	JT370GBBY1L	37.0	11.1	111000	36000	40.5	37.0	37.0	11.1	111000	36000	40.5	37.0	37.0
JTB380GBBY1L	JT380GBBY1L	38.0	11.4	114000	37000	41.5	38.0	38.0	11.4	114000	37000	41.5	38.0	38.0
	JT390GBBY1L	39.0	11.7	117000	38000	42.5	39.0	39.0	11.7	117000	38000	42.5	39.0	39.0
	JT400GBBY1L	40.0	12.0	120000	39000	43.5	40.0	40.0	12.0	120000	39000	43.5	40.0	40.0
	JT410GBBY1L	41.0	12.3	123000	40000	44.5	41.0	41.0	12.3	123000	40000	44.5	41.0	41.0
	JT420GBBY1L	42.0	12.6	126000	41000	45.5	42.0	42.0	12.6	126000	41000	45.5	42.0	42.0
JTB430GBBY1L	JT430GBBY1L	43.0	12.9	129000	42000	46.5	43.0	43.0	12.9	129000	42000	46.5	43.0	43.0
	JT440GBBY1L	44.0	13.2	132000	43000	47.5	44.0	44.0	13.2	132000	43000	47.5	44.0	44.0
	JT450GBBY1L	45.0	13.5	135000	44000	48.5	45.0	45.0	13.5	135000	44000	48.5	45.0	45.0
	JT460GBBY1L	46.0	13.8	138000	45000	49.5	46.0	46.0	13.8	138000	45000	49.5	46.0	46.0
	JT470GBBY1L	47.0	14.1	141000	46000	50.5	47.0	47.0	14.1	141000	46000	50.5	47.0	47.0
JTB480GBBY1L	JT480GBBY1L	48.0	14.4	144000	47000	51.5	48.0	48.0	14.4	144000	47000	51.5	48.0	48.0
	JT490GBBY1L	49.0	14.7	147000	48000	52.5	49.0	49.0	14.7	147000	48000	52.5	49.0	49.0
	JT500GBBY1L	50.0	15.0	150000	49000	53.5	50.0	50.0	15.0	150000	49000	53.5	50.0	50.0
	JT510GBBY1L	51.0	15.3	153000	50000	54.5	51.0	51.0	15.3	153000	50000	54.5	51.0	51.0
	JT520GBBY1L	52.0	15.6	156000	51000	55.5	52.0	52.0	15.6	156000	51000	55.5	52.0	52.0
JTB530GBBY1L	JT530GBBY1L	53.0	15.9	159000	52000	56.5	53.0	53.0	15.9	159000	52000	56.5	53.0	53.0
	JT540GBBY1L	54.0	16.2	162000	53000	57.5	54.0	54.0	16.2	162000	53000	57.5	54.0	54.0
	JT550GBBY1L	55.0	16.5	165000	54000	58.5	55.0	55.0	16.5	165000	54000	58.5	55.0	55.0
	JT560GBBY1L	56.0	16.8	168000	55000	59.5	56.0	56.0	16.8	168000	55000	59.5	56.0	56.0
	JT570GBBY1L	57.0	17.1	171000	56000	60.5	57.0	57.0	17.1	171000	56000	60.5	57.0	57.0
JTB580GBBY1L	JT580GBBY1L	58.0	17.4	174000	57000	61.5	58.0	58.0	17.4	174000	57000	61.5	58.0	58.0
	JT590GBBY1L	59.0	17.7	177000	58000	62.5	59.0	59.0	17.7	177000	58000	62.5	59.0	59.0
	JT600GBBY1L	60.0	18.0	180000	59000	63.5	60.0	60.0	18.0	180000	59000	63.5	60.0	60.0
	JT610GBBY1L	61.0	18.3	183000	60000	64.5	61.0	61.0	18.3	183000	60000	64.5	61.0	61.0
	JT620GBBY1L	62.0	18.6	186000	61000	65.5	62.0	62.0	18.6	186000	61000	65.5	62.0	62.0
JTB630GBBY1L	JT630GBBY1L	63.0	18.9	189000	62000	66.5	63.0	63.0	18.9	189000	62000	66.5	63.0	63.0
	JT640GBBY1L	64.0	19.2	192000	63000	67.5	64.0	64.0	19.2	192000	63000	67.5	64.0	64.0
	JT650GBBY1L	65.0	19.5	195000	64000	68.5	65.0	65.0	19.5	195000	64000	68.5	65.0	65.0
	JT660GBBY1L	66.0	19.8	198000	65000	69.5	66.0	66.0	19.8	198000	65000	69.5	66.0	66.0
	JT670GBBY1L	67.0	20.1	201000	66000	70.5	67.0	67.0	20.1	201000	66000	70.5	67.0	67.0
JTB680GBBY1L	JT680GBBY1L	68.0	20.4	204000	67000	71.5	68.0	68.0	20.4	204000	67000	71.5	68.0	68.0
	JT690GBBY1L	69.0	20.7	207000	68000	72.5	69.0	69.0	20.7	207000	68000	72.5	69.0	69.0
	JT700GBBY1L	70.0	21.0	210000	69000	73.5	70.0	70.0	21.0	210000	69000	73.5	70.0	70.0
	JT710GBBY1L	71.0	21.3	213000	70000	74.5	71.0	71.0	21.3	213000	70000	74.5	71.0	71.0
	JT720GBBY1L	72.0	21.6	216000	71000	75.5	72.0	72.0	21.6	216000	71000	75.5	72.0	72.0
JTB730GBBY1L	JT730GBBY1L	73.0	21.9	219000	72000	76.5	73.0	73.0	21.9	219000	72000	76.5	73.0	73.0
	JT740GBBY1L	74.0	22.2	222000	73000	77.5	74.0	74.0	22.2	222000	73000	77.5	74.0	74.0
	JT750GBBY1L	75.0	22.5	225000	74000	78.5	75.0	75.0	22.5	225000	74000	78.5	75.0	75.0
	JT760GBBY1L	76.0	22.8	228000	75000	79.5	76.0	76.0	22.8	228000	75000	79.5	76.0	76.0
	JT770GBBY1L	77.0	23.1	231000	76000	80.5	77.0	77.0	23.1	231000	76000	80.5	77.0	77.0
JTB780GBBY1L	JT780GBBY1L	78.0	23.4	234000	77000	81.5	78.0	78.0	23.4	234000	77000	81.5	78.0	78.0
	JT790GBBY1L	79.0	23.7	237000	78000	82.5	79.0	79.0	23.7	237000	78000	82.5	79.0	79.0
	JT800GBBY1L	80.0	24.0	240000	79000	83.5	80.0	80.0	24.0	240000	79000	83.5	80.0	80.0
	JT810GBBY1L	81.0	24.3	243000	80000	84.5	81.0	81.0	24.3	243000	80000	84.5	81.0	81.0
	JT820GBBY1L	82.0	24.6	246000	81000	85.5	82.0	82.0	24.6	246000	81000	85.5	82.0	82.0
JTB830GBBY1L	JT830GBBY1L	83.0	24.9	249000	82000	86.5	83.0	83.0	24.9	249000	82000	86.5	83.0	83.0
	JT840GBBY1L	84.0	25.2	252000	83000	87.5	84.0	84.0	25.2	252000	83000	87.5	84.0	84.0
	JT850GBBY1L	85.0	25.5	255000	84000	88.5	85.0	85.0	25.5	255000	84000	88.5	85.0	85.0
	JT860GBBY1L	86.0	25.8	258000	85000	89.5	86.0	86.0	25.8	258000	85000	89.5	86.0	86.0
	JT870GBBY1L	87.0	26.1	261000	86000	90.5	87.0	87.0	26.1	261000	86000	90.5	87.0	87.0
JTB880GBBY1L	JT880GBBY1L	88.0	26.4	264000	87000	91.5	88.0	88.0	26.4	264000	87000	91.5	88.0	88.0
	JT890GBBY1L	89.0	26.7	267000	88000	92.5	89.0	89.0	26.7	267000	88000	92.5	89.0	89.0
	JT900GBBY1L	90.0	27.0	270000	89000	93.5	90.0	90.0	27.0	270000	89000	93.5	9	

JT150BCBY1L JT150BK-YE JT160BCBY1L JT170GABY1L JT170FDKYE JT300D-YE JT300D-P1YE
JT300D-YE @ JT315D-Y1L JT335D-Y1L JT100BHVYE JT100BHV JT100BCBV1L JT100GABV1L
2YC45BXD 2YC45JXD 2YC45BXD 1GDY23AXD 2YC32VXD JT1FCVDKTYR JT1GCVDKYR 6T55TAC5YE
6T55WAC5YE JT170G-K1YE JT170G-KYE@BA etc. Mainly used for refrigeration
equipment such as air conditioners. Varieties ***, ***, ***, service is
exhausted, welcome to call to discuss!

Daikin Compressor Features: JT170G-K1YE JT170G-KYE@BA

Daikin Compressor Features: Small and light. High reliability and easy to use.

?Due to the small diameter and slenderness of the compressor cylinder, it
provides a good choice for the small and lightweight outdoor unit.

?In order to save the flexibility of space and location design, a new model with
three-legged chassis is added on the basis of the original four-legged
chassis. Give users more choices.

?The number of compressor parts is small and the reliability is high.

?Compressors can withstand the most brutal tests of heat pump systems.

?Only the protection device of the motor in the compressor is built-in, and
other protections are matched by the system. This allows system designers to set
protections in the system as needed, allowing product designers to better
control the compressors used.

JT300DJT160B-NYE JT160B-NFYE New original Daikin marine air conditioner
refrigeration equipment compressor A-Y1L JT335DA-Y1L New original Daikin
compressor R407CJT100BDVTYE JT100FBVD JT100FAVD New original Daikin inverter air
conditioner compressor JT170G-K1YE JT170FDKYE JT170FBKYE New original Daikin air
conditioner compressor Machine JT160BCBY1L JT160GABY1L Original Daikin 5 HP
Central Air Conditioning Compressor VRV3 generation RHXYQ14PY1 inverter
compressor original new JT160GAJY1L Daikin 5 hp central air conditioning
compressor three feet return air pipe upward R22 original 12 hp JT335D-P1YE
JT300D-P1YE Daikin central air conditioning compressor 10 hp JT315D
Original 5 HP JT160GABY1L JT170GABY1L Daikin Air Conditioning Compressor Heat
Pump Straight Tube Daikin Parallel Compressor JT300DA-YE Daikin 10P12 HP Air
Conditioning Compressor R40JT100FBVD JT100BHV JT100G-VDL@S Original Daikin
Inverter Air Conditioning Refrigeration Compressor JT140G-P4Y1@K Brand New
Original 5 Daikin Fixed Frequency Air Conditioning Compressor R410A 3 Foot
Daikin 5P JT160BCBY1L Panasonic C-SB373H8A Air Conditioning Air Energy Heat Pump
Compressor C-SB453



Private Picture Copyright : WWW.MBSM.PRO