

Mbsm.pro, Compressor, BP1072Z,
221CA32, 1/10 Hp, 66W, EMBRACO,
ASPERA, r134A, Lbp, HERMETIC
COMPRESSORS, Oil 200 cc, 220 V/ 60 Hz

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, BP1072Z, 221CA32, 1/10 Hp, 66W, EMBRACO, ASPERA, r134A, Lbp, HERMETIC COMPRESSORS, Oil 200 cc, 220 V/ 60 Hz

Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

Mbsm.pro, Compressor, Samsung, MSV162AL1J/TS, MSV162, MSV162A-L1B, Compressor Inverter, Block DC, 1200/4000 RPM, 70/244 W, 238/834 BTU, Lnb, 1/3 hp, R134A, Blcd

Category: compressor

written by www.mbsm.pro | 2 February 2022



Mbsm.pro, Compressor, Samsung, MSV162AL1J/TS, MSV162, MSV162A-L1B, Compresseur Inverter, Block DC, 1200/4000 RPM, 70/244 W, 238/834 BTU, Lnb, 1/3 hp, R134A, Blcd

Mbsm.pro, Compressor, Tecumseh, TAH4518A, 1.5 Hp, HBp, R12, 440V 3~ 60Hz 400V 3~ 50Hz, 1684 W, 14048 btu

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Tecumseh, TAH4518A, 1.5 Hp, HBp, R12, 440V 3~ 60Hz 400V 3~ 50Hz, 1684 W, 14048 btu

الطريقة الصحيحة والوحيدة لحساب قدرة The Only Correct And Reliable Way To Calculate The Capacity Of TEE Compressors.

Category: Arabe,Chaud&Froid

written by www.mbsm.pro | 2 February 2022



Picture Private Copyright: WWW.MBSMGROUP.TN

Private Picture Copyright: WWW.MBSM.PRO

.. الطريقة الصحيحة والوحيدة لحساب قدرة ضواغط تي
The Only Correct And Reliable
Way To Calculate The Capacity Of TEE Compressors.

Mbsm.pro, Compressor, 4ec-6.2-4os,
6HP, Bitzer Piston Compressor,
4ces-6, Refrigeration Compressor ,
4ec-6.2/4ees-6, Cold Room. R22, R404

Category: compressor

written by www.mbsm.pro | 2 February 2022



Typ 4EC-6.2-40S
S.Nr. 1679004388



ER KÜHLMASCHINENBAU GMBH
Made in E.C.

Anspannung Δ 3Ph~ V Y 3Ph~	Frequ. Hz	Max. Betr. strom		Anlaufstrom		Fördervol. m ³ /h	Drehzahl min
		A(Δ)	A(Y)	A(Δ)	A(Y)		
20-240	380-420	22,9	13,2	107,7	62,2	22,7	1450
235-290	440-480	22,9	13,2	107,7	62,2	27,4	1750

IP 65 ND/HD max 19 / 28 bar



Mbsm.pro, Compressor, 4ec-6.2-4os, 6HP, Bitzer Piston Compressor, 4ces-6, Refrigeration Compressor , 4ec-6.2/4ees-6, Cold Room. R22, R404

Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A

Category: compressor

written by www.mbsm.pro | 2 February 2022



Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A

Mbsm.pro, Compressor, AJE4511YTZ , R134a, hbp, TAJ4511Y, R-12/R-409A, lbp, 1HP, 3hp, 400V U.H., CAJ4511A, 1ph, R-12, lbp, 220v

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, AJE4511YTZ , R134a, TAJ4511Y, R-12/R-409A, 1HP, 3hp, 400V U.H., CAJ4511A, 1ph, R-12, 220v

Mbsm.pro, Compressor, R290, 0.110Kg,

SC15CNX.2, Secop, DANFOSS, SC15CNX,
15,28cm³, LBP, 230V, Hermetic piston
compressors, 5/8 Hp, 104h 8568,
104h8568

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, R290, 0.110Kg, SC15CNX, 15,28cm³, LBP, 230V, Hermetic piston compressors, 5/8 Hp, 104h 8568, 104h8568

Mbsm.pro, Daikin, compressor , R22/R407C

Category: compressor

written by www.mbsm.pro | 2 February 2022

3 Model Standard Dimension (Refrigerant R22/R600a)

Model	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)
JT90GAJV1L	9.0	2.6	30800	10800	12.5	9.0	12.5
JT95BHHY1L	9.5	2.7	31800	11300	13.0	9.5	13.0
JT125GBBY1L	12.5	3.7	39000	14100	16.0	12.5	16.0

4 Model Standard Dimension (Refrigerant R22)

Model	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)
JT90GAJV1L	9.0	2.6	30800	10800	12.5	9.0	12.5
JT95BHHY1L	9.5	2.7	31800	11300	13.0	9.5	13.0
JT125GBBY1L	12.5	3.7	39000	14100	16.0	12.5	16.0
JT140G-P4Y1	14.0	4.2	42000	15100	17.0	14.0	17.0
JT150G-P4Y1	15.0	4.5	45000	16200	18.0	15.0	18.0
JT160G-P4Y1	16.0	4.8	48000	17300	19.0	16.0	19.0
JT170G-P4Y1	17.0	5.1	51000	18400	20.0	17.0	20.0
JT180G-P4Y1	18.0	5.4	54000	19500	21.0	18.0	21.0
JT190G-P4Y1	19.0	5.7	57000	20600	22.0	19.0	22.0
JT200G-P4Y1	20.0	6.0	60000	21700	23.0	20.0	23.0
JT210G-P4Y1	21.0	6.3	63000	22800	24.0	21.0	24.0
JT220G-P4Y1	22.0	6.6	66000	23900	25.0	22.0	25.0
JT230G-P4Y1	23.0	6.9	69000	25000	26.0	23.0	26.0
JT240G-P4Y1	24.0	7.2	72000	26100	27.0	24.0	27.0
JT250G-P4Y1	25.0	7.5	75000	27200	28.0	25.0	28.0
JT260G-P4Y1	26.0	7.8	78000	28300	29.0	26.0	29.0
JT270G-P4Y1	27.0	8.1	81000	29400	30.0	27.0	30.0
JT280G-P4Y1	28.0	8.4	84000	30500	31.0	28.0	31.0
JT290G-P4Y1	29.0	8.7	87000	31600	32.0	29.0	32.0
JT300G-P4Y1	30.0	9.0	90000	32700	33.0	30.0	33.0

Model	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)
JT90GAJV1L	9.0	2.6	30800	10800	12.5	9.0	12.5
JT95BHHY1L	9.5	2.7	31800	11300	13.0	9.5	13.0
JT125GBBY1L	12.5	3.7	39000	14100	16.0	12.5	16.0

5 Model Standard Dimension (Refrigerant R22/R600a)

Model	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)
JT90GAJV1L	9.0	2.6	30800	10800	12.5	9.0	12.5
JT95BHHY1L	9.5	2.7	31800	11300	13.0	9.5	13.0
JT125GBBY1L	12.5	3.7	39000	14100	16.0	12.5	16.0
JT140G-P4Y1	14.0	4.2	42000	15100	17.0	14.0	17.0
JT150G-P4Y1	15.0	4.5	45000	16200	18.0	15.0	18.0
JT160G-P4Y1	16.0	4.8	48000	17300	19.0	16.0	19.0
JT170G-P4Y1	17.0	5.1	51000	18400	20.0	17.0	20.0
JT180G-P4Y1	18.0	5.4	54000	19500	21.0	18.0	21.0
JT190G-P4Y1	19.0	5.7	57000	20600	22.0	19.0	22.0
JT200G-P4Y1	20.0	6.0	60000	21700	23.0	20.0	23.0
JT210G-P4Y1	21.0	6.3	63000	22800	24.0	21.0	24.0
JT220G-P4Y1	22.0	6.6	66000	23900	25.0	22.0	25.0
JT230G-P4Y1	23.0	6.9	69000	25000	26.0	23.0	26.0
JT240G-P4Y1	24.0	7.2	72000	26100	27.0	24.0	27.0
JT250G-P4Y1	25.0	7.5	75000	27200	28.0	25.0	28.0
JT260G-P4Y1	26.0	7.8	78000	28300	29.0	26.0	29.0
JT270G-P4Y1	27.0	8.1	81000	29400	30.0	27.0	30.0
JT280G-P4Y1	28.0	8.4	84000	30500	31.0	28.0	31.0
JT290G-P4Y1	29.0	8.7	87000	31600	32.0	29.0	32.0
JT300G-P4Y1	30.0	9.0	90000	32700	33.0	30.0	33.0

Model	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)
JT90GAJV1L	9.0	2.6	30800	10800	12.5	9.0	12.5
JT95BHHY1L	9.5	2.7	31800	11300	13.0	9.5	13.0
JT125GBBY1L	12.5	3.7	39000	14100	16.0	12.5	16.0

6 Model Standard Dimension (Refrigerant R22/R600a)
• Capacity Range (R22/R600a) Correction
• Refrigerant R22/R600a Correction
• See Worksheet Correction

Model	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)
JT90GAJV1L	9.0	2.6	30800	10800	12.5	9.0	12.5
JT95BHHY1L	9.5	2.7	31800	11300	13.0	9.5	13.0
JT125GBBY1L	12.5	3.7	39000	14100	16.0	12.5	16.0
JT140G-P4Y1	14.0	4.2	42000	15100	17.0	14.0	17.0
JT150G-P4Y1	15.0	4.5	45000	16200	18.0	15.0	18.0
JT160G-P4Y1	16.0	4.8	48000	17300	19.0	16.0	19.0
JT170G-P4Y1	17.0	5.1	51000	18400	20.0	17.0	20.0
JT180G-P4Y1	18.0	5.4	54000	19500	21.0	18.0	21.0
JT190G-P4Y1	19.0	5.7	57000	20600	22.0	19.0	22.0
JT200G-P4Y1	20.0	6.0	60000	21700	23.0	20.0	23.0
JT210G-P4Y1	21.0	6.3	63000	22800	24.0	21.0	24.0
JT220G-P4Y1	22.0	6.6	66000	23900	25.0	22.0	25.0
JT230G-P4Y1	23.0	6.9	69000	25000	26.0	23.0	26.0
JT240G-P4Y1	24.0	7.2	72000	26100	27.0	24.0	27.0
JT250G-P4Y1	25.0	7.5	75000	27200	28.0	25.0	28.0
JT260G-P4Y1	26.0	7.8	78000	28300	29.0	26.0	29.0
JT270G-P4Y1	27.0	8.1	81000	29400	30.0	27.0	30.0
JT280G-P4Y1	28.0	8.4	84000	30500	31.0	28.0	31.0
JT290G-P4Y1	29.0	8.7	87000	31600	32.0	29.0	32.0
JT300G-P4Y1	30.0	9.0	90000	32700	33.0	30.0	33.0

Model	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)
JT90GAJV1L	9.0	2.6	30800	10800	12.5	9.0	12.5
JT95BHHY1L	9.5	2.7	31800	11300	13.0	9.5	13.0
JT125GBBY1L	12.5	3.7	39000	14100	16.0	12.5	16.0

JT150BCBY1L JT150BK-YE JT160BCBY1L JT170GABY1L JT170FDKYE JT300D-YE JT300D-P1YE
JT300D-YE @ JT315D-Y1L JT335D-Y1L JT100BHVYE JT100BHV JT100BCBV1L JT100GABV1L
2YC45BXD 2YC45JXD 2YC45BXD 1GDY23AXD 2YC32VXD JT1FCVDKTYR JT1GCVDKYR 6T55TAC5YE
6T55WAC5YE JT170G-K1YE JT170G-KYE@BA etc. Mainly used for refrigeration
equipment such as air conditioners. Varieties ***, ***, ***, service is
exhausted, welcome to call to discuss!

Daikin Compressor Features: JT170G-K1YE JT170G-KYE@BA

Daikin Compressor Features: Small and light. High reliability and easy to use.

?Due to the small diameter and slenderness of the compressor cylinder, it
provides a good choice for the small and lightweight outdoor unit.

?In order to save the flexibility of space and location design, a new model with
three-legged chassis is added on the basis of the original four-legged
chassis. Give users more choices.

?The number of compressor parts is small and the reliability is high.

?Compressors can withstand the most brutal tests of heat pump systems.

?Only the protection device of the motor in the compressor is built-in, and
other protections are matched by the system. This allows system designers to set
protections in the system as needed, allowing product designers to better
control the compressors used.

JT300DJT160B-NYE JT160B-NFYE New original Daikin marine air conditioner
refrigeration equipment compressor A-Y1L JT335DA-Y1L New original Daikin
compressor R407CJT100BDVTYE JT100FBVD JT100FAVD New original Daikin inverter air
conditioner compressor JT170G-K1YE JT170FDKYE JT170FBKYE New original Daikin air
conditioner compressor Machine JT160BCBY1L JT160GABY1L Original Daikin 5 HP
Central Air Conditioning Compressor VRV3 generation RHXYQ14PY1 inverter
compressor original new JT160GAJY1L Daikin 5 hp central air conditioning
compressor three feet return air pipe upward R22 original 12 hp JT335D-P1YE
JT300D-P1YE Daikin central air conditioning compressor 10 hp JT315D
Original 5 HP JT160GABY1L JT170GABY1L Daikin Air Conditioning Compressor Heat
Pump Straight Tube Daikin Parallel Compressor JT300DA-YE Daikin 10P12 HP Air
Conditioning Compressor R40JT100FBVD JT100BHV JT100G-VDL@S Original Daikin
Inverter Air Conditioning Refrigeration Compressor JT140G-P4Y1@K Brand New
Original 5 Daikin Fixed Frequency Air Conditioning Compressor R410A 3 Foot
Daikin 5P JT160BCBY1L Panasonic C-SB373H8A Air Conditioning Air Energy Heat Pump
Compressor C-SB453



Private Picture Copyright : WWW.MBSM.PRO