

Mbsm.pro, Compressor, BP1072Z,
221CA32, 1/10 Hp, 66W, EMBRACO,
ASPERA, r134A, Lbp, HERMETIC
COMPRESSORS, Oil 200 cc, 220 V/ 60 Hz

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, BP1072Z, 221CA32, 1/10 Hp, 66W, EMBRACO, ASPERA, r134A, Lbp, HERMETIC COMPRESSORS, Oil 200 cc, 220 V/ 60 Hz

Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

Mbsm.pro, Compressor, Samsung, MSV162AL1J/TS, MSV162, MSV162A-L1B, Compressor Inverter, Block DC, 1200/4000 RPM, 70/244 W, 238/834 BTU, Lnb, 1/3 hp, R134A, Blcd

Category: compressor

written by www.mbsm.pro | 2 February 2022



Mbsm.pro, Compressor, Samsung, MSV162AL1J/TS, MSV162, MSV162A-L1B, Compresseur Inverter, Block DC, 1200/4000 RPM, 70/244 W, 238/834 BTU, Lnb, 1/3 hp, R134A, Blcd

Mbsm.pro, Compressor, Tecumseh, TAH4518A, 1.5 Hp, HBp, R12, 440V 3~ 60Hz 400V 3~ 50Hz, 1684 W, 14048 btu

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Tecumseh, TAH4518A, 1.5 Hp, HBp, R12, 440V 3~ 60Hz 400V 3~ 50Hz, 1684 W, 14048 btu

الطريقة الصحيحة والوحيدة لحساب قدرة The Only Correct And Reliable Way To Calculate The Capacity Of TEE Compressors.

Category: Arabe,Chaud&Froid

written by www.mbsm.pro | 2 February 2022



Picture Private Copyright: WWW.MBSMGROUP.TN

Private Picture Copyright: WWW.MBSM.PRO

.. الطريقة الصحيحة والوحيدة لحساب قدرة ضواغط تي
The Only Correct And Reliable
Way To Calculate The Capacity Of TEE Compressors.

Mbsm.pro, Compressor, 4ec-6.2-4os,
6HP, Bitzer Piston Compressor,
4ces-6, Refrigeration Compressor ,
4ec-6.2/4ees-6, Cold Room. R22, R404

Category: compressor

written by www.mbsm.pro | 2 February 2022



Typ 4EC-6.2-40S
S.Nr. 1679004388



ER KÜHLMASCHINENBAU GMBH
Made in E.C.

Anspannung Δ 3Ph~ V Y 3Ph~	Frequ. Hz	Max. Betr. strom		Anlaufstrom		Fördervol. m ³ /h	Drehzahl min
		A(Δ)	A(Y)	A(Δ)	A(Y)		
20-240	380-420	22,9	13,2	107,7	62,2	22,7	1450
235-290	440-480	22,9	13,2	107,7	62,2	27,4	1750

IP 65 ND/HD max 19 / 28 bar



Mbsm.pro, Compressor, 4ec-6.2-4os, 6HP, Bitzer Piston Compressor, 4ces-6, Refrigeration Compressor , 4ec-6.2/4ees-6, Cold Room. R22, R404

Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A

Category: compressor

written by www.mbsm.pro | 2 February 2022



Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A

Mbsm.pro, Compressor, AJE4511YTZ , R134a, hbp, TAJ4511Y, R-12/R-409A, lbp, 1HP, 3hp, 400V U.H., CAJ4511A, 1ph, R-12, lbp, 220v

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, AJE4511YTZ , R134a, TAJ4511Y, R-12/R-409A, 1HP, 3hp, 400V U.H., CAJ4511A, 1ph, R-12, 220v

Mbsm.pro, Compressor, R290, 0.110Kg,

SC15CNX.2, Secop, DANFOSS, SC15CNX,
15,28cm³, LBP, 230V, Hermetic piston
compressors, 5/8 Hp, 104h 8568,
104h8568

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, R290, 0.110Kg, SC15CNX, 15,28cm³, LBP, 230V, Hermetic piston compressors, 5/8 Hp, 104h 8568, 104h8568

Mbsm.pro, Daikin, compressor , R22/R407C

Category: compressor

written by www.mbsm.pro | 2 February 2022

3 Model Standard Dimension (Refrigerant R22/R600a)

Model	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)
JT90GAJV1L	9.0	2.6	30800	10000	12.5	9.0	9.0	9.0	2.6	30800	10000	12.5	9.0	9.0
JT95BHHY1L	9.5	2.7	32000	10500	13.0	9.5	9.5	9.5	2.7	32000	10500	13.0	9.5	9.5
JT100GAPV1L	10.0	2.8	33200	11000	13.5	10.0	10.0	10.0	2.8	33200	11000	13.5	10.0	10.0

4 Model Standard Dimension (Refrigerant R22)

Model	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)	Capacity (kW)	Capacity (ton)	Capacity (Btu/h)	Capacity (kcal/h)	Capacity (hp)	Capacity (CV)	Capacity (PS)
JTB125GBBY1L	JT125GBBY1L	12.5	3.8	38000	12000	15.0	12.5	12.5	3.8	38000	12000	15.0	12.5	12.5
	JT140GAPV1L	14.0	4.2	41000	13000	16.0	14.0	14.0	4.2	41000	13000	16.0	14.0	14.0
	JT150GBBY1L	15.0	4.5	43000	13500	17.0	15.0	15.0	4.5	43000	13500	17.0	15.0	15.0
	JT160GBBY1L	16.0	4.8	45000	14000	18.0	16.0	16.0	4.8	45000	14000	18.0	16.0	16.0
	JT170GBBY1L	17.0	5.1	47000	14500	19.0	17.0	17.0	5.1	47000	14500	19.0	17.0	17.0
JTB180GBBY1L	JT180GBBY1L	18.0	5.4	49000	15000	20.0	18.0	18.0	5.4	49000	15000	20.0	18.0	18.0
	JT190GBBY1L	19.0	5.7	51000	15500	21.0	19.0	19.0	5.7	51000	15500	21.0	19.0	19.0
	JT200GBBY1L	20.0	6.0	53000	16000	22.0	20.0	20.0	6.0	53000	16000	22.0	20.0	20.0
	JT210GBBY1L	21.0	6.3	55000	16500	23.0	21.0	21.0	6.3	55000	16500	23.0	21.0	21.0
	JT220GBBY1L	22.0	6.6	57000	17000	24.0	22.0	22.0	6.6	57000	17000	24.0	22.0	22.0
JTB230GBBY1L	JT230GBBY1L	23.0	6.9	59000	17500	25.0	23.0	23.0	6.9	59000	17500	25.0	23.0	23.0
	JT240GBBY1L	24.0	7.2	61000	18000	26.0	24.0	24.0	7.2	61000	18000	26.0	24.0	24.0
	JT250GBBY1L	25.0	7.5	63000	18500	27.0	25.0	25.0	7.5	63000	18500	27.0	25.0	25.0
	JT260GBBY1L	26.0	7.8	65000	19000	28.0	26.0	26.0	7.8	65000	19000	28.0	26.0	26.0
	JT270GBBY1L	27.0	8.1	67000	19500	29.0	27.0	27.0	8.1	67000	19500	29.0	27.0	27.0
JTB280GBBY1L	JT280GBBY1L	28.0	8.4	69000	20000	30.0	28.0	28.0	8.4	69000	20000	30.0	28.0	28.0
	JT290GBBY1L	29.0	8.7	71000	20500	31.0	29.0	29.0	8.7	71000	20500	31.0	29.0	29.0
	JT300GBBY1L	30.0	9.0	73000	21000	32.0	30.0	30.0	9.0	73000	21000	32.0	30.0	30.0
	JT310GBBY1L	31.0	9.3	75000	21500	33.0	31.0	31.0	9.3	75000	21500	33.0	31.0	31.0
	JT320GBBY1L	32.0	9.6	77000	22000	34.0	32.0	32.0	9.6	77000	22000	34.0	32.0	32.0
JTB330GBBY1L	JT330GBBY1L	33.0	9.9	79000	22500	35.0	33.0	33.0	9.9	79000	22500	35.0	33.0	33.0
	JT340GBBY1L	34.0	10.2	81000	23000	36.0	34.0	34.0	10.2	81000	23000	36.0	34.0	34.0
	JT350GBBY1L	35.0	10.5	83000	23500	37.0	35.0	35.0	10.5	83000	23500	37.0	35.0	35.0
	JT360GBBY1L	36.0	10.8	85000	24000	38.0	36.0	36.0	10.8	85000	24000	38.0	36.0	36.0
	JT370GBBY1L	37.0	11.1	87000	24500	39.0	37.0	37.0	11.1	87000	24500	39.0	37.0	37.0
JTB380GBBY1L	JT380GBBY1L	38.0	11.4	89000	25000	40.0	38.0	38.0	11.4	89000	25000	40.0	38.0	38.0
	JT390GBBY1L	39.0	11.7	91000	25500	41.0	39.0	39.0	11.7	91000	25500	41.0	39.0	39.0
	JT400GBBY1L	40.0	12.0	93000	26000	42.0	40.0	40.0	12.0	93000	26000	42.0	40.0	40.0
	JT410GBBY1L	41.0	12.3	95000	26500	43.0	41.0	41.0	12.3	95000	26500	43.0	41.0	41.0
	JT420GBBY1L	42.0	12.6	97000	27000	44.0	42.0	42.0	12.6	97000	27000	44.0	42.0	42.0
JTB430GBBY1L	JT430GBBY1L	43.0	12.9	99000	27500	45.0	43.0	43.0	12.9	99000	27500	45.0	43.0	43.0
	JT440GBBY1L	44.0	13.2	101000	28000	46.0	44.0	44.0	13.2	101000	28000	46.0	44.0	44.0
	JT450GBBY1L	45.0	13.5	103000	28500	47.0	45.0	45.0	13.5	103000	28500	47.0	45.0	45.0
	JT460GBBY1L	46.0	13.8	105000	29000	48.0	46.0	46.0	13.8	105000	29000	48.0	46.0	46.0
	JT470GBBY1L	47.0	14.1	107000	29500	49.0	47.0	47.0	14.1	107000	29500	49.0	47.0	47.0
JTB480GBBY1L	JT480GBBY1L	48.0	14.4	109000	30000	50.0	48.0	48.0	14.4	109000	30000	50.0	48.0	48.0
	JT490GBBY1L	49.0	14.7	111000	30500	51.0	49.0	49.0	14.7	111000	30500	51.0	49.0	49.0
	JT500GBBY1L	50.0	15.0	113000	31000	52.0	50.0	50.0	15.0	113000	31000	52.0	50.0	50.0
	JT510GBBY1L	51.0	15.3	115000	31500	53.0	51.0	51.0	15.3	115000	31500	53.0	51.0	51.0
	JT520GBBY1L	52.0	15.6	117000	32000	54.0	52.0	52.0	15.6	117000	32000	54.0	52.0	52.0
JTB530GBBY1L	JT530GBBY1L	53.0	15.9	119000	32500	55.0	53.0	53.0	15.9	119000	32500	55.0	53.0	53.0
	JT540GBBY1L	54.0	16.2	121000	33000	56.0	54.0	54.0	16.2	121000	33000	56.0	54.0	54.0
	JT550GBBY1L	55.0	16.5	123000	33500	57.0	55.0	55.0	16.5	123000	33500	57.0	55.0	55.0
	JT560GBBY1L	56.0	16.8	125000	34000	58.0	56.0	56.0	16.8	125000	34000	58.0	56.0	56.0
	JT570GBBY1L	57.0	17.1	127000	34500	59.0	57.0	57.0	17.1	127000	34500	59.0	57.0	57.0
JTB580GBBY1L	JT580GBBY1L	58.0	17.4	129000	35000	60.0	58.0	58.0	17.4	129000	35000	60.0	58.0	58.0
	JT590GBBY1L	59.0	17.7	131000	35500	61.0	59.0	59.0	17.7	131000	35500	61.0	59.0	59.0
	JT600GBBY1L	60.0	18.0	133000	36000	62.0	60.0	60.0	18.0	133000	36000	62.0	60.0	60.0
	JT610GBBY1L	61.0	18.3	135000	36500	63.0	61.0	61.0	18.3	135000	36500	63.0	61.0	61.0
	JT620GBBY1L	62.0	18.6	137000	37000	64.0	62.0	62.0	18.6	137000	37000	64.0	62.0	62.0
JTB630GBBY1L	JT630GBBY1L	63.0	18.9	139000	37500	65.0	63.0	63.0	18.9	139000	37500	65.0	63.0	63.0
	JT640GBBY1L	64.0	19.2	141000	38000	66.0	64.0	64.0	19.2	141000	38000	66.0	64.0	64.0
	JT650GBBY1L	65.0	19.5	143000	38500	67.0	65.0	65.0	19.5	143000	38500	67.0	65.0	65.0
	JT660GBBY1L	66.0	19.8	145000	39000	68.0	66.0	66.0	19.8	145000	39000	68.0	66.0	66.0
	JT670GBBY1L	67.0	20.1	147000	39500	69.0	67.0	67.0	20.1	147000	39500	69.0	67.0	67.0
JTB680GBBY1L	JT680GBBY1L	68.0	20.4	149000	40000	70.0	68.0	68.0	20.4	149000	40000	70.0	68.0	68.0
	JT690GBBY1L	69.0	20.7	151000	40500	71.0	69.0	69.0	20.7	151000	40500	71.0	69.0	69.0
	JT700GBBY1L	70.0	21.0	153000	41000	72.0	70.0	70.0	21.0	153000	41000	72.0	70.0	70.0
	JT710GBBY1L	71.0	21.3	155000	41500	73.0	71.0	71.0	21.3	155000	41500	73.0	71.0	71.0
	JT720GBBY1L	72.0	21.6	157000	42000	74.0	72.0	72.0	21.6	157000	42000	74.0	72.0	72.0
JTB730GBBY1L	JT730GBBY1L	73.0	21.9	159000	42500	75.0	73.0	73.0	21.9	159000	42500	75.0	73.0	73.0
	JT740GBBY1L	74.0	22.2	161000	43000	76.0	74.0	74.0	22.2	161000	43000	76.0	74.0	74.0
	JT750GBBY1L	75.0	22.5	163000	43500	77.0	75.0	75.0	22.5	163000	43500	77.0	75.0	75.0
	JT760GBBY1L	76.0	22.8	165000	44000	78.0	76.0	76.0	22.8	165000	44000	78.0	76.0	76.0
	JT770GBBY1L	77.0	23.1	167000	44500	79.0	77.0	77.0	23.1	167000	44500	79.0	77.0	77.0
JTB780GBBY1L	JT780GBBY1L	78.0	23.4	169000	45000	80.0	78.0	78.0	23.4	169000	45000	80.0	78.0	78.0
	JT790GBBY1L	79.0	23.7	171000	45500	81.0	79.0	79.0	23.7	171000	45500	81.0	79.0	79.0
	JT800GBBY1L	80.0	24.0	173000	46000	82.0	80.0	80.0	24.0	173000	46000	82.0	80.0	80.0
	JT810GBBY1L	81.0	24.3	175000	46500	83.0	81.0	81.0	24.3	175000	46500	83.0	81.0	81.0
	JT820GBBY1L	82.0	24.6	177000	47000	84.0	82.0	82.0	24.6	177000	47000	84.0	82.0	82.0
JTB830GBBY1L	JT830GBBY1L	83.0	24.9	179000	47500	85.0	83.0	83.0	24.9	179000	47500	85.0	83.0	83.0
	JT840GBBY1L	84.0	25.2	181000	48000	86.0	84.0	84.0	25.2	181000	48000	86.0	84.0	84.0
	JT850GBBY1L	85.0	25.5	183000	48500	87.0	85.0	85.0	25.5	183000	48500	87.0	85.0	85.0
	JT860GBBY1L	86.0	25.8	185000	49000	88.0	86.0	86.0	25.8	185000	49000	88.0	86.0	86.0
	JT870GBBY1L	87.0	26.1	187000	49500	89.0	87.0	87.0	26.1	187000	49500	89.0	87.0	87.0
JTB880GBBY1L	JT880GBBY1L	88.0	26.4	189000	50000	90.0	88.0	88.0	26.4	189000	50000	90.0	88.0	88.0
	JT890GBBY1L	89.0	26.7	191000	50500	91.0	89.0	89.0	26.7	191000	50500	91.0	89.0	89.0
	JT900GBBY1L	90.0	27.0	193000	51000	92.0	90.0	90.0	27.0	193000	51000	92.0	90.0	90.0

JT150BCBY1L JT150BK-YE JT160BCBY1L JT170GABY1L JT170FDKYE JT300D-YE JT300D-P1YE
JT300D-YE @ JT315D-Y1L JT335D-Y1L JT100BHVYE JT100BHV JT100BCBV1L JT100GABV1L
2YC45BXD 2YC45JXD 2YC45BXD 1GDY23AXD 2YC32VXD JT1FCVDKTYR JT1GCVDKYR 6T55TAC5YE
6T55WAC5YE JT170G-K1YE JT170G-KYE@BA etc. Mainly used for refrigeration
equipment such as air conditioners. Varieties ***, ***, ***, service is
exhausted, welcome to call to discuss!

Daikin Compressor Features: JT170G-K1YE JT170G-KYE@BA

Daikin Compressor Features: Small and light. High reliability and easy to use.

?Due to the small diameter and slenderness of the compressor cylinder, it
provides a good choice for the small and lightweight outdoor unit.

?In order to save the flexibility of space and location design, a new model with
three-legged chassis is added on the basis of the original four-legged
chassis. Give users more choices.

?The number of compressor parts is small and the reliability is high.

?Compressors can withstand the most brutal tests of heat pump systems.

?Only the protection device of the motor in the compressor is built-in, and
other protections are matched by the system. This allows system designers to set
protections in the system as needed, allowing product designers to better
control the compressors used.

JT300DJT160B-NYE JT160B-NFYE New original Daikin marine air conditioner
refrigeration equipment compressor A-Y1L JT335DA-Y1L New original Daikin
compressor R407CJT100BDVTYE JT100FBVD JT100FAVD New original Daikin inverter air
conditioner compressor JT170G-K1YE JT170FDKYE JT170FBKYE New original Daikin air
conditioner compressor Machine JT160BCBY1L JT160GABY1L Original Daikin 5 HP
Central Air Conditioning Compressor VRV3 generation RHXYQ14PY1 inverter
compressor original new JT160GAJY1L Daikin 5 hp central air conditioning
compressor three feet return air pipe upward R22 original 12 hp JT335D-P1YE
JT300D-P1YE Daikin central air conditioning compressor 10 hp JT315D
Original 5 HP JT160GABY1L JT170GABY1L Daikin Air Conditioning Compressor Heat
Pump Straight Tube Daikin Parallel Compressor JT300DA-YE Daikin 10P12 HP Air
Conditioning Compressor R40JT100FBVD JT100BHV JT100G-VDL@S Original Daikin
Inverter Air Conditioning Refrigeration Compressor JT140G-P4Y1@K Brand New
Original 5 Daikin Fixed Frequency Air Conditioning Compressor R410A 3 Foot
Daikin 5P JT160BCBY1L Panasonic C-SB373H8A Air Conditioning Air Energy Heat Pump
Compressor C-SB453



Private Picture Copyright: WWW.MBSM.PRO