

Mbsm.pro, Compressor, BP1072Z,
221CA32, 1/10 Hp, 66W, EMBRACO,
ASPERA, r134A, Lbp, HERMETIC
COMPRESSORS, Oil 200 cc, 220 V/ 60 Hz

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, BP1072Z, 221CA32, 1/10 Hp, 66W, EMBRACO, ASPERA, r134A, Lbp, HERMETIC COMPRESSORS, Oil 200 cc, 220 V/ 60 Hz

Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

Mbsm.pro, Compressor, Samsung, MSV162AL1J/TS, MSV162, MSV162A-L1B, Compressor Inverter, Block DC, 1200/4000 RPM, 70/244 W, 238/834 BTU, Lnb, 1/3 hp, R134A, Blcd

Category: compressor

written by www.mbsm.pro | 2 February 2022



Mbsm.pro, Compressor, Samsung, MSV162AL1J/TS, MSV162, MSV162A-L1B, Compresseur Inverter, Block DC, 1200/4000 RPM, 70/244 W, 238/834 BTU, Lnb, 1/3 hp, R134A, Blcd

Mbsm.pro, Compressor, Tecumseh, TAH4518A, 1.5 Hp, HBp, R12, 440V 3~ 60Hz 400V 3~ 50Hz, 1684 W, 14048 btu

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Tecumseh, TAH4518A, 1.5 Hp, HBp, R12, 440V 3~ 60Hz 400V 3~ 50Hz, 1684 W, 14048 btu

الطريقة الصحيحة والوحيدة لحساب قدرة The Only Correct And Reliable Way To Calculate The Capacity Of TEE Compressors.

Category: Arabe,Chaud&Froid

written by www.mbsm.pro | 2 February 2022



Picture Private Copyright: WWW.MBSMGROUP.TN

Private Picture Copyright: WWW.MBSM.PRO

.. الطريقة الصحيحة والوحيدة لحساب قدرة ضواغط تي
The Only Correct And Reliable
Way To Calculate The Capacity Of TEE Compressors.

Mbsm.pro, Compressor, 4ec-6.2-4os,
6HP, Bitzer Piston Compressor,
4ces-6, Refrigeration Compressor ,
4ec-6.2/4ees-6, Cold Room. R22, R404

Category: compressor

written by www.mbsm.pro | 2 February 2022



Typ 4EC-6.2-40S
S.Nr. 1679004388



ER KÜHLMASCHINENBAU GMBH
Made in E.C.

Anspannung Δ 3Ph~ V Y 3Ph~	Frequ. Hz	Max. Betr. strom		Anlaufstrom		Fördervol. m ³ /h	Drehzahl min
		A(Δ)	A(Y)	A(Δ)	A(Y)		
20-240	380-420	22,9	13,2	107,7	62,2	22,7	1450
265-290	440-480	22,9	13,2	107,7	62,2	27,4	1750

IP 65 ND/HD max 19 / 28 bar



Mbsm.pro, Compressor, 4ec-6.2-4os, 6HP, Bitzer Piston Compressor, 4ces-6, Refrigeration Compressor , 4ec-6.2/4ees-6, Cold Room. R22, R404

Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A

Category: compressor

written by www.mbsm.pro | 2 February 2022



Mbsm.pro, Compressor, inverter, LG Refrigerator, BMG110NHMV, BMG/BMA LG, Lbp, 1/4 Hp , R600A

Mbsm.pro, Compressor, AJE4511YTZ , R134a, hbp, TAJ4511Y, R-12/R-409A, lbp, 1HP, 3hp, 400V U.H., CAJ4511A, 1ph, R-12, lbp, 220v

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, AJE4511YTZ , R134a, TAJ4511Y, R-12/R-409A, 1HP, 3hp, 400V U.H., CAJ4511A, 1ph, R-12, 220v

Mbsm.pro, Compressor, R290, 0.110Kg,

SC15CNX.2, Secop, DANFOSS, SC15CNX,
15,28cm³, LBP, 230V, Hermetic piston
compressors, 5/8 Hp, 104h 8568,
104h8568

Category: compressor

written by www.mbsm.pro | 2 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, R290, 0.110Kg, SC15CNX, 15,28cm³, LBP, 230V, Hermetic piston compressors, 5/8 Hp, 104h 8568, 104h8568

Mbsm.pro, Daikin, compressor , R22/R407C

Category: compressor

written by www.mbsm.pro | 2 February 2022

High Performance Scroll

A Model Standard Dimension (Refrigerant R22/R600a)

Refrigerant R22											
Model	Capacity (kg/h)	Power (kW)	Current (A)	Discharge Temp (°C)	Condensing Temp (°C)	Evaporating Temp (°C)	Pressure Ratio	Volume Ratio	Refrigerant Charge (kg)	Weight (kg)	Dimensions (mm)
JT90GAJV1L	9.0	1.1	5.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT95BHHY1L	9.5	1.2	5.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT100GAPV1L	10.0	1.3	6.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT105GBBY1L	10.5	1.4	6.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT110GAPV1L	11.0	1.5	7.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT115GBBY1L	11.5	1.6	7.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT120GAPV1L	12.0	1.7	8.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT125GBBY1L	12.5	1.8	8.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT130GAPV1L	13.0	1.9	9.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT135GBBY1L	13.5	2.0	9.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT140GAPV1L	14.0	2.1	10.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT145GBBY1L	14.5	2.2	10.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT150GAPV1L	15.0	2.3	11.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT155GBBY1L	15.5	2.4	11.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT160GAPV1L	16.0	2.5	12.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT165GBBY1L	16.5	2.6	12.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT170GAPV1L	17.0	2.7	13.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT175GBBY1L	17.5	2.8	13.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT180GAPV1L	18.0	2.9	14.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT185GBBY1L	18.5	3.0	14.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT190GAPV1L	19.0	3.1	15.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT195GBBY1L	19.5	3.2	15.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT200GAPV1L	20.0	3.3	16.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT205GBBY1L	20.5	3.4	16.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT210GAPV1L	21.0	3.5	17.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT215GBBY1L	21.5	3.6	17.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT220GAPV1L	22.0	3.7	18.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT225GBBY1L	22.5	3.8	18.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT230GAPV1L	23.0	3.9	19.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT235GBBY1L	23.5	4.0	19.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT240GAPV1L	24.0	4.1	20.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT245GBBY1L	24.5	4.2	20.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT250GAPV1L	25.0	4.3	21.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT255GBBY1L	25.5	4.4	21.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT260GAPV1L	26.0	4.5	22.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT265GBBY1L	26.5	4.6	22.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT270GAPV1L	27.0	4.7	23.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT275GBBY1L	27.5	4.8	23.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT280GAPV1L	28.0	4.9	24.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT285GBBY1L	28.5	5.0	24.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT290GAPV1L	29.0	5.1	25.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT295GBBY1L	29.5	5.2	25.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT300GAPV1L	30.0	5.3	26.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT305GBBY1L	30.5	5.4	26.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT310GAPV1L	31.0	5.5	27.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT315GBBY1L	31.5	5.6	27.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT320GAPV1L	32.0	5.7	28.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT325GBBY1L	32.5	5.8	28.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT330GAPV1L	33.0	5.9	29.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT335GBBY1L	33.5	6.0	29.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT340GAPV1L	34.0	6.1	30.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT345GBBY1L	34.5	6.2	30.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT350GAPV1L	35.0	6.3	31.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT355GBBY1L	35.5	6.4	31.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT360GAPV1L	36.0	6.5	32.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT365GBBY1L	36.5	6.6	32.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT370GAPV1L	37.0	6.7	33.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT375GBBY1L	37.5	6.8	33.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT380GAPV1L	38.0	6.9	34.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT385GBBY1L	38.5	7.0	34.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT390GAPV1L	39.0	7.1	35.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT395GBBY1L	39.5	7.2	35.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT400GAPV1L	40.0	7.3	36.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT405GBBY1L	40.5	7.4	36.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT410GAPV1L	41.0	7.5	37.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT415GBBY1L	41.5	7.6	37.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT420GAPV1L	42.0	7.7	38.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT425GBBY1L	42.5	7.8	38.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT430GAPV1L	43.0	7.9	39.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT435GBBY1L	43.5	8.0	39.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT440GAPV1L	44.0	8.1	40.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT445GBBY1L	44.5	8.2	40.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT450GAPV1L	45.0	8.3	41.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT455GBBY1L	45.5	8.4	41.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT460GAPV1L	46.0	8.5	42.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT465GBBY1L	46.5	8.6	42.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT470GAPV1L	47.0	8.7	43.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT475GBBY1L	47.5	8.8	43.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT480GAPV1L	48.0	8.9	44.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT485GBBY1L	48.5	9.0	44.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT490GAPV1L	49.0	9.1	45.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT495GBBY1L	49.5	9.2	45.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT500GAPV1L	50.0	9.3	46.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT505GBBY1L	50.5	9.4	46.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT510GAPV1L	51.0	9.5	47.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT515GBBY1L	51.5	9.6	47.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT520GAPV1L	52.0	9.7	48.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT525GBBY1L	52.5	9.8	48.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT530GAPV1L	53.0	9.9	49.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT535GBBY1L	53.5	10.0	49.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT540GAPV1L	54.0	10.1	50.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT545GBBY1L	54.5	10.2	50.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT550GAPV1L	55.0	10.3	51.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT555GBBY1L	55.5	10.4	51.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT560GAPV1L	56.0	10.5	52.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT565GBBY1L	56.5	10.6	52.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT570GAPV1L	57.0	10.7	53.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT575GBBY1L	57.5	10.8	53.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT580GAPV1L	58.0	10.9	54.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT585GBBY1L	58.5	11.0	54.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT590GAPV1L	59.0	11.1	55.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT595GBBY1L	59.5	11.2	55.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT600GAPV1L	60.0	11.3	56.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT605GBBY1L	60.5	11.4	56.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT610GAPV1L	61.0	11.5	57.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT615GBBY1L	61.5	11.6	57.5	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT620GAPV1L	62.0	11.7	58.0	55	75	-15	2.5	1.5	0.8	1.2	100x100x100
JT625GB											

JT150BCBY1L JT150BK-YE JT160BCBY1L JT170GABY1L JT170FDKYE JT300D-YE JT300D-P1YE
JT300D-YE @ JT315D-Y1L JT335D-Y1L JT100BHVYE JT100BHV JT100BCBV1L JT100GABV1L
2YC45BXD 2YC45JXD 2YC45BXD 1GDY23AXD 2YC32VXD JT1FCVDKTYR JT1GCVDKYR 6T55TAC5YE
6T55WAC5YE JT170G-K1YE JT170G-KYE@BA etc. Mainly used for refrigeration
equipment such as air conditioners. Varieties ***, ***, ***, service is
exhausted, welcome to call to discuss!

Daikin Compressor Features: JT170G-K1YE JT170G-KYE@BA

Daikin Compressor Features: Small and light. High reliability and easy to use.

?Due to the small diameter and slenderness of the compressor cylinder, it
provides a good choice for the small and lightweight outdoor unit.

?In order to save the flexibility of space and location design, a new model with
three-legged chassis is added on the basis of the original four-legged
chassis. Give users more choices.

?The number of compressor parts is small and the reliability is high.

?Compressors can withstand the most brutal tests of heat pump systems.

?Only the protection device of the motor in the compressor is built-in, and
other protections are matched by the system. This allows system designers to set
protections in the system as needed, allowing product designers to better
control the compressors used.

JT300DJT160B-NYE JT160B-NFYE New original Daikin marine air conditioner
refrigeration equipment compressor A-Y1L JT335DA-Y1L New original Daikin
compressor R407CJT100BDVTYE JT100FBVD JT100FAVD New original Daikin inverter air
conditioner compressor JT170G-K1YE JT170FDKYE JT170FBKYE New original Daikin air
conditioner compressor Machine JT160BCBY1L JT160GABY1L Original Daikin 5 HP
Central Air Conditioning Compressor VRV3 generation RHXYQ14PY1 inverter
compressor original new JT160GAJY1L Daikin 5 hp central air conditioning
compressor three feet return air pipe upward R22 original 12 hp JT335D-P1YE
JT300D-P1YE Daikin central air conditioning compressor 10 hp JT315D
Original 5 HP JT160GABY1L JT170GABY1L Daikin Air Conditioning Compressor Heat
Pump Straight Tube Daikin Parallel Compressor JT300DA-YE Daikin 10P12 HP Air
Conditioning Compressor R40JT100FBVD JT100BHV JT100G-VDL@S Original Daikin
Inverter Air Conditioning Refrigeration Compressor JT140G-P4Y1@K Brand New
Original 5 Daikin Fixed Frequency Air Conditioning Compressor R410A 3 Foot
Daikin 5P JT160BCBY1L Panasonic C-SB373H8A Air Conditioning Air Energy Heat Pump
Compressor C-SB453



Private Picture Copyright : WWW.MBSM.PRO