

# Mbsm.pro, book, catalog compressor ZEL pdf

Category: compressor,Files

written by www.mbsm.pro | 1 January 2022



Private Picture Copyright : WWW.MBSM.PRO



Copyright : WWW.MBSM.PRO

|                                       |    | cc  | hp   |           | hz | w   | w  | w  | w/w  | w/w  | μF  | mm  | kg  |
|---------------------------------------|----|-----|------|-----------|----|-----|----|----|------|------|-----|-----|-----|
| <b>220-240V/50Hz</b>                  |    |     |      |           |    |     |    |    |      |      |     |     |     |
| <b>普效系列 Standard Efficiency Range</b> |    |     |      |           |    |     |    |    |      |      |     |     |     |
| HML140A                               | AI | 8.0 | 1/8  | RSIR/RSCR | 50 | 140 | 96 | 90 | 1.46 | 1.56 | 3   | 152 | 6.3 |
| <b>中效系列 Medium Efficiency Range</b>   |    |     |      |           |    |     |    |    |      |      |     |     |     |
| HDL100A                               | AI | 5.7 | 1/10 | RSIR/RSCR | 50 | 98  | 65 | 60 | 1.50 | 1.64 | 2.5 | 161 | 6.9 |
| HDL125A                               | AI | 7.0 | 1/10 | RSIR/RSCR | 50 | 125 | 77 | 71 | 1.62 | 1.75 | 2.5 | 164 | 7.2 |
| HDL140A                               | AI | 8.0 | 1/8  | RSIR/RSCR | 50 | 140 | 86 | 80 | 1.63 | 1.76 | 2.5 | 164 | 7.2 |
| <b>高效系列 High Efficiency Range</b>     |    |     |      |           |    |     |    |    |      |      |     |     |     |
| HXL100A                               | Cu | 5.7 | 1/15 | RSCR      | 50 | 98  |    | 52 |      | 1.88 | 2   | 161 | 7.3 |
| HXL125A                               | Cu | 7.0 | 1/10 | RSCR      | 50 | 125 |    | 65 |      | 1.91 | 2   | 161 | 7.3 |
| HXL140A                               | Cu | 8.0 | 1/10 | RSCR      | 50 | 140 |    | 73 |      | 1.91 | 2   | 161 | 7.3 |
| HXL170A*                              | Cu | 9.3 | 1/8  | RSCR      | 50 | 170 |    | 89 |      | 1.91 | 2   | 161 | 7.3 |
| <b>超高效系列 Top Efficiency Range</b>     |    |     |      |           |    |     |    |    |      |      |     |     |     |
| HPL100A*                              | Cu | 5.7 | 1/14 | CSCR      | 50 | 100 |    | 50 |      | 2.00 | 2   | 161 | 7.3 |
| HPL125A*                              | Cu | 7.0 | 1/12 | CSCR      | 50 | 125 |    | 63 |      | 2.00 | 2   | 161 | 7.3 |
| HPL140A*                              | Cu | 8.0 | 1/10 | CSCR      | 50 | 140 |    | 70 |      | 2.00 | 2   | 161 | 7.3 |
| <b>220-240V/60Hz</b>                  |    |     |      |           |    |     |    |    |      |      |     |     |     |

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, COMPRESSOR, ZEL, Zanussi, refrigerator, CUBIGEL/ ACC , HML140A, HDL140A, LBP, R600A, 220-240V, 1 /8hp, 140w

Category: compressor

written by www.mbsm.pro | 1 January 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, COMPRESSOR, ZEL, Zanussi, refrigerator, CUBIGEL/ ACC , HML140A, HDL140A, LBP, R600A, 220-240V, 1 /8hp, 140w

Mbsm.pro, Compressor, ACC, Cubigel, Huayi, Electrolux, ZEM, MPT14LA , MPT14RA, LBP , R404A, R507, 1/2HP, 220-240V


Category: compressor

written by www.mbsm.pro | 1 January 2022

Compressor Tecumseh L` Unite CAJ2432Z, LBP – R404A, 220 – 240V, 50 Hz, 1 phase, discharge: 18.3 cm<sup>3</sup>, oil type: POE, oil charge: 887 cm<sup>3</sup>, electrical equipment: CSR, cooling power 381 W at -35 / +40 °C, connection: suction: 1/2 inch, discharge: 5/16 inch, sound level: 56 dBA, start capacitor: 8 8 uF/250V, run capacitor: 15 uF/400V, expansion device: capillary or expansion valve, height: 271 mm, weight: 21.5kg

-10°C: 988W





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_MPT14LATélécharger

Mbsm.pro, COPLAND, Compressor,

# KCJ511HAE, KCJ511HAE-BXXX , HBP, 1-3/8 hp big ++, R-22 , 230 V, 50 Hz, 1PH , FAN, 350 ft3 / m

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 1 January 2022

## Technical Specification

Cooling Capacity (Btu/hr) 11275

Cooling Capacity (w) 3302

HP 1-3/8

LRA 54

## COMPRESSOR MECHANICAL AND PHYSICAL DATA

Number of cylinders 2

Displacement @ 50 Hz, cu.m/h 3.2

Bore/Stroke, mm 3.5/1.9

Length/Width, mm 235/179

Height, mm 264

Net Weight, kg 21.5

Stub Suction, inch 5/16

Stub Discharge, inch 5/16

Oil Quantity, l 0.9

Base mounting (hole dia), mm NA (0.0)

Sound Pressure @ 1m (HT), dBA 57

Sound Power (HT), dBA 68

## COMPRESSOR ELECTRICAL DATA (220/240V – 1~ – 50Hz)

Locked Rotor Current, A 25

Default Enclosure Class IP 21 (IEC 34)

## ACCESSORIES OPTIONAL

Mounting Grommets Standard

Single Phase Equipment Relay, Start and Run Capacitor



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Horse Power

50HZ

Brand

COPLAND

Compressor Technology

HERMETIC

Model Name/Number

KCJ511HAE

Power

220V



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

[Mbsm\\_dot\\_pro\\_private\\_PDF\\_KCJ511HAETélécharger](#)


[Mbsm\\_dot\\_pro\\_private\\_PDF\\_KCJ511HAE-1Télécharger](#)

---

## Carte mere refrigerateur hitachi 2019

Category: Pictures

written by [www.mbsm.pro](http://www.mbsm.pro) | 1 January 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)


## Saunier Duval C25E

Category: Pictures

written by [www.mbsm.pro](http://www.mbsm.pro) | 1 January 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

# Thermostat d'ambiance ,Thermostat de sécurité,Marque IMIT,Italie

Category: Pictures

written by [www.mbsm.pro](http://www.mbsm.pro) | 1 January 2022
















Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

SCHNEIDER N:ATV32H075M2 variable  
speed drive ATV32 – 0,75 kw – 200 V –  
1 phase – with heat sink

Category: Pictures

written by [www.mbsm.pro](http://www.mbsm.pro) | 1 January 2022







# PINCE EMBOITURE VIRAX 12-32MM SERTISSAGE AXIAL PER-PEX 12-16MM

Category: Pictures

written by [www.mbsm.pro](http://www.mbsm.pro) | 1 January 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)











Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

## Machine a laver lg 11kg

Category: Pictures

written by [www.mbsm.pro](http://www.mbsm.pro) | 1 January 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)