

R134A, LBP, Motor, Danfu, Compressor , PW2.0VK, 1/15hp

Category: compressor

written by www.mbsm.pro | 23 April 2021



Private Picture Copyright : WWW.MBSM.PRO

Evaporating Temperature	-23.3°C	Condensing Temperature	
54.4°C			
Subcooling			
Temperature	32.2°C	Suction	Temperature 32.2°C
Ambient	Temperature 32.2°C		

Features of danfu compressor PW2.0VK:

- 1) Suit all types of water dispenser
- 2) Best cooling function

Specifications

- 1) Running voltage: 220-240V, 50/60HZ
- 2) Capacity: 70W
- 3) Motor Input: 60W
- 4) Current: 0.70A
- 5) Cop: 0.91(W/W)
- 6) Refrigerant: R134a

Outer packing:

1pc/ctn or 120 pcs/pallet

Carton dimensions: 20 x 13 x 16cm

R134a L□MBP Series

Model	Power(HP)		Capacity(W)	COP
	60Hz	50Hz	50Hz	60Hz
220 – 240 V 50/60 Hz				
PW1.5VK	1/20	41		49
PW2.0VK	1/15	52		62
PW2.5VK	1/12	56		79
Capillary 0.31 – 2M				
PW4.0VK	1/10	76		102
PW4.5VK	1/6	108		110
PW5.5VK	1/5	126		
110 – 120 V 60 Hz				
PW1.5DV	1/20			41
PW2.0DV	1/15			52
PW2.5DV	1/12			62
PW3.0DV	1/10			72
PW3.5VK	1/10+			78
PW4.0VK	1/8			86
PW4.5VK	1/6			108

Test Conditions (ASHRAE)

GW: 6.40kgs

Conveyance:

Qty/20' FCL: 6,000pcs

Qty/40' FCL: 13,000pcs

Qty/40' HQ: 16,000pcs



PW2.0VKMF



220-240V~50/60Hz

A002364



SINGLE PHASE

R134a

THERMALLY PROTECTED

Sichuan Danfu Environment Technology Co., Ltd.



REDMI NOTE 9 PRO
AI QUAD CAMERA