

Mbsm.pro , Qb91c19gax5 , 1/4 hp, qb110c21rpx5, 1/3 hp, Panasonic ,Compressor cooling ,1Ph ,220V

Category: Solutions,Tester ok
written by Jamila | 22 September 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro , Qb91c19gax5 ,Panasonic ,Compressor cooling , 1/4HP ,236W ,1Ph ,220V

Performance								
Application : Low Back Pressure Refrigerant : R134a (CF ₃ CH ₂ F) Evaporator Temperature Range : -35°C to -5°C								
Series	Model	Displacement (cm ³)	Voltage / Frequency	Motor Type	ASHRAE		CECOMAF	
					Capacity W	COP W/W	Capacity W	COP W/W
QB	QB91C21GAX6	9.1	220V 60Hz	RSIR	255	1.22	-	-
				RSCR	-	-	-	-
	QB91C21RPX5	9.1	220V 50Hz	RSIR	-	-	-	-
				RSCR	236	1.28	-	-
	QB91C24GAX0	9.1	220V 50/60Hz	RSIR	236 / 255	1.23 / 1.26	-	-
				RSCR	-	-	-	-
	QB110C17TAR6	11.0	127V 60Hz	CSIR	-	-	-	-
				CSCR	279	1.26	-	-
				RSIR	273 / 273	1.22 / 1.19	-	-
	QB110C19GAW5	11.0	220/240V 50Hz	RSCR	-	-	-	-
				CSIR	273 / 279	1.18 / 1.19	-	-
	QB110C25CAX0	11.0	220V 50/60Hz	CSCR	-	-	-	-
				RSIR	273	1.18	-	-
	QB110C25GAX5	11.0	220V 50Hz	RSCR	-	-	-	-
				RSIR	142	1.27	-	-
	QBH51C90GLX	5.1	220V 50Hz	RSCR	-	-	-	-
				RSIR	162	1.28	-	-
	QBH57C10GLX	5.7	220V 50Hz	RSCR	-	-	-	-
				RSIR	162	1.28	-	-
	QBH57C10GPX	5.7	220V 50Hz	RSCR	-	-	-	-
				RSIR	-	-	-	-

Private Picture Copyright : WWW.MBSM.PRO

Panasonic

R134a QB series

Performance & dimensions

Notes: All data covered by this catalogue are given as general information only.
Since we are constantly improving our products, as the spec

ifications and availability are subject to change without notice

Application: Low back pressure



V81GX 8616

QB91C19GAX5 220V~50Hz
1P HR134a

THERMALLY PROTECTED

Matsushita Electric Industrial Co., Ltd.

Manufactured by Panasonic Refrigeration Devices Malaysia Sdn. Bhd.

Panasonic

QB91C19GAX5
236 203 1.25 –
170V-250V
ASHRAE
50Hz
60Hz

QB91C19GAX5(RSIR) : Reciprocating Compressors (Fixed Speed)

Product Reciprocating Compressors (Fixed Speed)

Series/Type Q Series (Reciprocating Fixed Speed, R134a, LBP)

Parts no QB91C19GAX5(RSIR)

[illegible]