

Compressor, 103U2954, Danfoss, fr10B,  
103u, 2954, 1/3 HP, lbp, r12, FR10B  
COMPRESSOR 220V, 103U2954FR10B, FR11B  
Compressor R-12 3/8 HP 230V, fr21b  
Compressor R134a 3/4 HP++/ 1 hp-,  
230V, hbp++

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 May 2021



Compressor, 103U2954, Danfoss, fr10B, 103u, 2954, 1/4 HP, lbp, r12, FR10B  
COMPRESSOR 220V, 103U2954FR10B

---

COMPRESSOR, DANFOSS, SECOP, HMK95AA,  
R600, 145W, 1/5CV, réfrigérateur ,  
congélateur, LBP, Equivalent: EMBRACO  
NBM1114Y – NBM1116Y, DANFOSS NLE11KK  
– NL10K – NL11K – NLE15K, DANFOSS  
NLE11KK – NL10K – NL11K – NLE15K,  
DANFOSS NLE11KK – NL10K – NL11K –  
NLE15K, ELECTROLUX HP14AH – HP12AH,  
SECOP TLES8.7KK.3 – HMK95AA

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 May 2021



COMPRESSOR, DANFOSS, SECOP, HMK95AA, R600, 145W, 1/5CV, réfrigérateur ,  
congélateur, LBP, Equivalent: EMBRACO NBM1114Y – NBM1116Y, DANFOSS NLE11KK –  
NL10K – NL11K – NLE15K, DANFOSS NLE11KK – NL10K – NL11K – NLE15K, DANFOSS  
NLE11KK – NL10K – NL11K – NLE15K, ELECTROLUX HP14AH – HP12AH, SECOP TLES8.7KK.3  
– HMK95AA

---

## Compressor, NPT12FSC, CUBIGEL, R290, 12,10ccm, LBP, 3/8HP, 220 V 50/60 Hz

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 May 2021



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Compressor, NPT12FSC, CUBIGEL, R290, 12,10ccm, LBP, 3/8HP, 220 V 50/60 Hz

# R134A, LBP, Motor, Danfu, Compressor , PW2.0VK, 1/15hp

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 May 2021



● ○ REDMI NOTE 9 PRO  
∞ AI QUAD CAMERA

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

R134A, LBP, Motor, Danfu, Compressor , PW2.0VK, 1/15hp

Best quality Chinese Brand, 3/8HP, R134A compressor, refrigerator, QD128H, 260W, RSIR, copper wire compressor, LBP, 220-240V/50Hz, 325W cooling capacity

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 May 2021



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)


Best quality Chinese Brand, 3/8HP, R134A compressor, refrigerator, QD128H, 260W, RSIR, copper wire compressor, LBP, 220-240V/50Hz, 325W cooling capacity



Compressor, Aspera, Embraco, EMT60HLP, R134a, 1/5 CV, 220 à 240 V 50 Hz, Cylindrée = 6.76 CM3, LBP, RSIR

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 May 2021

ZK1050

 **Embraco ECU60HLP**

	Thermally Protected	220-240V ~ 50Hz
	12.0LRA 280 ml oil R134a 1PH	



Compressor, Aspera, Embraco, EMT60HLP, R134a, 1/5 CV, 220 à 240 V 50 Hz,  
Cylindrée = 6.76 CM3, LBP, RSIR

---

**Electrolux Professional Compressor,  
R404a/R507, MX18FB, 220-240V, 50Hz,  
17,3kg, 5/8HP, 571W, MX18 FB,  
CUBIGEL, LBP, HERMETIC COMPRESSOR,  
Zanussi ALF1103 Fridge**

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 May 2021



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Electrolux Professional Compressor, R404a/R507, MX18FB, 220-240V, 50Hz, 17,3kg, 5/8HP, 571W, MX18 FB, CUBIGEL, LBP, HERMETIC COMPRESSOR, Zanussi ALF1103 Fridge

Medium and High Back Pressure  
Compressors, M/HBP, RSIR, TECUMSEH,  
1/5++ HP, R134a, 160g, TWB1374YGS,  
TW146GY, 220v/50-60, kiriazi defrost,  
340L, k350, k350/1, Embraco,  
ff17.5hak, tw146-gy-486, twb1374ygs

Category: compressor

written by www.mbsm.pro | 2 May 2021

Medium and High Back Pressure Compressors, M/HBP, RSIR, TECUMSEH, 1/5++ HP,  
R134a, 160g, TWB1374YGS, TW146GY, 220v/50-60, kiriazi defrost, 340L, k350,  
k350/1, Embraco, ff17.5hak, tw146-gy-486, twb1374ygs

---

no frost, egl99aa zmc refrigerator,  
DF40, silver, ideal, zanussi, IDEAL  
ZANUSSI, EGL99AA ZMC, DF 40 Elgance,  
Compressor, ACC Cubigel, Huayi,  
Electrolux, ZEM GL99AA, GL99AA, LBP ,  
R134a, 220-240V/1/50Hz, 1/4 HP,  
discharge 9.93 cm<sup>3</sup>, motor type RSIR,  
LRA 14.4A

Category: compressor

written by www.mbsm.pro | 2 May 2021



Mbsm\_dot\_pro\_private\_PDF\_GL99AA-compresseur-acc-cubigell-gl99aaTélécharger

Mbsm\_dot\_pro\_private\_PDF\_GL99AATélécharger

Compressor ACC Cubigel Huayi Electrolux ZEM GL99AA, LBP – R134a,  
220-240V/1/50Hz, 1/4 HP, discharge 9.93 cm<sup>3</sup>, motor type RSIR, LRA 14.4A,  
expansion device: capillary, cooling: static, weight 11 kg , the statutory  
warranty period shall apply (24 months), Delivery time Info: with “immediately  
available” and “scarce stock”, usually delivery within 2 days. For “currently  
not available” delivery time usually 2 weeks or delivery time in urgent cases  
contact us.

---

Refrigerant:

R134a

Power range(W):	101 – 200 W
Performance range (C):	-35 C to -10 C
Connecting size:	4,9 mm
Suction:	6,5 mm
Working area:	LBP
Design type:	Hermetic
Model series:	GL
Use with:	Capillary
Power range(HP):	0-2
Power supply:	230 V
Oil type:	ISO VG 22 Ester
Engine type:	RSIR
Article condition:	New
Info:	Oil filled
Shipping weight:	13,00 Kg
Dimensions ( length × width × height ):	23,10 × 16,20 × 18,60 cm
Cooling capacity condition:	T0 -25 C, Tk +55 C
Manufacturer:	ACC Cubigel Huayi Electrolux ZEM
Model:	GL99AA
Stroke volume (cm3):	9,93
Cooling capacity (W):	174
Power (HP):	0,25
Max. Starting current (A):	14,4
Max. Operating current (A):	1,31
Engine type:	RSIR
COP:	0,92
Note:	Static cooling
Conveying and suction volume (m3):	1,72
Oil quantity (l):	0,295
Compressor type:	Piston
Cooling:	Static
RPM:	2900
Power range:	-35 C to -10 C
Alternative:	HLY90AA, NL11F
Pressure line (mm):	4,9
Suction line (mm):	6,5

**ZMC** C **GL99AA** 0326  
220-240V~50Hz  
R 134a  
MADE IN EGYPT  
CE  
482  
55-3975 6

**COMPRESSOR**

Displacement (cm <sup>3</sup> )	9.95
Diameter (mm)	25.4
Stroke (mm)	19.62
Net Weight (Kg)	9.6
Oil type	ISO VG 22 ESTER
Oil charge (cm <sup>3</sup> )	295

**MOTOR**

Approximate Power (CV)	1/4
Voltage/Frequency (V/Hz)	220V 50Hz
Voltage range (V)	187-264
Code	-
Type	RSIR
Phase number	1 PH
Locked rotor current (A)	14.0
Main W. resist. at 25°C (Ω)	9.96
Start W. resist. at 25°C (Ω)	20.39

**ELECTRICAL COMPONENTS**

Relay	PTC 3003 - K100		
Nominal voltage (V)	200 - 240		
Resistance μ	14,00		
Protector	MRP336JZ	T0377	AE11FU

**APPLICATION**

Application	Low back pressure
Refrigerant	R134a
Evaporating (°C)	-35 to -10
Expansion	Capillar
Comp. cooling	Static
Max. ambient temp. (°C)	43

**NOMINAL PERFORMANCE**

	CYCLE A	CYCLE B
Cooling capacity (W)	175	238
Input power (W)	189	200
EER (kcal/Wh)	0.79	1.02
COP (W/W)	0.92	1.19
Current (A)	1.31	1.34

**TEST CONDITIONS**

	CYCLE A	CYCLE B
Evaporating temp. (°C)	-25.0	-23.3
Condensing temp. (°C)	55.0	55.0
Liq.t. entering expan. (°C)	55.0	32.0
Ambient t. and return (°C)	32.0	32.0
Tens/Freq (V/Hz)	220V 50Hz	220V 50Hz



موديل : KGT1

الشركة العالمية لصناعة الأجهزة المنزلية - الاسكندرية

١,٢ امبير

١٩٥ وات

٥٠ هيرتز

٢٢٠ فولت ~

السعة : ١,٣ اقدم

درجة الحماية : IPX2

التصنيف : ST

الشحنة : ١٧٠ جم ف ١٣٤ ا

سنة الانتاج

No.

٣٠٣٣

صنع في مصر

200

3 2

٢٠٠٥/٢٢٠

Made in Egypt



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



REDMI NOTE 9 PRO  
AI QUAD CAMERA

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



REDMI NOTE 9 PRO  
AI QUAD CAMERA


Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

**ZMC**

**EGL99AA 1002**

220-240V~50Hz


**R 134 a**

MADE IN EGYPT



3

480

0250659 



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Tecumseh, Copeland, Compressor,  
Cross, Reference, P12FW, Compressor,  
R-12, 1/3HP, 230V, HMBP, ACC-  
ELECTROLUX, CUBIGEL/HUAYI

Category: compressor

written by [www.mbsm.pro](http://www.mbsm.pro) | 2 May 2021

Tecumseh, Copeland, Compressor, Cross, Reference, P12FW, Compressor, R-12,  
1/3HP, 230V, HMBP, ACC-ELECTROLUX, CUBIGEL/HUAYI