

Mbsm.pro, Samsung, SK183B-L2W,
Compressor, 1/3 hp, Lbp, r134a, 236
W, 806 btu, 203 kcal/h, 220 v 50 hzt,
lra 9.4 a

Category: compressor

written by www.mbsm.pro | 19 November 2023



SAMSUNG

SK183B-L2W-DOT

220V-60Hz

9.4 LRA

1PH THERMALLY PROTECTED

R-134a



0696CCAN702882

MADE IN KOREA

R 134a LBP

| RATED VOLTAGE | MODEL | MOTOR TYPE | VOLTAGE [V-Hz] | ASHRAE | | | | | | | COOLING TYPE |
|---------------------|-------------|------------|----------------|------------------|------|--------|-------------|------------|------|------|--------------|
| | | | | COOLING CAPACITY | | | POWER INPUT | EFFICIENCY | | | |
| | | | | Kcal/Hr | Watt | BTU/Hr | | W | EFF | COP | |
| | | | | | | | | | | | |
| AC 115V-60Hz | MK183C-S2U | RSCR | 115-60 | 258 | 300 | 1024 | 187 | 1.38 | 1.60 | 5.48 | FC |
| | SK1A1C-L2W | CSR | 115-60 | 303 | 352 | 1203 | 275 | 1.10 | 1.28 | 4.37 | FC |
| | SK1A1C-L2WB | CSR | 115-60 | 312 | 363 | 1239 | 290 | 1.08 | 1.25 | 4.27 | FC |
| AC 115-127V-60Hz | MSS143D-S1U | RSCR | 115-60 | 116 | 135 | 461 | 85 | 1.36 | 1.59 | 5.42 | ST |
| | | | 127-60 | 116 | 135 | 461 | 92 | 1.26 | 1.47 | 5.01 | |
| | MSA151D-L1B | RSCR | 115-60 | 152 | 177 | 603 | 113 | 1.35 | 1.56 | 5.34 | ST |
| | | | 127-60 | 152 | 177 | 603 | 120 | 1.27 | 1.47 | 5.03 | |
| | MSS162D-S1U | RSCR | 115-60 | 187 | 217 | 742 | 135 | 1.39 | 1.61 | 5.50 | ST |
| | | | 127-60 | 187 | 217 | 742 | 142 | 1.32 | 1.53 | 5.23 | |
| | MSA162D-L1B | RSCR | 115-60 | 187 | 217 | 742 | 145 | 1.29 | 1.50 | 5.12 | ST |
| | | | 127-60 | 187 | 217 | 742 | 150 | 1.25 | 1.45 | 4.95 | |
| | MK162D-L1U | RSCR | 115-60 | 184 | 214 | 730 | 124 | 1.48 | 1.73 | 5.89 | ST |
| | | | 127-60 | 184 | 214 | 730 | 126 | 1.46 | 1.70 | 5.80 | |
| | MK162D-S2UB | RSCR | 115-60 | 184 | 214 | 730 | 135 | 1.36 | 1.58 | 5.41 | FC |
| | | | 127-60 | 184 | 214 | 730 | 142 | 1.30 | 1.51 | 5.14 | |
| | MK172D-R2U | RSCR | 115-60 | 224 | 260 | 889 | 149 | 1.50 | 1.75 | 5.97 | FC |
| | | | 127-60 | 224 | 260 | 889 | 152 | 1.47 | 1.71 | 5.85 | |
| | MK183D-L2U | RSCR | 115-60 | 258 | 300 | 1024 | 179 | 1.44 | 1.68 | 5.72 | FC |
| 127-60 | | | 258 | 300 | 1024 | 182 | 1.42 | 1.65 | 5.63 | | |
| | | | 115-60 | 258 | 300 | 1024 | 185 | 1.39 | 1.62 | 5.54 | |



SAMSUNG

SK183B-L2W-DOT

220V-60Hz

9.4 LRA

1PH THERMALLY PROTECTED

R-134a

0696CCAN702882

MADE IN KOREA

