Mbsm.pro, 1/2HP, LG, Commercial, Freezer, Compressor ,Lx110lajm, SC21G, r134a

Category: compressor
written by www.mbsm.pro | 24 November 2024



1/2HP, LG, Commercial, Freezer, Compressor ,Lx110lajm, SC21G, r134a

---

Mbsm.pro, Compresor, 1/2hp, Caj2t12, AJE2425AXA, Tecumseh, r12, mhbp, 64 uf, 260v, 3ARR18A-101B, Low

Temperature R12


Category: compressor
written by www.mbsm.pro | 24 November 2024



Mbsm.pro, Compresor, 1/2hp, Caj2t12, AJE2425AXA, Tecumseh, r12, mhbp, 64 uf, 260v, 3ARR18A-101B, Low Temperature R12

Mbsm.pro, Compressor, coolant, Cubigel, R134a, GL18AA, 220-240V, 50Hz, 3/8 hp++, 1/2HP–

Category: expertise
written by www.mbsm.pro | 24 November 2024



Mbsm.pro, Compressor, coolant, Cubigel, R134a, GL18AA, 220-240V, 50Hz, 3/8 hp++, 1/2HP–

Mbsm.pro, AJA4461AXA, Tecumseh, Compressors, AJ311AT-141-J7, 115V, 1/2HP, R12, high temperature, 6100 BTU,

Category: compressor
written by Jamila | 24 November 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, AJA4461AXA, Tecumseh, Compressors, AJ311AT-141-J7, 115V, 1/2HP, R12, high temperature, 6100 BTU,

---

Mbsm.pro, compressor, CUBIGEL, ELECTOLUX, ACC, R404a, R507, MP14FB, 220-240V 50Hz, LBP, 1/2HP

Category: compressor
written by www.mbsm.pro | 24 November 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, CUBIGEL, ELECTOLUX, ACC, R404a, R507, MP14FB, 220-240V 50Hz, LBP, 1/2HP

Mbsm.pro, Compressor, DAEWOO Compressor, Zed7003-9009H, NW108LHG4, R-134a, 1/2HP, 230V, Lbp, Single-Phase, Lra 11.7, 391 W, 336 Kcal/h, 1333 BTU/h, CSIR

Category: Archivation,compressor
written by www.mbsm.pro | 24 November 2024



Mbsm.pro, Compressor, DAEWOO Compressor, Zed7003-9009H, NW108LHG4, R-134a, 1/2HP, 230V, Lbp, Single-Phase, Lra 11.7, 391 W, 336 Kcal/h, 1333 BTU/h, CSIR

Mbsm.pro, Compressor, ACC, Cubigel,

Huayi, Electrolux, ZEM, MPT14LA , MPT14RA, LBP , R404A, R507, 1/2HP, 220-240V

Category: compressor
written by www.mbsm.pro | 24 November 2024



Private Picture Copyright : WWW.MBSM.PRO

Compressor Tecumseh L` Unite CAJ2432Z, LBP – R404A, 220 – 240V, 50 Hz, 1 phase, discharge: 18.3 cm3, oil type: POE, oil charge: 887 cm3, electrical equipment: CSR, cooling power 381 W at -35 / +40 °C, connection: suction: 1/2 inch, discharge: 5/16 inch, sound level: 56 dBA, start capacitor: 8 8 uF/250V, run capacitor: 15 uF/400V, expansion device: capillary or expansion valve, height: 271 mm, weight: 21.5kg
Type: Low back pressure (LBP)
Refrigerant: R404a/507
Displacement: 14.32cm³
Power: 1/2CV
Voltage: 230V – 50Hz
Single-phase

Motor type: CSR
Weight: 13.4 kg
Evaporation temperature
-40°C: 243W
-30°C: 420W
-25°C: 535W
-10°C: 988W



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_MPT14LATélécharger

Neon compressor, QD128H(360W), 1/3Hp, QD158H(450W), 3/8+, QD142H(395W), 3/8+, QD168H (322W), 1/2Hp, R134a

Category: compressor
written by www.mbsm.pro | 24 November 2024



Neon compressor, QD128H(360W), 1/3Hp, QD158H(450W), 3/8+, QD142H(395W), 3/8+, QD168H (322W), 1/2Hp, R134a

---

Compressor, Danfoss, Secop, SC18G, 104g8822,1/2HP, R134A, 685 Litres, Presentoire cokacolla, LBP/HBP

Category: compressor
written by www.mbsm.pro | 24 November 2024



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

OverviewQuick detailsType :compressorBrand Name :SECOPModel Number : ASC18GCertification :CE, CCCAfter-sales service provided :No overseas service provided.Gas :R134aType :PistonPower Source :AC PowerLubrication Style :LubricatedMute :YesPackage :wooden case or cartonApplication :Danfoss Freezer CompressorDelivery time :7-20 DaysSpecial period :1 monthSupply AbilitySupply Ability3000 Piece / Pieces per MonthPackaging and shippingPackaging Details1.For small order quantity: packed with a wooden case or carton.
2.For full container: packed with pallet, 24 pallets in one 20ft container.postureGuangZhou, huangpu portProcessing time:: A.7-30 days


1.Product name:

1, Danfoss refrigeration / refrigeration compressor SC18G
2.Type: LBP 3.Voltage
: 220 ~ 240V / 50Hz, 1 / 2HP

No	Model	HP	Temperature	Electricity	Refrigerant
1	SC10C	1/3	LBP	220~240V/50HZ	R22
2	SC12C	3/8	LBP	220~240V/50HZ	R22
3	SC15CM	1/2	LBP	220~240V/50HZ	R22
4	SC18CM	5/8	LBP	220~240V/50HZ	R22
5	SC10D	3/8	MBP	220~240V/50HZ	R22
6	SC12D	1/2	MBP	220~240V/50HZ	R22
7	SC15D	5/8	MBP	220~240V/50HZ	R22
8	SC10G	5/16	MBP	220~240V/50HZ	R22
9	SC12G	1/3	MBP	220~240V/50HZ	R134A
10	SC15G	3/8	MBP	220~240V/50HZ	R134A
11	SC18G	1/2	MBP	220~240V/50HZ	R134A
12	SC21G	5/8	MBP	220~240V/50HZ	R134A
13	SC10CL	1/3	LBP	220~240V/50HZ	R404a
14	SC12CL	3/8	LBP	220~240V/50HZ	R404a
15	SC15CL	1/2	LBP	220~240V/50HZ	R404a
16	SC18CL	5/8	LBP	220~240V/50HZ	R404a
17	SC21CL	7/8	LBP	220~240V/50HZ	R404a

Private Picture Copyright: WWW.MBSM.PRO

4.Gas consumption: R134a



Private Picture Copyright : WWW.MBSM.PRO


Mbsm_dot_pro_private_PDF_104g8822Télécharger




Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

Kulthorn, Kirby, Compressor, AE2425ZK, ae 2425zk-sr, R404, 1/2HP, Hermetic piston compressor, AE2425ZK-SR, Application: low temperature, Displacement: 14.14 cm3, Cooling capacity: 613 W, 220 V / 50 Hz / 1 phase.

Category: compressor
written by www.mbsm.pro | 24 November 2024



Private Picture Copyright : WWW.MBSM.PRO

Kulthorn, Kirby, Compressor, AE2425ZK, ae 2425zk-sr, R404, 1/2HP, Hermetic piston compressor, AE2425ZK-SR, Application: low temperature, Displacement: 14.14 cm3, Cooling capacity: 613 W, 220 V / 50 Hz / 1 phase.