

ML90FB , CUBIGEL , R404A / R507, LBP, COMPRESSEUR HERMÉTIQUE , 1/3HP, 230V 50Hz

Category: Technologie, Tester ok
written by www.mbsm.pro | 10 May 2020



cubigel
 compressors

ML90FB

THERMALLY PROTECTED
R404A
R507

220-240V~50Hz

PH1

MADE IN SPAIN

900114879100749

02043

CE

2

Private Picture : www.MBSM.PRO

ML90FB ,CUBIGEL ,R404A / R507, LBP, COMPRESSEUR HERMÉTIQUE ,1/3HP, 230V 50Hz

QD110H , Chest Freezer Compressor , 1/3HP , 220V/50Hz , R134A

Category: Technologie, Tester ok

written by www.mbsm.pro | 10 May 2020



PictureS Mbsm Dot Pro : www.mbsm.pro

1/3HP Refrigeration Compressor 220V/50Hz R134A

AC Compressor: R134A Hermetic LBP Piston Reciprocating Compressor
Model: WQ110H
Power Supply: 220-240/50-60V/Hz
Displacement: 11CC
Nominal Power: 1/3HP
Rated Power: 233W
Cooling Capacity: 280W
COP: 1.20W/W
Motor Type: RSIR
Starting relay: Starting Relay/PTC
Starting Capacitor: / μ F
Running Capacitor: / μ F
Cooling Type: F
Application: LBP
Certificate: 3C
1X20'FCL: 1600PCS



MAL QD110H_{HM}



220-240V~50Hz 1PH

L/MBP HST R134a

No.20010003548 COOLING CAPACITY:420W



www.comptek.com.cn



A003602

الإسكندرية لمصنع عمارة التبريد

Application:

LBP: Low back pressure; Refrigerator, Freezer, Wine cooler

MBP: Medium Back Pressure; Air-conditioner, vending machine

HBP: High Back Pressure: Air-conditioner, ice maker

LBP ASHRAE Test Condition:

Evaporation Temperature: -23.3 °C

Condensing Temperature: 54.4 °C

Subcooling Temperature: 32.2 °C

Ambient Temperature: 32.2 °C

MBP ASHRAE Test condition:

Evaporation Temperature: -5 °C

Condensing Temperature: 54.4 °C

Ambient Temperature: 35 °C

Subcooling Temperature: 46.1

Suction Temperature: 35 °C

HBP ASHRAE Test condition:

Evaporation Temperature: 7.2°C

Condensing Temperature: 54.4°C

Ambient Temperature: 35°C

Subcooling Temperature: 46.1°C

Suction Temperature: 35°C

Parameter Variation Range:

Cooling Capacity: ≥ 95%

Input Power: ≤ 115%

Current: ≤ 110%

COP: ≥ 95%

Cooling Type:

S: Natural cooling

F1: Fan cooling, 200mm fan diameter, 1.5m/s air speed

F2: Fan cooling, 200mm fan diameter, 3m/s air speed

Mbsm.pro , Qb91c19gax5 , 1/4 hp,
qb110c21rpx5, 1/3 hp, Panasonic
, Compressor cooling , 1Ph , 220V

Category: Solutions, Tester ok

written by Jamila | 10 May 2020



PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro , Qb91c19gax5 , Panasonic , Compressor cooling , 1/3HP , 236W , 1Ph , 220V