

Mbsm.pro, compressor, 1/4
hp++, NL80FB, NL 80 FB, CUBIGEL, NL
80FB, HMBP, R290, 220-240V / 50HZ

Category: compressor

written by www.mbsm.pro | 28 June 2022



Mbsm.pro, compressor, 1/4 hp++,NL80FB, NL 80 FB, CUBIGEL, NL 80FB, HMBP, R290,
220-240V / 50HZ

**Mbsm.pro, compressor, aez1380a, 1/4
hp++, 1/3 hp -, r12, 193 w, HBP**

Category: compressor

written by www.mbsm.pro | 28 June 2022




Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, aez1380a, 1/4 hp++, 1/3 hp -, r12, 193 w, HBP

Mbsm.pro, COMPRESSOR, SECOP, FR10G,
R134a, 1/4 Hp++, 1/3 Hp-, HMBP,
103G6880-HST, DANFOSS, CSIR, 730
BTU, 9.05 cc

Category: compressor

written by www.mbsm.pro | 28 June 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, COMPRESSOR, SECOP, FR10G, R134a, 1/4 Hp++, 1/3 Hp-, HMBP, 103G6880-HST, DANFOSS, CSIR, 730 BTU, 9.05 cc

Mbsm.pro, Deep, freezer, congela, 383
Litre, Compressor, R134A, 215W, 1/4
Hp++, 1/3 Hp-, 215W

Category: Chaud&Froid,Freezer
written by www.mbsm.pro | 28 June 2022



Private Picture Copyright : WWW.MBSM.PRO

□ □□□□ □□□□ , □□□□□□□□ □□ □□□□□□□□ □□□□□□□□ □□□□□□□□ , □□□hp , □□□□□□□□ □□□□□□□□ , □□□□□ □□□□□hp

<p> INPUT FREQUENCY: 60 Hz 50 Hz MAXIMUM VOLTAGE: 127 V 115 V RATED VOLTAGE: 115 V 105 V RATED INPUT: 215 W 179 W RATED DEFROST INPUT: 690 W 575 W RATED DEFROST CURRENT: 6.00 A 5.48 A RUN TIME (90°F): 65-75% 60-70% TEMPERATURE DESIGN RATING: T SUPPLY TYPE: ~ LAMP RATING: 40 W 15 A FUSE RATING: 1.8 kg 2.9 kWh ICE HARVEST: (24 hrs) 683 litres POWER USAGE: (24 hrs) STORAGE VOLUME: </p>	<p> FRECUENCIA NOMINAL: 60 Hz 50 Hz TENSION MAXIMUM: 127 V 115 V TENSION NOMINAL: 115 V 105 V PUISANCE D'ENTREE NOMINALE: 215 W 179 W PUISANCE D'ENTREE NOMINALE DEGIVRAGE: 690 W 575 W INTENSITE NOMINALE DEGIVRAGE: 6.00 A 5.48 A TEMPS FONCTIONNEMENT A 32° C: 65-75% 60-70% TEMPERATURE NOMINALE DE FONCTIONNEMENT: T TYPE D'ALIMENTATION: ~ CALIBRE LAMPES: 40 W 15 A CALIBRE FUSIBLE: 1.8 kg 2.9 kWh GLACONS-24 H: 683 litres CONSUMMATION ELECTRIQUE-24 H: VOLUME RANGEMENT: </p>	<p> FRECUENCIA NOMINAL: 60 Hz 50 Hz VOLTAGE MAXIMO: 127 V 115 V VOLTAGE NOMINAL: 115 V 105 V ENTRADA NOMINAL: 215 W 179 W ENTRADA NOMINAL DEL DESCONGELADOR: 690 W 575 W CORRIENTE NOMINAL PARA EL DESCONGELADOR: 6.00 A 5.48 A TIEMPO DE FUNCIONAMIENTO A 32° C: 65-75% 60-70% CLASIFICACION DE LA TEMPERATURA: T TIPO DE SUMINISTRO: ~ TIPO DE BOMBILLA: 40 W 15 A PRODUCCION DE HIELO (24 horas): 683 litros CONSUMO DE CORRIENTE (24 horas): CAPACIDAD DE ALMACENAMIENTO: </p>
--	---	---

Made in U.S.A.

Made in U.S.A.

Made in U.S.A.





Private Picture Copyright : WWW.MBSM.PRO

DOMESTIC SINGLE DOOR FRIDGE				
4 to 5	Cubic Feet	(113-160 Ltr)	=	1\12 H.P.
6 to 7	Cubic Feet	(170 -198 Ltr)	=	1\10 H.P.
8 to 9	Cubic Feet	(226-254 Ltr)	=	1\8 H.P.
9 to 13	Cubic Feet	(283 - 370 Ltr)	=	1\6 H.P.
DOMESTIC DOUBLE DOOR FRIDGE				
9 to 12	Cubic Feet	(226-340 Ltr)	=	1\5 H.P.
13 to 17	Cubic Feet	(370-481 Ltr)	=	1\4 H.P.
17 to 22	Cubic Feet	(509-623Ltr)	=	1\3 H.P.

Private Picture : www.MBSMGROUP.TN

Private Picture Copyright : WWW.MBSM.PRO

جدول قدرة المضخات بالنسبة لحجم الثلاجة أو الديب فريزر

المضخات بالحجم		1/12	1/10	1/8	1/6	1/5	1/4	1/3	1/2
الثلاجة	قدم	4	6	8	10	12	14	16	
	لتر	113	170	227	283	340	396	453	
الديب فريزر	قدم			6	8	10	12	14	18
	لتر			170	200	283	340	396	510
	العرض بالتقريب بالمتر			50	70	90	120	144	170

Private Picture : www.MBSMGROUP.TN

Private Picture Copyright : WWW.MBSM.PRO

FRECUENCIA NOMINAL	60 Hz	50 Hz	FRECUENCIA NOMINAL	60 Hz
TENSION MAXIMUM	127 V	115 V	VOLTAJE MAXIMO	127 V
TENSION NOMINALE	115 V	105 V	VOLTAJE NOMINAL	115 V
PUISSANCE D'ENTREE NOMINALE	215 W	179 W	ENTRADA NOMINALE	215 W
PUISSANCE D'ENTREE NOMINALE DEGIVRAGE	690 W	575 W	ENTRADA NOMINALE DEGIVRAGE	690 W
INTENSITE NOMINALE DEGIVRAGE	6.00 A	5.48 A	INTENSIDAD NOMINALE DEGIVRAGE	6.00 A
TEMPS FONCTIONNEMENT A 32° C	65-75%	60-70%	TIEMPO DE FUNCIONAMIENTO A 32° C	65-75%
TEMPERATURE NOMINALE DE FONCTIONNEMENT	T	~	TEMPERATURA NOMINALE DE FUNCIONAMIENTO	T
TYPE D'ALIMENTATION	40 W		TIPO DE ALIMENTACION	40 W
CALIBRE LAMPES	15 A		CALIBRE DE LAMPAS	15 A
CALIBRE FUSIBLE	1.8 kg		CALIBRE DE FUSIBLE	1.8 kg
GLACONS-24 H	2.9 kWh		GLACONES-24 H	2.9 kWh
CONSUMMATION ELECTRIQUE-24 H	683 litres		CONSUMO DE CORRIENTE-24 H	683 litres
VOLUME RANGEMENT			CAPACIDAD DE ALMACENAMIENTO	
	Made in U.S.A.			Made in U.S.A.

