Mbsm.pro, Compressor, PW4.5VK, 1/8hP, 128 W, PW5.5VK, 1/6hP, 148 W, PW6.5VK, 1/5hP, 168 W, r134a, 1ph220v, watercooler, freezing

Category: compressor
written by www.mbsm.pro | 12 December 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, PW4.5VK, 1/8hP, 128 W, PW5.5VK, 1/6hP, 148 W, PW6.5VK, 1/5hP, 168 W, r134a, 1ph220v, watercooler, freezing

Mbsm.pro, Huaguang, ayd40l, R134A, 220V/50Hz, 1/8HP, 108W, refrigerator, compressor, Wanbao Group Compressor

Category: compressor
written by www.mbsm.pro | 12 December 2024



Mbsm.pro, Huaguang, ayd40l, R134A, 220V/50Hz, 1/8HP, 108W, refrigerator, compressor, Wanbao Group Compressor

---

Mbsm.pro, Kulthorn, AE 3414Y, Compressor, Small, 1,570 BTU/Hr, 1/8HP, R134a, 208-230V, 60Hz, 1Ph, HBP, overload Plus Relay, AE3414Y

Category: pro
written by www.mbsm.pro | 12 December 2024



Mbsm.pro, Kulthorn, AE 3414Y, Compressor, Small, 1,570 BTU/Hr, 1/8HP, R134a,

208-230V, 60Hz, 1Ph, HBP, overload Plus Relay

Mbsm.pro, compressor, HUAYI, R600a, HYB81MHU a, 220-240V 50Hz, 5,5kg, 1/8HP, 8,1cm³, SGL, CHEST, FREEZER, 200L, SGLFR-200E

Category: compressor,Freezer
written by www.mbsm.pro | 12 December 2024



Mbsm.pro, compressor, HUAYI, R600a, HYB81MHU a, 220-240V 50Hz, 5,5kg, 1/8HP, 8,1cm³, SGL, CHEST, FREEZER, 200L, SGLFR-200E

Embraco, Universal, EM45HHR, R134a, Refrigeration Compressor, Low, Medium & High Back Pressure, 1/8hp, Nominal

Motor HP, For use with refrigerators, ice makers, frozen food cabinets, frozen food display cases, display windows, 115v

Category: compressor
written by www.mbsm.pro | 12 December 2024



Embraco Universal EM45HHR R134a Refrigeration Compressor. Low, Medium & High Back Pressure. 1/8 Nominal Motor HP. For use with refrigerators, ice makers, frozen food cabinets, frozen food display cases, display windows, etc.
Replaces Embraco EMI40HNR and EM45HNR and Tecumseh AEA3417YXA.
Motor: Resistive Start Inductive Run & Captive Start Inductive Run (RSIR/CSIR)
Evaporating Temperatures: -10°F to 45°F

Product Specifications

BTU Capacity HBP:	1775
BTU Capacity LBP & MBP:	420
Horsepower (HP):	1/8
Locked Rotor Amps (LRA):	17.0
Motor Type:	RSIR/CSIR
Required Refrigerant :	R134a
Skill Level:	

Starting Torque:	Normal
Volts (V):	115

Mbsm_dot_pro_private_PDF_EM45HHR-1Télécharger
Mbsm_dot_pro_private_PDF_EM45HHRTélécharger



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



ture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO




Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

Daewoo, HSL11Y-5 , Compresseur hermétique, R-134a, 93W, RSIR , 1/8Hp

Category: compressor
written by www.mbsm.pro | 12 December 2024

Series	Model	Displacement [cc/rev]	Consumption Power [W]	Cooling Capacity			Efficiency			Motor Type	Cooling Type	Net Weight [kg]	Oil Qty. [cc]
				kcal/h	Watt	Btu/h	EFF kcal/Wh	COP W/W	EER Btu/Wh				
DS	DS22LHS8	2.18	57	37	43	147	1.54	0.75	2.58	RSIR	ST	6.0	180
	DS25LHS8	2.54	63	50	58	198	1.26	0.92	3.15	RSIR	ST	6.0	180
	DS30LHS8	3.06	78	69	80	274	1.13	1.03	3.51	RSIR	ST	6.0	180
WX	WX20LHS5T	2.01	58	29	34	115	2.00	0.58	1.98	RSIR	ST	5.9	180
	WX24LHS5	2.54	66	40	47	159	1.65	0.70	2.41	RSIR	ST	5.9	180
	WX24LHS5T	2.54	64	40	47	159	1.60	0.73	2.48	RSIR	ST	5.9	180
	WX24LHS8	2.54	66	40	47	159	1.65	0.70	2.41	RSIR	ST	5.9	180
	WX30LHS5	3.06	86	60	70	238	1.43	0.81	2.77	RSIR	ST	5.9	180
	WX30LHS5T	3.06	88	59	69	234	1.49	0.78	2.66	RSIR	ST	5.9	180
	WX30LHS8	3.06	86	60	70	238	1.43	0.81	2.77	RSIR	ST	5.9	180
	WX30LHT5W	3.06	75	52	60	206	1.44	0.81	2.75	RSIR	ST	5.9	180
	WX35LHS5T	3.51	98	64	74	254	1.53	0.76	2.59	RSIR	ST	5.9	180
	WX35LHT5W	3.51	99	64	74	254	1.55	0.75	2.57	RSIR	ST	5.9	180
Y	HPL7Y-5	2.65	62	50	58	198	1.24	0.94	3.20	RSCR	ST	6.7	230
	HPL9Y-5	3.43	76	58	67	230	1.31	0.89	3.03	RSCR	ST	6.7	230
	HPL11Y-5	4.51	89	80	93	317	1.11	1.05	3.57	RSCR	ST	7.0	230
	HSL5Y-5	2.29	65	35	41	139	1.86	0.63	2.14	RSIR	ST	6.3	230
	HSL5Y-5P	2.29	64	35	41	139	1.83	0.64	2.17	RSIR	ST	6.7	230
	HSL7Y-5	2.65	74	48	56	190	1.54	0.75	2.57	RSIR	ST	6.7	230
	HSL9Y-5	3.43	74	46	53	183	1.61	0.72	2.47	RSIR	ST	6.7	230
	HSL11Y-5	4.51	109	80	93	317	1.36	0.85	2.91	RSIR	ST	7.0	230
	HSL11Y-5A	4.51	102	85	99	337	1.20	0.97	3.31	RSIR	ST	7.0	230
	HSL11Y-5T	4.51	108	78	91	310	1.38	0.84	2.87	RSIR	ST	7.0	230
JE	HPL13JE-5	4.62	97	93	108	369	1.04	1.12	3.80	RSCR	ST/FC	7.4	230
	HPL15JE-5	5.12	107	107	124	425	1.00	1.16	3.97	RSCR	ST/FC	7.7	230
	HPL17JE-5	5.55	124	123	143	488	1.01	1.15	3.94	RSCR	ST/FC	7.7	230
	HPL19JE-5	5.84	124	134	156	532	0.93	1.26	4.29	RSCR	ST/FC	8.2	230
	HSL15JE-5	5.12	114	108	126	429	1.06	1.10	3.76	RSIR	ST/FC	7.7	230
	HSL15JE-5A	5.12	117	109	127	433	1.07	1.08	3.70	RSIR	ST/FC	7.7	230
	HSL15JE-5C	5.12	115	108	126	429	1.06	1.09	3.73	RSIR	ST/FC	7.8	230

Private Picture Copyright : WWW.MBSM.PRO

Daewoo, HSL11Y-5 , Compresseur hermétique, R-134a, 109W, RSIR , 1/8Hp

---

Compressor ,WS85YG, 220 to 240V/50Hz, 1/8HP ,RSCR , R600

Category: Technologie,Tester ok
written by www.mbsm.pro | 12 December 2024



Private Picture Copyright : WWW.MBSM.PRO

Compressor ,WS85YG, 220 to 240V/50Hz, 1/8HP ,RSCR , R600

HuaJun ,QD30 ,Compressor, 90W , R12 , 0.82 LRA , 220V 50Hz , 1/8HP

Category: Technologie,Tester ok
written by www.mbsm.pro | 12 December 2024



Private Picture Copyright : WWW.MBSM.PRO

HuaJun ,QD30 ,Compressor, 90W , R12 , 0.82 LRA , 220V 50H , 1/8HP

NSA43LAEG ,P220MC ,4TM166RFB ,102 Watts ,1/8HP , R12 , 1 Phase

Category: Technologie,Tester ok
written by www.mbsm.pro | 12 December 2024

Private Picture Copyright : WWW.MBSM.PRO

NSA43LAEG ,P220MC ,4TM166RFB ,102 Watts ,1/8HP , R12 , 1 Phase