

AEA3440YXC , Tecumseh Product Co , HBP  
, Moteur HP , 1PHase, 1/3HP , High  
Back Pressure , R134a , 220-240V ~ 50Hz  
, Reciprocating Compressor , 996W

Category: Technologie, Tester ok  
written by www.mbsm.pro | 30 April 2020



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

AEA3440YXC , HBP , Moteur HP , 1HP, 1/HP , High Back Pressure , R134a , 220-240V ~ 50Hz , Reciprocating Compressor

---

Mbsm.pro , Compressor ESC 8.5, R134a,  
Necchi (530591) , 1/5 Hp , 159 w

Category: Solutions, Tester ok  
written by Jamila | 30 April 2020



PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)

Mbsm.pro , Compressor ESC 8.5, R134a, Necchi (530591) , 1/5 Hp ,159 w

	Motore	cm <sup>3</sup>	Volt	Watt -10°C	Watt -30°C	
RIB5150	A9EV – R22 – 3/8 – LBP	CSR	9,29	220	642	
RIB5160	A11EV – R22 – 1/2 Hp – LBP	CSR	11,11	220	781	
RIB5350	A13EV – R22 – 5/8 Hp – LBP	CSR	13,35	220	967	
RIB5450	N17EV – R22 – 3/4 Hp – LBP	CSR	17,52	220	1221	
RIB5550	N21EV – R22 -1- Hp LBP	CSR	20,68	220	1464	
RIB5650	N23EV – R22 – 1,2 Hp – LBP	CSR	23,18	230	1616	
RIB7104	NB4 COMPRESS. R12 24V. FRAMEC 1/8 =					
RIB7108	NB8 COMPRESS. R12 24V.FRAMEC 175w.=					
RIB7113	NB13HP COMPRESS.R12 24V.FRAMEC 1/3=					
RIBB010	ETR 3 – R134A – 1/12 Hp – LBP	RSIR	3,00	220	127	
RIBB020	ETR 3,5 HP 1/10 R134A – LBP	RSIR	3,50	220	156	
RIBB030	ETR 4 HP 1/8 R134A – LBP	RSIR	4,10	220	179	
RIBB040	ETR 5 – R134a – HP 1/6 – LBP	RSIR	5,12	220	231	
RIBB050	ETR5,5 – R134a – 1/6 Hp – LBP	RSIR	5,55	220	257	
RIBB080	ESC5 – R134a – 1/6 Hp – LBP	RSIR	5,12	220	222	
RIBB100	ESC7 – R134a – 1/5 Hp – LBP	RSIR	7,00	220	307	
RIBB110	ESC8 – R134a – 1/5 Hp – LBP	RSIR	7,75	220	358	
RIBB130	ESC9 – R134a – 1/4 Hp – LBP	RSIR	9,07	220	424	
RIBB140	ESC11 – R134a – 1/3 Hp – LBP	RSIR	10,63	220	501	
RIBB200	ESC4H – R134a – 1/8 Hp – LBP	RSIR	4,10	220	177	
RIBB400	ESR 7 – R134a – 1/5 Hp – LBP	RSIR	7,00	220	307	
RIBB410	ESR 8 – R134a – 1/5 Hp – LBP	RSIR	7,75	220	358	
RIBB430	ESR 9 – R134a – 1/4 Hp – LBP	RSIR	9,07	220	424	
RIBB440	ESR11 – R134a – 1/3 Hp – LBP	RSIR	10,63	220	501	
RIBE040	TN17EV – R404 – 3/4 Hp – LBP	CSR	17,52	220		565
RIBE050	TN21EV – R404 – 1 Hp – LBP	CSR	20,68	220		644
RIBE060	TN23EV – R404 – 1,2 Hp – LBP	CSR	23,18	220		726
RIBT999	COMPRESSORE ELECTROLUX DESCR.BOLLA					



neue Type	Vorläufer Type	Kältemittel	Bereich	1)Betrieb	2)Leistungs-aufnahme Watt	3)Strom-aufnahme A	Öl-füllung cm <sup>3</sup>	Bestell-Nr.
<b>mit Esterölfüllung</b>								
*ETR 3	—	R134a	LBP	K	68	0,55	185	*230.051
*ETR 3,5	—	R134a	LBP	K	81	0,58	185	*230.053
*ETR 4	—	R134a	LBP	K	89	0,64	185	*230.055
*ETR 5	—	R134a	LBP	K	109	0,76	185	*230.057
*ETR 5,5	—	R134a	LBP	K	118	0,80	185	*230.059
*ESR 7	ESC 7	R134a	LBP	K	127	0,83	220	*230.073
*ESR 8	ESC 8	R134a	LBP	K	149	1,00	220	*230.075
*ESR 8,5	ESC 8,5	R134a	LBP	K	159	1,07	220	*230.077
*ESR 9	ESC 9	R134a	LBP	K	177	1,20	220	*230.079
*ESR 11	ESC 11	R134a	LBP	K	215	1,42	220	*230.081
ETR 4H	ES(C)R4H	R134a	HBP	K	187	1,13	185	—
ETR 5H	ES(C)R5H	R134a	HBP	K	231	1,30	185	—
ESR 7H	ESC 7H	R134a	HBP	K	288	1,61	220	—
ESR 9H	ESC 9H	R134a	HBP	K	396	2,31	220	—
ESR 11H	ESC 11H	R134a	HBP	K	472	2,64	220	—
TA 13 EV	—	R404 A	LBP	K/E	463	2,15	950	230.096
TN 17 EV	—	R404 A	LBP	K/E	627	2,93	950	230.097
TN 21 EV	—	R404 A	LBP	K/E	727	3,61	950	230.099

PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro , COMPRESSOR TECUMSEH,  
CAJ4511Y, R134a, HMBP(HBP – High Back  
Pressure), 1 HP, 1PH, 220-240 VOLTS ,  
High Start Torque (HST) ,

Category: Solutions, Tester ok  
written by Jamila | 30 April 2020



PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro , COMPRESSOR TECUMSEH,  
**L'unite hermetique Compressor**

CAJ4511Y, R134a, HMBP(HBP – High Back Pressure), 1 HP, 1PH, 220-240 VOLTS , High  
Start Torque (HST)

Condensateur Perm./ Run capacitor : 15 µF / 400 V

# Données techniques

- Modèle: **CAJ4511Y**
- Gaz: **R-134a**
- Température/Pression: **Haute Pression**
- Puissance: **1 HP**
- Voltage: **230 V**
- Type De Courant: **Monophasé**
- Fréquence: **50 Hz**
- Type De Compresseur: **Hermétique**
- Décalage: **32.7 cm<sup>3</sup>**
- Cons.Énergie -5°C: **920 W**
- Cons.Énergie 0°C: **1030 W**
- Cons.Énergie +5°C: **1140 W**
- Cons.Énergie +10°C: **1250 W**
- T° De Condensation: **55 °C**
- Capacité Frigorifique -5°C: **1376 Kcal/h**
- Capacité Frigorifique 0°C: **1737 Kcal/h**
- Capacité Frigorifique 5°C: **2150 Kcal/h**
- Capacité Frigorifique 7.2°C: **2347 Kcal/h**
- Capacité Frigorifique 10°C: **2614 Kcal/h**
- Tipo Test: **EN.12900**





PictureS Mbsm Dot Pro : [www.mbsm.pro](http://www.mbsm.pro)