Mbsm.pro, KH690LN, no-frost, refrigerator, Kiriazi, 690 liters, r134a, 190g, Compressor, 1/3 hp

Category: compressor,Refrigerator
written by www.mbsm.pro | 1 September 2023




Mbsm.pro, KH690LN, no-frost, refrigerator, Kiriazi, 690 liters, r134a, 190g, Compressor, 1/3 hp

---

Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR

Category: compressor,Refrigerator
written by www.mbsm.pro | 1 September 2023



Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR

Mbsm.pro, Compressor, DANFOSS , NL10FT, 105G6829, 105G 6839, 105g6839, SECOP, NL10FT 105g6839, (10.10 CM³), HERMETIC RECIPROCATING, 3/8 Hp, lbp, r134, 190g, 500 litres

Category: compressor
written by www.mbsm.pro | 1 September 2023



Mbsm.pro, Compressor, DANFOSS , NL10FT, 105G6829, 105G 6839, 105g6839, SECOP, NL10FT 105g6839, (10.10 CM³), HERMETIC RECIPROCATING, 3/8 Hp, lbp, r134, 190g, 500 litres , k500

Mbsm.pro, Kiriazi, K500, No-Frost, Refrigerator, 500 Liters, 18 feet, Compressor, 1/3 hp, R134a, 190g

Category: Refrigerator
written by www.mbsm.pro | 1 September 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Kiriazi, K500, No-Frost, Refrigerator, 500 Liters, 18 feet, Compressor, 1/3 hp, R134a, 190g

---

FR6B, Compressor, 103U2654, FR6B 103U2654, DANFOSS TL, FR and SC Hermetic Compressors, DANFOSS, Kiriazi, 343L, 1/5 Hp, MBP, R12, 280g, équivalence, 1/4Hp, R134A, 190g

Category: compressor
written by www.mbsm.pro | 1 September 2023



Compresseurs hermétiques DANFOSS TL, FR et SC

BOC partie No.	Code Danfoss	Puissance nominale et applic	Refrig.	Capacité nominale (watts)	Réf. BOC	Code Danfoss	Puissance nominale et applic	Réfrigérer	Capacité nominale (watts)
FR6B	103U2654	1/5 MBP	R12	354	TL3F	102G4300	1/10 LBP	R134a	58
FR8.5B	103U2854	1/4 MBP	R12	450	TL4F	102G4400	1/8 LBP	R134a	84
SC10B *	104L2510	1/3 MBP	R12	588	TLS5F	102G4520	1/6 LBP	R134a	127
FR11B	103U2154	1/3 MBP	R12	624	TLS7F	102G4720	1/5 LBP	R134a	162
SC12B *	104L2670	4/9 MBP	R12	756	NL7F	105G6706	1/4 LBP	R134a	183
SC15B *	104L2830	1/2 MBP (LBP)	R12 (R502)	912 (768)	NL9F **	105G6802	1/4 LBP	R134a	214

SC18B *	1042110	2/3 MBP (LBP)	R12 (R502)	1044 (900)	**NL11F** **	105G6910	1/4 LBP	R134a	274
SC21B	104L2310	3/4 MBP	R12	1212	**SC15F** **	104G8500	1/3 LBP	R134a	319
SC10B	104L2510	1/3 LBP	R502	468	**SC18F** **	104G8800	4/9 LBP	R134a	395
SC12B	104L2670	4/9 LBP	R502	612	**TL3G**	104G4350	1/8 MBP	R134a	175
SC15C	104L2832	2/3 LBP	R502	768	**TL4G**	102G4452	1/6 MBP	R134a	215
SC18C	104L2111	3/4 LBP	R502	900	**FR6G**	103G6660	1/5 MBP	R134a	351
SC10G	104G8000	1/3 MBP	R134a	591	**FR8.5G**	103G6780	1/4 MBP	R134a	468
SC12G	104G8240	4/9 MBP	R134a	751	**FR11G**	103G6980	1/3 MBP	R134a	609
SC18G	104G8820	2/3 MBP	R134a	1059	**SC15G**	104G8520	1/2 MBP	R134a	892
SC21G	104G8140	3/4 MBP	R134a	1256	**SC10CL**	104L2523	1/3 MBP	R507	450
SC12CL	104L2623	4/9 LBP	R507	624	**SC15CL**	104L2853	2/3 LBP	R507	758
SC18CL	104L2123	3/4 LBP	R507	893					

Remarque:

1. Les compresseurs marqués ** sont équipés de raccords de refroidisseur d’huile.
2. Les compresseurs marqués * peuvent être utilisés sur les systèmes R502 avec fonctionnement à tube capillaire dans la gamme LBP.
3. (Systèmes sans dégivrage automatique uniquement).

Capacités nominales basées sur:
LBP = -23,3 ° C température d’évaporation
MBP = -5 ° C température d’évaporation


Relais de remplacement (appareil de démarrage)	
Réf. BOC	**Convient au modèle de compresseur**
103N0011	TL3A à TL5A, FR7.5A à FR11A
103N0002	SC12A, SC15A



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_103U2654Télécharger