

Mbsm.pro, LG, NS30LAEG, 1/10 hp, Small Fridge/freezer, mini bar, Compressor, 1ph, 220-240v, 70 w, R134a

Category: compressor

written by www.mbsm.pro | 9 May 2022



ate Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, LG, NS30LAEG, 1/10 hp, Small Fridge/freezer Compressor, 1ph, 220-240v, 70 w, R134a

Mbsm.pro, compressor, pH210X2C-4FT1,

Gmcc, Toshiba, R22, 900 G, 1pH, 50Hz
220-240V, Rotary Compressor, Air
Conditioner, 12000 btu, 1 ton, 1.5 hp

Category: compressor

written by www.mbsm.pro | 9 May 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, compressor, ph210x2c-4ft1, Gmcc, Toshiba, R22, 1pH, 50Hz 220-240V,
Rotary Compressor, Air Conditioner, 12000 btu

Mbsm.pro, Compressor, Danfoss,
1/4hp++, mhbp, GL90an, R134a,
220-230v, 1ph, 50hz , Csir

Category: compressor

written by www.mbsm.pro | 9 May 2022



Mbsm.pro, Compressor, Danfoss, 1/4hp++, mhbp, GL90an, R134a, 220-230v, 1ph, 50hz
, Csir

Mbsm.pro, compressor, Tecumseh,
TWB1380yGR, TW151-GR-601, 1/3 hp,
r134a, THG1374YDS, TSB1390YGS,
AEA1380YXA, TSA1380YAS, TSA1380YCS,
TSA1380YDS, TSA1380YGS, TSA1380YMS,
TWB1380YDS, TWB1380YDS, TWB1380YGR,
TWB1380YLS, TWB1390YKS, TWB1390YZS,
Embraco, FFI10HAK, FFI10HAKW,
FFUS100HAK , THG1374YDS (1/5+ or
1/4), LBP, 1PH, 220 V, 50 Hz, 847 btu

Category: compressor

written by www.mbsm.pro | 9 May 2022

1/3	EGAS100HLR	855	1050	Estático	LBP	EGAS100HLRW / EGX100HLC / EGZS100HLP / FGS100HA EGS100HLC / EGY100HLP / FFI10HAK / FGS100HAS EGU100HLC / EGYS100HLP / FFI10HAKW / FGS100HAW EGU100HLCW / EGZ100HLP / FFI10HBX / NE1121Z EGUS100HLP / EGZS100HLC / FFU100HAK / NE2121Z EGUS100HLPW / EGZS100HLCW / FFU100HAKW		TPHH1410Y / AE1410Y / AEA2410YXA CAE2410Y / TPA1410YXA
1/3	FFUS100HAK	847	1009	Estático	LBP	FFI10HAK / FFI10HAKW		THG1374YDS / TSB1390YGS / AEA1380YXA / TSA1380YAS / TSA1380YCS / TSA1380YDS / TSA1380YGS / TSA1380YMS / TWB1380YDS / TWB1380YDS / TWB1380YGR / TWB1380YGS / TWB1380YLS / TWB1390YKS / TWB1390YZS
1/3+	FFI12HBX	1090	1190	Forçado	LBP	FFI12HBK / NE1130Z	TCB0012	TPH1413Y / AE1412Y / AEA2413YXA TPG1413Y / CAE2412Y CAE2414Y
	FFU130HAX	1055	1250			FFU130HAXW / FFI12HBKW / NE2130Z		
	FFUS130HAX	1055	1250			FFI12HAX / FFI12HBXW / FFI12HBK		
1/3+	FFU160HAX	1275	1533	Forçado	LBP	FFI12HBX / FFU130HAXW / NE2130Z / FFI12HBXW / NE1130Z		TPH1415Y / AJA2419YXA

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, Tecumseh, TWB1380yGR, TW151-GR-601, 1/3 hp, r134a, THG1374YDS, TSB1390YGS, AEA1380YXA, TSA1380YAS, TSA1380YCS, TSA1380YDS, TSA1380YGS, TSA1380YMS, TWB1380YDS, TWB1380YDS, TWB1380YGR, TWB1380YGS, TWB1380YLS, TWB1390YKS, TWB1390YZS, Embraco, FFI10HAK, FFI10HAKW, FFUS100HAK

Mbsm.pro, Compressor, Toshiba, PH160X2-4LU, 12000 btu, 220 v, 1ph, rla 6.5 a, fla 40 a, 35 µF

Category: compressor

written by www.mbsm.pro | 9 May 2022

PH160X2-4LU

THERMALLY
PROTECTED
R22

PH1 HZ50 V220.240 LRA35
LOW MPa TP 2.0 AP1.4 DP1.3
HIGH MPa TP 4.4 AP2.9 DP2.8



50302558

TOSHIBA CORPORATION
MADE IN JAPAN

WARNING/DANGER

FAILURE TO FOLLOW THESE INSTRUCTIONS
COULD RESULT IN SERIOUS PERSONAL INJURY.

1. FOLLOW RECOGNIZED SAFETY PRACTICES AND WEAR PROTECTIVE GOGGLES.
2. DO NOT OPERATE COMPRESSOR OR PROVIDE ANY ELECTRIC POWER TO THIS UNIT UNLESS THIS COVER IS IN PLACE AND SECURED.
3. DO NOT REMOVE THIS COVER UNTIL ALL ELECTRICAL SOURCES HAVE BEEN DISCONNECTED.
4. IF REFRIGERANT LEAK IS SUSPECTED AROUND TERMINALS RELIEVE ALL PRESSURE FROM SYSTEM BEFORE TOUCHING OR DETACHING ANYTHING INSIDE THIS TERMINAL BOX.
5. REPAIRS OF COMPRESSOR TERMINAL BOX SHOULD BE MADE BY A QUALIFIED PERSON.

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Toshiba, PH160X2-4LU, 12000 btu, 220 v, 1ph, rla 6.5 a, fla 40 a, 35 μ F

Mbsm.pro, Compressor, Haili, s1310MV,
5270 W, 17981 BTU, 220 V, 1PH, R22,
2.2 HP

Category: compressor

written by www.mbsm.pro | 9 May 2022

HIGHLY

SL310MV-C8EQ

50Hz 220-240V~

R2PHS

2020.01.27b

R22



L4ANS1917122

上海海立电器有限公司 SHANGHAI HIGHLY ELECTRICAL APPLIANCE

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Haili, sl310MV, 5270 W, 17981 BTU, 220 V, 1PH, R22

Mbsm.pro, Compressor, AJE4511YTZ ,
R134a, hbp, TAJ4511Y, R-12/R-409A,
lbp, 1HP, 3hp, 400V U.H., CAJ4511A,
1ph, R-12, lbp, 220v

Category: compressor

written by www.mbsm.pro | 9 May 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, AJE4511YTZ , R134a, TAJ4511Y, R-12/R-409A, 1HP, 3hp, 400V
U.H., CAJ4511A, 1ph, R-12, 220v

Mbsm.pro, DL25YE-4, 1/4 hp , 1Ph,
DAEW00,COMPRESSOR R12, CSR,
compressor, LBp, 220V 60hz

Category: compressor

written by www.mbsm.pro | 9 May 2022



Private Picture Copyright : WWW.MBSM.PRO

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, DL25YE-4, 1/4 hp , 1Ph, DAEWOO,COMPRESSOR, R12, CSR, compressor, LBp, 220V 60hz

Mbsm.pro, COPLAND, Compressor,
KCJ511HAE, KCJ511HAE-BXXX , HBP,
1-3/8 hp big ++, R-22 , 230 V, 50 Hz,
1PH , FAN, 350 ft3 / m

Category: compressor

written by www.mbsm.pro | 9 May 2022



Private Picture Copyright : WWW.MBSM.PRO

Technical Specification

Cooling Capacity (Btu/hr) 11275

Cooling Capacity (w) 3302

HP 1-3/8

LRA 54

COMPRESSOR MECHANICAL AND PHYSICAL DATA

Number of cylinders 2

Displacement @ 50 Hz, cu.m/h 3.2

Bore/Stroke, mm 3.5/1.9

Length/Width, mm 235/179

Height, mm 264

Net Weight, kg 21.5

Stub Suction, inch 5/16

Stub Discharge, inch 5/16

Oil Quantity, l 0.9

Base mounting (hole dia), mm NA (0.0)

Sound Pressure @ 1m (HT), dBA 57
Sound Power (HT), dBA 68
COMPRESSOR ELECTRICAL DATA (220/240V – 1~ – 50Hz)
Locked Rotor Current, A 25
Default Enclosure Class IP 21 (IEC 34)
ACCESSORIES OPTIONAL
Mounting Grommets Standard
Single Phase Equipment Relay, Start and Run Capacitor



Private Picture Copyright : WWW.MBSM.PRO

Horse Power
50HZ
Brand
COPLAND
Compressor Technology

HERMETIC
Model Name/Number
KCJ511HAE
Power
220V




Private Picture Copyright: WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_KCJ511HAETélécharger
Mbsm_dot_pro_private_PDF_KCJ511HAE-1Télécharger

**COMPRESSOR, ASPERA, NJ2192GK, 1.1/4
HP, 220V, 1PH, R404A, LBP, 1199w**

Category: compressor
written by www.mbsm.pro | 9 May 2022



Private Picture Copyright: WWW.MBSM.PRO


Compressor ASPERA NJ2192GJ | NJ 2192 GJ

Product replaced the old model NJ2192GK

Refrigerant	R404A
Working range[stC] LBP	-40 do -10
Nominal capacity [W] (evaporating temperature -23,3C, Condensing temperatur +54,4C)	1199
Power supply	220-240V 50Hz
Engine type	CSR
Displacement [cm ³]	26,10
Weight [kg]	22
Condensing temperature +55 C	

Evaporating Temperature	Cooling Capacity +/-5%			Power Consumption +/-5%	Current Consumption +/-5%
	(kcal/h)	(W)	(Btu/h)	(W)	(A)
°C					
-40					
-35					
-30		797		773	4,37
-25		1084		908	4,92
-20		1413		1045	5,49
-15		1784		1181	6,10
-10		2196		1317	6,72

Refrigerant: R404A



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_pdf_NJ219GJTélécharger