

Mitsubishi, Electric, fixed
frequency, NH41VNHT 2.55HP, single-
phase, 220V, rotary, air condition,
26000 btu/h

Category: expertise

written by Amina | 22 October 2023



SIAM COMPRESSOR INDUSTRY



MITSUBISHI ELECTRIC CO.

REFRIGERANT COMPRESSOR
MODEL **NH41VNHT**

MANUFACTURING DATE **16092010**

POWER SOURCE

220-240V 1~ 50Hz

POWER INPUT **2410 W** AT **50** **Hz**

LRA **70/77** **A**

REFRIGERANT **R-22**

OIL **1.30 L**

AP **2.74** **MPa**

SP **10.5** **MPa**

THERMALLY PROTECTED

Mitsubishi, Electric, fixed frequency, NH41VNHT 2.55HP, single-phase, 220V, rotary, air condition, 26000 btu/h

Mbsm.pro, Compresor, Embraco, NB, NEK1118Z, R134A, 220v, 1/4 hp, 8.4cm3, LBP

Category: compressor

written by www.mbsm.pro | 22 October 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compresor, Embraco, NB, NEK1118Z, R134A, 220v, 1/4 hp, 8.4cm3, LBP

Mbsm.pro, COMPRESOR, SELLADO, 1/2 HP, 6269 BTU/h, R-404a, 220V, PH1, CSR, HMBP, CUBIGEL, MP12TG

Category: compressor

written by www.mbsm.pro | 22 October 2023


el

MP12TG

200-220V~50Hz PH1

220-230V~60Hz

THERMALLY PROTECTED



MADE IN SPAIN

2



9061251330100498

08101

Mbsm.pro, COMPRESOR, SELLADO, 1/2 HP, 6269 BTU/h, R-404a, 220V, PH1, CSR, HMBP, CUBIGEL, MP12TG

CF1441G

Category: expertise

written by www.mbsm.pro | 22 October 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Freezer, CF1441G, 210 L, Compressor, 1/4 hp++, 1/3 hp-, R134a, 145g, 370w, 220v

Mbsm.pro, Compressor, Embraco, 1/5
hp, Ffi 6 Hak, Ffi6Hak, Ffi6 Hak, Ffi
6Hak, FfI 6 Hak, R-134a, 220v, 12
feet, 340 L

Category: compressor

written by www.mbsm.pro | 22 October 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Embraco, 1/5hp, Ffi 6 Hak, Ffi6Hak, Ffi6 Hak, Ffi 6Hak,
FfI 6 Hak, R-134a, 220v

Mbsm.pro, Subcool, compressor,
commercial display fridge, gqr90tg,
1/3 hp—, 480 w, R134a, 220V, mbp

Category: compressor

written by mahdi miled | 22 October 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Subcool, compressor, commercial display fridge, gqr90tg, 1/3 hp-, 480

w, R134a, 220V, mbp

Mbsm.pro, GQR90U, SIKELAN, R290,
220V, 1/2 hp, Lbp

Category: compressor

written by www.mbsm.pro | 22 October 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, GQR90U, SIKELAN, R290, 220V, 1/2 hp, Lbp

Compressor 1/10 HP R-134A Samsung CD130

Category: pro

written by www.mbsm.pro | 22 October 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Refrigeration, Compressor, 1/10 HP, R-134A, 220V, Samsung

Mbsm.pro, Compressor, NL60FB, 1/5 Hp,
Lbp, R290, 220v, 1 phase 50 hz

Category: Archivation,compressor

written by www.mbsm.pro | 22 October 2023



Private Picture Copyright : WWW.MBSM.PRO


Mbsm.pro, Compressor, NL60FB, 1/5 Hp, Lbp, R290, 220v, 1 phase 50 hz

Mbsm.pro, Compressor, d91c18raws, 1/4
Hp, 227 W, Lbp, R134a, 220v, 1 phase
50 hz, Compressor AC Panasonic, D
Series, 744 btu/h, 195 kcal/h

Category: Archivation,compressor
written by www.mbsm.pro | 22 October 2023



MODEL D91C18RAW5
220/240V~ 50Hz 1PH R-134a
THERMALLY PROTECTED
MATSUSHITA ELECTRIC IND. CO., LTD.
SINGAPORE



D91C18RAW5 (RSIR) : Reciprocating Compressors (Fixed Speed)

Product
Reciprocating Compressors (Fixed Speed)
Series/Type
D Series (Reciprocating Fixed Speed, R134a, LBP)
Parts no
D91C18RAW5(RSIR)
Specification

Item	Performance characteristics
Refrigerant	R134a
Displacement (cm ³)	9.1
Voltage (V)	220/240
Frequency (Hz)	50
Motor Type	RSIR
Capacity@ASHRAE	227
COP@ASHRAE	1.29/1.24
Capacity@CECOMAF	—
COP@CECOMAF	—



Performance

Application : Low Back Pressure
 Refrigerant : R134a (CF₃CH₂F)
 Evaporator Temperature Range : -35°C to -5°C

Series	Model	Displacement (cm ³)	Voltage / Frequency	Motor Type	ASHRAE		CECOMAF	
					Capacity	COP	Capacity	COP
					W	W/W	W	W/W
D	D77C15RAW5	7.7	220/240V 50Hz	RSIR	186 / 186	1.27 / 1.24	-	-
				RSCR	186 / 186	1.32 / 1.27	-	-
	D77C17GAX6	7.7	220V 60Hz	RSIR	236	1.25	-	-
				RSCR	-	-	-	-
	D77C17RAT6	7.7	110V 60Hz	CSIR	-	-	-	-
				CSCR	236	1.34	-	-
	D77C18RAX5	7.7	220V 50Hz	RSIR	186	1.24	-	-
				RSCR	186	1.31	-	-
	D91C18RAW5	9.1	220/240V 50Hz	RSIR	227 / 227	1.29 / 1.24	-	-
				RSCR	227 / 227	1.37 / 1.31	-	-
	D91C18TA00	9.1	100V 50/60Hz	CSIR	-	-	-	-
				CSCR	227 / 288	1.29 / 1.39	-	-
	D91C19CAS5	9.1	200V 50Hz	CSIR	227	1.28	-	-
				CSCR	-	-	-	-
	D91C21RAX5	9.1	220V 50Hz	RSIR	227	1.28	-	-



▼ D91C18RAW5

f_x

	I	H	G	F	A	
220 / 240 / 50 HZ						1
COOLING CAPACITY				الإزاحة	MODEL	2
5	W -23	B T U	k CAL/HR	Displ.C		3
	135	461	116	5.1	D51C10RAW5	4
	135	461	116	5.1	D51C90RAW5	5
	141	481	121	5.7	D57C10RAW5	6
	141	481	121	5.7	D57C13RAX5	7
	160	546	138	6.6	D66C13RAW5	8
	151	515	130	6.6	D66C13RAX5	9
	186	635	160	7.7	D77C15RAW5	10
	186	635	160	7.7	D77C18RAX5	11
	227	774	195	9.1	D91C18RAW5	12
	227	774	195	9.1	D91C21RAX5	13
	298	1017	256	11.0	D110C21RAX5	14
	298	1017	256	11.0	D110C21RAZ5	15
	298	1017	256	11.0	D110C21RBX5	16
	298	1017	256	11.0	D110C24GAX5	17
						18
						19
						20
220 / 240 / 50 HZ						21
COOLING CAPACITY				الإزاحة	MODEL	22
5	W -23	B T U	k CAL/HR	Displ.C		23
	163	556	140	5.7	DA57C11RAY5	24
	184	628	158	6.6	DA66C12RAY5	25
	214	730	184	7.7	DA77C15RAY5	26
						27
					D B	28
	187	638	161	6.6	DB66C10RAW5	29
	184	628	158	6.6	DB66C12RAY5	30
	184	628	158	6.6	DB66C14RBX5	31
	204	696	175	7.3	DB73C13RAY5	32
	214	730	184	7.7	DB77C14RAY5	33
	214	730	184	7.7	DB77C16RBX5	34
	241	822	207	8.6	DB86C16RAY5	35
	253	863	218	9.1	DB91C14RAW5	36
+ دانفوس -						
باناسونيك						
ZMC						

