

Mbsm.pro, Bristol, Compressor,
H24B22QABJC, 21800 btu/h, H24BQ
SERIES, 6397 W, 230 v, 1 Phase, lra
52 A, Compressors, Chillers &
Condensers, high temperature, R22,
basic model, model B, PSC capacitor,
line break internal, capillarie,
0.64/80 cm, 0.70/100 cm

Category: air conditioner,Archivation,compressor
written by www.mbsm.pro | 30 April 2022



Mbsm.pro, Bristol, Compressor, H24B22QABJC, 21800 btu/h, H24BQ SERIES, 6397 W, 230 v, 1 Phase, lra 52 A, Compressors, Chillers & Condensers, high temperature, R22, basic model, model B, PSC capacitor, line break internal, capillarie, 0.64/80 cm, 0.70/100 cm

Mbsm.pro, Compressor, Copeland, 1 1/4 Ton, 2 hp, Scroll, ZR16KC-PFV-230, ZR16KA-PFV-830, ZR16K4-PFV-130, 15500 btu, R-22, 230 v, 1 ph

Category: compressor

written by www.mbsm.pro | 30 April 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Copeland, 1 1/4 Ton, 2 hp, Scroll, ZR16KC-PFV-230, ZR16KA-PFV-830, ZR16K4-PFV-130, 15500 btu, R-22, 230 v, 1 ph

Mbsm.pro, COPLAND, Compressor,

KCJ511HAE, KCJ511HAE-BXXX , HBP,
1-3/8 hp big ++, R-22 , 230 V, 50 Hz,
1PH , FAN, 350 ft3 / m

Category: compressor

written by www.mbsm.pro | 30 April 2022



Private Picture Copyright : WWW.MBSM.PRO

Technical Specification

Cooling Capacity (Btu/hr) 11275

Cooling Capacity (w) 3302

HP 1-3/8

LRA 54

COMPRESSOR MECHANICAL AND PHYSICAL DATA

Number of cylinders 2

Displacement @ 50 Hz, cu.m/h 3.2

Bore/Stroke, mm 3.5/1.9
Length/Width, mm 235/179
Height, mm 264
Net Weight, kg 21.5
Stub Suction, inch 5/16
Stub Discharge, inch 5/16
Oil Quantity, l 0.9
Base mounting (hole dia), mm NA (0.0)
Sound Pressure @ 1m (HT), dBA 57
Sound Power (HT), dBA 68
COMPRESSOR ELECTRICAL DATA (220/240V – 1~ – 50Hz)
Locked Rotor Current, A 25
Default Enclosure Class IP 21 (IEC 34)
ACCESSORIES OPTIONAL
Mounting Grommets Standard
Single Phase Equipment Relay, Start and Run Capacitor



Private Picture Copyright: WWW.MBSM.PRO

Horse Power

50HZ

Brand

COPLAND

Compressor Technology

HERMETIC

Model Name/Number

KCJ511HAE

Power

220V

