

**RT 1320 windsor, windsor  
refrigerator, 13.2 Feet/cub,  
400 L, Compressor, Embraco,  
ecu75hlp, 250 w, 1/4 hp, Lbp,  
r134, 180 g, 7.5 cm<sup>3</sup>, 220-240  
V at 50 Hz**

written by Amina | 26 October 2023




RT 1320 windsor, windsor refrigerator, 13.2 Feet/cub, 400 L,  
Compressor, Embraco, ecu75hlp, 250 w, 1/4 hp, Lbp, r134, 180  
g, 7.5 cm<sup>3</sup>, 220-240 V at 50 Hz

---

**COMPTEK, Compressor,  
HALQD91HHR, HQD91H, 1/4 hp++,  
1/3 hp–, m/hbp, 250 w, 8.8  
cm<sup>3</sup>, r134a**

written by Amina | 26 October 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

COMPTEK, Compressor, HALQD91HHR, HQD91H, 1/4 hp++, m/hbp, 250

w, 8.8 cm<sup>3</sup>

# Mbsm.pro, Compressor, D77C18RAX5, RSIR , 1/4 Hp, D Series, r134a, LBP, 186 W, Toshiba, Refrigerator, 14 Feet, GR-EF40, 2 Doors, New Compressor, PE75H1C, 250 w, 1/4 hp

written by Lilianne | 26 October 2023

## Performance

Application : Low Back Pressure

Refrigerant : R134a (CF<sub>3</sub>CH<sub>2</sub>F)

Evaporator Temperature Range : -35°C to -5°C

Series	Model	Displacement (cm <sup>3</sup> )	Voltage / Frequency	Motor Type	ASHRAE		CECOMAF	
					Capacity W	COP W/W	Capacity W	COP W/W
	D77C15RAW5	7.7	220/240V 50Hz	RSIR	186 / 186	1.27 / 1.24	-	-
				RSCR	186 / 186	1.32 / 1.27	-	-
	D77C17GAX6	7.7	220V 60Hz	RSIR	236	1.25	-	-
				RSCR	-	-	-	-
	D77C17RAT6	7.7	110V 60Hz	CSIR	-	-	-	-
				CSCR	236	1.34	-	-
	D77C18RAX5	7.7	220V 50Hz	RSIR	186	1.24	-	-
				RSCR	186	1.31	-	-
	D91C18RAW5	9.1	220/240V 50Hz	RSIR	227 / 227	1.29 / 1.24	-	-
				RSCR	227 / 227	1.37 / 1.31	-	-
	D91C18TA00	9.1	100V 50/60Hz	CSIR	-	-	-	-

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, D77C18RAX5, RSIR , 1/4 Hp, D Series, r134a, LBP, 186 W, Toshiba, Refrigerator, 14 Feet, GR-EF40, 2

Doors, New Compressor, PE75H1C, 250 w, 1/4 hp