

# Maintenance, chauffe, eau solaire, BSI, 300L

Category: Plomberie

written by [www.mbsm.pro](http://www.mbsm.pro) | 19 December 2020





**BSI**

**BIOME SOLAR INDUSTRY**

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Exif\_JPEG\_420



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Exif\_JPEG\_420



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Exif\_JPEG\_420



Type:

Year of production:

Serial number:

10411505

BIOME 6.0D-N

2014

14B003074

Gross area:

Dimensions:

Weight:

Max operation temp.:

Stagnation temp.:

Max operation pressure:

Fluid content:

Fluid:

2.01 m

1908x1058x75 mm

32 kg

120 °C

196 °C

10 bar

2.4 l

water-propylene glycol



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Exif\_JPEG\_420



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Exif\_JPEG\_420