

# COMPRESSOR, EMBRACO , fgs130ha, LBP (Low Back Pressure) ,RSCR ,316 W ,1/3+ HP ,220-240 V 50 Hz ,1080 Btu/h ,11,14 c.c.,R134a

Category: Technologie,Tester ok  
written by [www.mbsm.pro](http://www.mbsm.pro) | 30 April 2020

 Stampa la su

<b>Compressore</b>	EMBRACO
<b>Modello</b>	FGS130HAW
<b>Altezza (mm)</b>	
<b>Gas</b>	R134a
<b>Tensione</b>	220-240 V 50 Hz
<b>Applicazione</b>	LBP (Low Back Pressure)
<b>Test Condition</b>	ASHRAE LBP 32
<b>Cilindrata</b>	11,14 c.c.
<b>Motore</b>	RSCR
<b>Potenza (HP)</b>	1/3+
<b>Cap. Frigor. Watt</b>	316
<b>Cap. Frigor. Kcal</b>	272
<b>Cap. Frigor. Btu/h</b>	1080
<b>COP (W/W)</b>	1,49
<b>Watt assorbiti (W)</b>	
<b>Dispositivo di Avv.</b>	
<b>Condensatore</b>	
<b>Tipo Raffreddamento</b>	



Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

[www.mbsm.pro](http://www.mbsm.pro)

**Embraco** FGS130HAW



THERMALLY PROTECTED

10 LRA

R 134a

1 PH

220-240V~

50Hz

JOINVILLE-SC NO START WITHOUT STARTING DEVICE  
MADE IN BRAZIL



513200607 FAB 1 26/JAN/05 E05DDHWA

HFC - 134a

△ 注意

△ 高温注意

Private Picture : [www.MBSM.PRO](http://www.MBSM.PRO)

sm.pro

Compressore

EMBRACO

<b>Modello</b>	FGS130HAW
<b>Altezza (mm)</b>	
<b>Gas</b>	R134a
<b>Tensione</b>	220-240 V 50 Hz
<b>Applicazione</b>	LBP (Low Back Pressure)
<b>Test Condition</b>	ASHRAE LBP 32
<b>Cilindrata</b>	11,14 c.c.
<b>Motore</b>	RSCR
<b>Potenza (HP)</b>	1/3+
<b>Cap. Frigor. Watt</b>	316
<b>Cap. Frigor. Kcal</b>	272
<b>Cap. Frigor. Btu/h</b>	1080
<b>COP (W/W)</b>	1,49
<b>Watt assorbiti (W)</b>	
<b>Dispositivo di Avv.</b>	
<b>Condensatore</b>	
<b>Tipo Raffreddamento</b>	
<b>Imballo (Pcs/Pallet)</b>	