

Mbsm.pro, COPLAND, Compressor,  
KCJ511HAE, KCJ511HAE-BXXX , HBP,  
1-3/8 hp big ++, R-22 , 230 V, 50 Hz,  
1PH , FAN, 350 ft3 / m

Category: compressor

written by www.mbsm.pro | 30 December 2021



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

### Technical Specification

Cooling Capacity (Btu/hr) 11275

Cooling Capacity (w) 3302

HP 1-3/8

LRA 54

COMPRESSOR MECHANICAL AND PHYSICAL DATA

Number of cylinders 2  
Displacement @ 50 Hz, cu.m/h 3.2  
Bore/Stroke, mm 3.5/1.9  
Length/Width, mm 235/179  
Height, mm 264  
Net Weight, kg 21.5  
Stub Suction, inch 5/16  
Stub Discharge, inch 5/16  
Oil Quantity, l 0.9  
Base mounting (hole dia), mm NA (0.0)  
Sound Pressure @ 1m (HT), dBA 57  
Sound Power (HT), dBA 68  
COMPRESSOR ELECTRICAL DATA (220/240V – 1~ – 50Hz)  
Locked Rotor Current, A 25  
Default Enclosure Class IP 21 (IEC 34)  
ACCESSORIES OPTIONAL  
Mounting Grommets Standard  
Single Phase Equipment Relay, Start and Run Capacitor



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Horse Power

50HZ

Brand

COPLAND

Compressor Technology

HERMETIC

Model Name/Number

KCJ511HAE

Power

220V




Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_KCJ511HAETélécharger  
Mbsm\_dot\_pro\_private\_PDF\_KCJ511HAE-1Télécharger

Panasonic, refrigerator, compressor,  
SB48C95GAW5, 110w, White-Westinghouse  
refrigerator, 220v, 50 Hz, 85L,  
R134A/80G, 1/6 Hp

Category: compressor  
written by [www.mbsm.pro](http://www.mbsm.pro) | 30 December 2021



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

## Specification

Item	Performance characteristics
Refrigerant	R134a
Displacement (cm <sup>3</sup> )	4.8
Voltage (V)	220/240
Frequency (Hz)	50
Motor Type	RSIR
Capacity@ASHRAE	110
COP@ASHRAE	1.03/0.99
Capacity@CECOMAF	—
COP@CECOMAF	—





White-Westinghouse®

### Diagram Of Circuit Principles

Type	WF-95A
Rated Voltage	220V
Rated Frequency	50Hz
Total Input Power	100W
Electricity Consumption	0.66kW·h/24h
Total Effective Volume	85L
Electric Shock Classification	Class I
Refrigerant And Inject Amount	R134a/80g
Freezing Capacity	8.0kg/24h
Weight	40kg

