

Mbsm.pro, Compressor, Copeland,
Scroll, ZP90KCE-TFD-425, R410A,
380V*3, 50Hz, 7.5 Hp++, 74.500 Btu/h,
HBP

Category: compressor

written by www.mbsm.pro | 19 March 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Copeland, Scroll, ZP90KCE-TFD-425, R410A, 380V*3, 50Hz, 7.5 Hp++, 74.500 Btu/h, HBP

Mbsm.pro, Air conditioner,
Tac-36ch5a, 36000 Btu, 17 a,
Compressor, ATH420MV, ATH420MV-C9EU,
Hitachi Compressor, 4hp, R410a, 2.5
kg, 10060 W, 220V 220-240, 50Hz, 1 PH

Category: air conditioner,compressor
written by www.mbsm.pro | 19 March 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Air conditioner, Tac-36ch5a, 36000 Btu, 17 a, Compressor, ATH420MV,
ATH420MV-C9EU, Hitachi Compressor, 4hp, R410a, 2.5 kg, 10060 W, 220V 220-240,
50Hz, 1 PH

Mbsm.pro, Compressor, Donper, L65CZ1,
220-244V, 50Hz, 1/5 hp, R134a, 1bp

Category: compressor
written by www.mbsm.pro | 19 March 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Donper, L65CZ1, 220-244V, 50Hz, 1/5 hp, R134a, lbp

**KONOR, COMPRESSOR, GQR80AA, R134A,
LBP, 240V, 50Hz, 8.1cm³, 1/4HP,
198W, -KONOR CATALOGE pdf**

Category: compressor

written by www.mbsm.pro | 19 March 2022



Private Picture Copyright: WWW.MBSM.PRO

GQR80AA 8.1cm³ 186MM RSIR 198W 1.19W/W 220-240V/50Hz 1/4HP 9.4Kg

KONOR COMPRESSOR GQR80AA R134A LBP 240V 50Hz

Product description:

R134a GQR80AA series sealed refrigeration compressor 220-240v/50Hz

The main feature:

- strong loading capacity,
- high efficiency,
- low noise,
- light vibration,
- good reliability.

suitable for mid-size refrigerators, freezers, displayers, beer displayers and other mid-size refrigeration appliances. The structure form is hermetical crank connecting-rod reciprocating piston type.

They are the best selling high-tech compressors sold in the world. They are ideal for domestic refrigeration and also for small commercial applications. They are small, have low noise and vibration levels, they achieve the highest levels of efficiency available in the market for this category.

KONOR	Displ.	power	Motor type	V/Hz	Cooling capacity	W ^{Net}	Weight	KG
GQR60AA	61/6		RSIR	220-240V/50Hz		140		9.4
GQR70AA	6.61/5		RSIR	220-240V/50Hz		165		9.4
GQR80AA	8.11/4		RSIR	220-240V/50Hz		198		9.4
GQR90AA	9.11/4		RSIR	220-240V/50Hz		220		10.1
GQY99AA	9.91/4		RSIR	220-240V/50Hz		270		10.9
GQY12AF	11.81/3		CSIR	220-240V/50Hz		325		10.56
GQY16AF	16.23/8		CSIR	220-240V/50Hz		380		12.1
GP16MG	16.25/8		CSIR	220-240V/50Hz		870		12.5
GP12MG	11.85/8		CSIR	220-240V/50Hz		656		10.9
GP12TG	11.83/8		CSIR	220-240V/50Hz		1140		11.8
GQR80TG	8.11/4		CSIR	220-240V/50Hz		730		9.8
GQR90TG	9.11/4		CSIR	220-240V/50Hz		830		10.5
GQR60TG	61/5		CSIR	220-240V/50Hz		520		9.8

One year warranty*.

Mbsm_dot_pro_private_PDF_2017-KONOR-CATALOGETélécharger



KONOR Compressor GQR80AA

Heating & Refrigerating
SIKELAN

GQR80TG

220-240V ~ 50/60Hz 1PH

R134a



REF. CAPACITY: 400W

17.08.2018

20230182T

Zhejiang Waidi Refrigeration Technology Co., LTD.

Suct

Electrolux Professional Compressor,
R404a/R507, MX18FB, 220-240V, 50Hz,
17,3kg, 5/8HP, 571W, MX18 FB,
CUBIGEL, LBP, HERMETIC COMPRESSOR,
Zanussi ALF1103 Fridge

Category: compressor

written by www.mbsm.pro | 19 March 2022



Private Picture Copyright: WWW.MBSM.PRO

Electrolux Professional Compressor, R404a/R507, MX18FB, 220-240V, 50Hz, 17,3kg, 5/8HP, 571W, MX18 FB, CUBIGEL, LBP, HERMETIC COMPRESSOR, Zanussi ALF1103 Fridge

COMPRESSOR, MX21TBa, R404A, 1HP, CUBIGEL, HMBP, 220/240V, 50Hz, 20,72 cm³

Category: compressor

written by www.mbsm.pro | 19 March 2022



Private Picture Copyright: WWW.MBSM.PRO

Détails techniques

220/240V 50Hz

puissance 1 HP – cylindrée 21,75 cc

gaz R404a/R507 HMBP

...et d'autres dispositifs

MX21TB – ACC – CELLI

MX21TB – CUBIGEL – ELECTROLUX

605093 – GEV – ITV



Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_danfoss_MX21TBa_R404A_220_50Télécharger

Brand:	Cubigel
UPC:	3070063
Manufacturer reference:	MX21TBa
Application:	HMBP
Power supply:	220/240V 50Hz
Cooling capacity:	3047 W
Horsepower:	1 Hp
Displacement:	21.7 cm ³
Refrigerant:	R404a/R507
Weight:	17.5 kg
Motor type:	CSR
Type:	Hermetic reciprocating compressor

Compresseur, SC15B, R-12, 3/8HP, 230V
, 104L , 2830 , 220-240V , 50HZ , 1PH,

LBP/HBP ,Compressor DANFOSS

Category: Technologie,Tester ok
written by www.mbsm.pro | 19 March 2022



Private Picture Copyright: WWW.MBSM.PRO

Compresseur SC15B R-12 3/8HP 230V , 104L , 2830 ,220-240V ,50HZ ,1PH, LBP/HBP ,Compressor DANFOSS

KCE444HAG , 3/8 Hp ,230V, 50Hz, 1Phase ,High / Medium temperature (HBP / CBP), R-134a

Category: Technologie,Tester ok
written by www.mbsm.pro | 19 March 2022

Performance Nominals

High Back Pressure			Capacity						Commercial Back Pressure		
Model	HP	Displacement cc per Rev	7.2°C			-6.7°C			Cooling Type (CFM)	Oil Charge Qty (cc)	Net Wt. (Kg.)
			Btu/Hr.	kCal/Hr.	Watt	Btu/Hr.	kCal/Hr.	Watt			
R134a, 50 Hz, 1 Phase											
KCE419HAG	1/6	5.79	1585	399	465	860	217	252	Fan 350	310	10.2
KCN413CAG	1/6	6.15	-	-	-	1080	272	316	Fan 350	340	9.7
KCE425HAG	1/5	7.58	2145	540	629	1075	271	315	Fan 350	310	10.8
KCN416CAG	1/5	7.31	-	-	-	1380	338	392	Fan 350	340	9.7
KCE432HAG	1/4	9.42	2690	678	788	1330	332	390	Fan 350	310	11.8
KCE444HAG	3/8	12.05	3675	926	1077	1880	474	551	Fan 350	310	11.8
KCJ444HAG	3/8	12.58	3700	932	1064	1720	433	504	Fan 350	890	20.2
KCN463HAG	1/2	15.33	5250	1323	1538	3130	789	917	Fan 350	380	11.5
KCJ467HAG	1/2	18.27	5600	1411	1640	2830	713	829	Fan 350	890	21.0
KCJ498HAG	3/4+	25.91	8200	2066	2402	4100	1033	1201	Fan 350	890	21.5
R134a, 60 Hz, 1 Phase 230 V											
KCE432HAG	1/4	9.42	3225	813	944	1595	402	467	Fan 350	310	11.8
KCE444HAG	3/8	12.05	4275	1077	1252	2187	551	640	Fan 350	310	11.8
KCN463HAG	1/2	15.33	6300	1588	1845	3443	868	1008	Fan 350	380	11.5
KCJ467HAG	1/2	18.27	6700	1688	1964	3120	786	914	Fan 350	890	21.0
KCJ498HAG	3/4+	25.91	9250	2330	2710	4633	1167	1358	Fan 350	890	21.5
R134a, 60Hz, 115V											
KCE444HAG	1/3	12.05	4200	1058	1231	2175	548	637	Fan 350 FM	310	11.8

Private Picture Copyright : WWW.MBSM.PRO

KCE444HAG , 3/8 Hp ,230V, 50Hz, 1Phase ,High / Medium temperature (HBP / CBP), R-134a

**TLES6.5FT.3 ,Energy-optimized
,Tropical , R134a 220-240V ,50Hz ,
1/4 hp , COMPRESOR DANFOSS SECOP ,
183 W , LBP**

Category: Technologie,Tester ok
written by www.mbsm.pro | 19 March 2022



Private Picture Copyright : WWW.MBSM.PRO

TLES6.5FT.3 ,Energy-optimized ,Tropical , R134a 220-240V ,50Hz , 1/4 hp ,
COMPRESOR DANFOSS SECOP