Mbsm.pro, compressor, QXC-16K, 1.2 hp, 9000 btu, r407, 900w

Category: compressor

written by www.mbsm.pro | 14 November 2024



The QXC-16K is a rotary compressor designed for refrigeration applications, particularly in dehumidifiers and air conditioning systems. Here are its key specifications and features:

Specifications

• Model: QXC-16K

• Refrigerant Type: R407C • Voltage: 220-240V, 50Hz

• Cooling Capacity: 2670 W (approximately 9078 Btu/h) at an evaporating

temperature of $+7.2\,^{\circ}\text{C}$ and condensing temperature of $+54.4\,^{\circ}\text{C}$.

• Input Power: 900 W

• **Displacement**: 16.4 cc/rev

• Current: 4.10 A

• Coefficient of Performance (COP): 2.97

• Height: 293 mm



QXC-16KDownload

Mbsm.pro, Compressor, Tecumseh, AJA4492YXA, High Back Pressure, 3/4 hp, R-134a/R-12++, 9000 BTU, CSIR

Category: compressor

written by mahdi miled | 14 November 2024



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Tecumseh, AJA4492YXA, High Back Pressure, 3/4 hp, R-134a/R-12++, 9000 BTU, CSIR

Mbsm,pro, air conditioner, Condor, CsHR09-gcm1t1(0), 9000 btu, 4.5 A, r22, 750 G, T1

Category: air conditioner

written by www.mbsm.pro | 14 November 2024

Modèle	-	CSHROG	atiseur Split-unité e 9-GCM1T1(0)	
	220-240V~	جهد التيار	سعة التبريد Refroidissement	0000DTTT
	50Hz	التردد	Chauffage asiasilia-	9000BTU/
Type du climat		وع المناخ	Puissance Electr. au refroidiss.	9800BTU/1 925W
	25kg	الوزن		
Isolation	I	العزل	Puissance Electr. au chauffage الطاقة الكهربائية للتدفئة	900W
	R22	سائل التبريد		
	0.70kg	الكمية	Puissance nominal refroid.	1200W
Comp. LRA	21A	للضاغط	الطاقة القصوى للتبريد	
Pression de foncti Pression de fonct	tionnement ma	ax admissible cot	الأقصى 0.6MPa الأقصى	ط الطرد الا ط السحب
Fabriqué	en Algé	rie	6 130839 00	2570

Mbsm,pro, air conditioner, Condor, CsHR09-gcmlt1(0), 9000 btu, 4.5 A, r22, 750 G, T1